R3850-1.7

Length of Stay in PAS Hospitals,

by Diagnosis,

United States, Western Region,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:
. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:
Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 3
  Coverage 4
  Organization of Length of Stay Tables 7
    ICD-9-CM List A: Hospital Diagnosis Groups 7
    Definition of Multiple Dx Patients 7
    Definition of Operated Patients 8
  Explanation of Statistics 8
  Exclusions 9
  Defining the Extended Stay Case 10
Length of Stay Tables 21
  Summary of All Patients 22
  Summary of All Patients Except Newborn 23
  Diagnosis Groups 1-398 24
Distribution Tables 223
  Table 1: Distribution of U.S. Patients and Days of Care
    by *ICD-9-CM* List A Hospital Diagnosis Groups 225
  Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups
    by Live Discharges 244
  Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups
    by Days of Care 268
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 293
Index to Length of Stay Tables 297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA
DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS
1979 CASE ABSTRACT
1234567890EV
SAMPLE
79
PAS
79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 1,876,959 patients discharged during 1979 from 326 nonfederal, short-term* hospitals participating in PAS in the Western Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 1,999,692 discharges.

Characteristics of all hospitals in the Western Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3. Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Beds Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Region and Census Division (1)	Hospitals with Residencies Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Hospitals with Medical School Affiliation Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **is based on the** ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients discharged to other short-term hospitals
(4) patients discharged against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979 — *U.S., Western Region, 1979*
U.S., North Central Region, 1979 — *Canada, 1979*
U.S., Southern Region, 1979 — *United States Geriatric, 1979*
U.S., Northeastern Region, 1979 — *United States Pediatric, 1979*

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979 — *U.S., Western Region, 1979*
U.S., North Central Region, 1979 — *Canada, 1979*
U.S., Southern Region, 1979 — *United States Geriatric, 1979*
U.S., Northeastern Region, 1979 — *United States Pediatric, 1979*

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a hospital in the Western Region for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

with
  calculus, stones in
    bile duct (common) (hepatic) 574.4
    gallbladder 574.1
  choledocholithiasis 574.4
  cholelithiasis 574.1
acute 575.0
  with
    calculus, stones in
      bile duct (common) (hepatic) 574.3
      gallbladder 574.0
    choledocholithiasis 574.3
    cholelithiasis 574.0
emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
gangrenous *(see also* Cholecystitis, acute) 575.0
paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
suppurative *(see also* cholecystitis, acute) 575.0
typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

with cholecystitis (chronic) 574.4
  acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

with cholecystitis (chronic) 574.1
  acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 27[illegible]
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, Western Region, 1979.*

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	28	1	1	2	4	5	16	25
20-34	225	2.8	5	1	1	2	3	5	7	12
35-49	209	2.8	3	<1	1	2	4	5	7	9
50-64	232	3.5	42	<1	1	3	4	6	7	20
65+	260	4.3	10	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	215	6.3	4	4	4	6	7	9	9	13
20-34	2203	6.5	5	4	5	6	7	9	10	15
35-49	2018	6.8	9	4	5	6	8	9	11	15
50-64	2113	7.3	7	5	5	7	8	10	12	17
65+	1237	8.7	12	5	6	8	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	4	1	1	3	4	6	8	10
20-34	158	3.3	9	<1	1	3	4	6	8	18
35-49	216	4.0	13	1	1	3	5	7	10	19
50-64	435	5.0	32	1	2	4	6	9	12	24
65+	928	6.0	20	2	2	5	7	11	13	24
B. *Operated*										
0-19 YRS	108	7.7	10	4	4	7	9	12	14	17
20-34	1500	7.8	11	5	5	7	9	12	14	21
35-49	1874	8.3	17	5	5	7	9	13	15	25
50-64	2915	9.6	34	5	6	8	11	15	19	33
65+	3143	12.7	60	6	6	10	15	22	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	3.4	16	1	1	3	4	6	8	14
B. *Operated*	7786	7.1	8	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1759	5.3	22	1	2	4	6	9	13	24
B. *Operated*	9540	10.1	39	5	5	8	11	17	21	34
1. SINGLE DX	8731	6.7	10	2	4	6	8	10	12	17
2. MULTIPLE DX	11299	9.3	40	3	4	8	11	16	20	34
A. NOT OPERATED	2704	4.6	20	1	1	4	6	9	11	21
B. OPERATED	17326	8.7	27	5	5	7	10	14	18	30
TOTAL 0-19 YRS	364	6.4	8	2	3	6	7	9	11	16
20-34	4086	6.6	9	2	4	6	8	10	12	18
35-49	4317	7.1	15	3	4	6	8	11	13	21
50-64	5695	8.2	27	3	4	7	9	13	16	28
65+	5568	10.3	49	3	4	9	12	18	23	36
GRAND TOTAL	**20030**	**8.2**	**28**	**3**	**4**	**7**	**9**	**13**	**17**	**30**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



326 PAS Hospitals Western Region January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	19	3.6	28	1	1	2	4	5
20-34	225	2.8	5	1	1	2	3	5
35-49	209	2.8	3	<1	1	2	4	
50-64	232	3.5	42	<1	1	3	4	
65+	260	4.3	10	1	1	3	5	
B. *Operated*								
0-19 YRS	215	6.3	4	4	4	6	7	
20-34	2203	6.5	5	4	5	6		
35-49	2018	6.8	9	4	5	6		
50-64	2113	7.3	7	5	5	7		
65+	1237	8.7	12	5	6	7		
LE DX								
	22	3.4						

216: Gallbladder disease without mention of calculus (575)

131

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



326 PAS Hospitals Western Region January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	19	3.6	28	1	1	2	4	5
20-34	225	2.8	5	1	1	2	3	5
35-49	209	2.8	3	<1	1	2	4	
50-64	232	3.5	42	<1	1	3	4	
65+	260	4.3	10	1	1	3	5	
B. *Operated*								
0-19 YRS	215	6.3	4	4	4	6	7	
20-34	2203	6.5	5	4	5	6		
35-49	2018	6.8	9	4	5	6		
50-64	2113	7.3	7	5	5	7		
65+	1237	8.7	12	5	6	7		
LE DX								
	22	3.4						

216: Gallbladder disease without mention of calculus (575)

131

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



326 PAS Hospitals, Western Region, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	19	3.6	28	1	1	2	4	5
20-34	225	2.8	5	1	1	2	3	5
35-49	209	2.8	3	<1	1	2	4	5
50-64	232	3.5	42	<1	1	3	4	
65+	260	4.3	10	1	1	3	5	
B. *Operated*								
0-19 YRS	215	6.3	4	4	4	6	7	
20-34	2203	6.5	5	4	5	6		
35-49	2018	6.8	9	4	5	6		
50-64	2113	7.3	7	5	5	7		
65+	1237	8.7	12	5	6			
LE DX								
	22	3.4						

131

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.



326 PAS Hospitals, Western Region, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	19	3.6	28	1	1	2	4	5
20-34	225	2.8	5	1	1	2	3	5
35-49	209	2.8	3	<1	1	2	4	5
50-64	232	3.5	42	<1	1	3	4	
65+	260	4.3	10	1	1	3	5	
B. *Operated*								
0-19 YRS	215	6.3	4	4	4	6	7	
20-34	2203	6.5	5	4	5	6		
35-49	2018	6.8	9	4	5	6		
50-64	2113	7.3	7	5	5	7		
65+	1237	8.7	12	5	6			
LE DX								
	22	3.4						

131

The patient was admitted on 3 November; therefore, the sixth day will fall on 9 November. Prior to or on 9 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200272	2.7	8	1	1	2	3	4	5	12
20-34	118797	3.2	17	<1	1	2	3	6	9	21
35-49	38836	4.8	29	1	1	3	6	10	14	27
50-64	33039	5.3	32	1	1	4	7	11	15	28
65+	32846	6.0	35	1	1	4	8	12	16	30
B. *Operated*										
0-19 YRS	82582	2.8	12	<1	1	2	3	5	7	16
20-34	150433	3.3	11	<1	1	2	4	6	8	16
35-49	66122	4.4	19	<1	1	3	6	9	12	21
50-64	63650	5.1	26	1	1	3	7	11	14	24
65+	57129	6.3	40	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114558	4.1	26	1	1	3	5	7	10	27
20-34	71146	5.0	37	1	1	3	6	10	16	31
35-49	61733	6.2	43	1	1	4	7	13	19	32
50-64	102321	6.8	45	1	2	5	8	14	19	33
65+	200467	8.2	57	2	2	6	10	16	22	40
B. *Operated*										
0-19 YRS	52565	5.0	63	<1	1	3	5	10	18	49
20-34	125395	5.1	39	1	1	4	6	9	14	35
35-49	81787	6.7	55	1	1	5	8	13	19	42
50-64	98945	8.4	82	1	2	6	11	17	24	50
65+	124336	11.2	117	2	2	8	15	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423790	3.5	18	1	1	2	4	7	10	21
B. *Operated*	419916	4.0	20	<1	1	3	5	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	550225	6.4	47	1	2	4	8	14	19	35
B. *Operated*	483028	7.6	79	1	1	5	9	17	24	49
1. SINGLE DX	843706	3.8	19	<1	1	2	4	8	11	21
2. MULTIPLE DX	1033253	7.0	62	1	1	5	8	15	21	42
A. NOT OPERATED	974015	5.2	36	1	1	3	6	11	16	30
B. OPERATED	902944	6.0	55	1	1	4	7	13	19	39
TOTAL 0-19 YRS	449977	3.3	20	1	1	2	4	6	8	23
20-34	465771	4.0	25	<1	1	3	5	8	11	25
35-49	248478	5.7	39	1	1	4	7	11	16	31
50-64	297955	6.8	54	1	1	5	9	14	20	38
65+	414778	8.7	74	1	2	6	11	18	24	46
GRAND TOTAL	**1876959**	**5.5**	**45**	**1**	**1**	**3**	**7**	**12**	**17**	**35**

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68703	3.2	20	<1	1	2	3	6	8	22
20-34	118797	3.2	17	<1	1	2	3	6	9	21
35-49	38836	4.8	29	1	1	3	6	10	14	27
50-64	33039	5.3	32	1	1	4	7	11	15	28
65+	32846	6.0	35	1	1	4	8	12	16	30
B. *Operated*										
0-19 YRS	82447	2.8	12	<1	1	2	3	5	7	16
20-34	150433	3.3	11	<1	1	2	4	6	8	16
35-49	66122	4.4	19	<1	1	3	6	9	12	21
50-64	63650	5.1	26	1	1	3	7	11	14	24
65+	57129	6.3	40	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54923	4.3	38	1	1	3	5	8	12	34
20-34	71146	5.0	37	1	1	3	6	10	16	31
35-49	61733	6.2	43	1	1	4	7	13	19	32
50-64	102321	6.8	45	1	2	5	8	14	19	33
65+	200467	8.2	57	2	2	6	10	16	22	40
B. *Operated*										
0-19 YRS	50078	4.6	50	<1	1	2	5	9	15	43
20-34	125395	5.1	39	1	1	4	6	9	14	35
35-49	81787	6.7	55	1	1	5	8	13	19	42
50-64	98945	8.4	82	1	2	6	11	17	24	50
65+	124336	11.2	117	2	2	8	15	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292221	3.9	24	<1	1	2	4	8	12	24
B. *Operated*	419781	4.0	20	<1	1	3	5	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	490590	6.8	50	1	1	5	8	14	20	36
B. *Operated*	480541	7.6	78	1	1	5	9	17	24	49
1. SINGLE DX	712002	4.0	22	<1	1	3	5	8	12	23
2. MULTIPLE DX	971131	7.2	64	1	1	5	9	15	21	43
A. NOT OPERATED	782811	5.7	42	1	1	4	7	12	17	32
B. OPERATED	900322	5.9	54	1	1	4	7	13	19	39
TOTAL 0-19 YRS	256151	3.6	28	<1	1	2	4	7	10	28
20-34	465771	4.0	25	<1	1	3	5	8	11	25
35-49	248478	5.7	39	1	1	4	7	11	16	31
50-64	297955	6.8	54	1	1	5	9	14	20	38
65+	414778	8.7	74	1	2	6	11	18	24	46
GRAND TOTAL	**1683133**	**5.8**	**48**	**1**	**1**	**4**	**7**	**13**	**18**	**36**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1562	3.0	6	1	1	2	4	5	7	14
20-34	799	2.8	5	1	1	2	4	5	7	12
35-49	337	3.4	10	1	1	3	4	6	7	14
50-64	265	3.3	8	1	1	3	4	5	7	14
65+	224	3.8	6	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	38	5.2	23	2	2	4	5	8	9	32
20-34	52	6.9	31	2	2	5	9	15	18	25
35-49	17	5.8	12	3	3	4	7	11	14	15
50-64	7	5.7	7	2	2	7	8	9	9	9
65+	7	8.0	16	3	4	7	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1604	4.0	20	1	1	3	5	7	9	20
20-34	734	3.6	9	1	1	3	4	7	9	15
35-49	374	4.7	13	1	2	4	5	9	12	18
50-64	498	4.4	12	1	1	3	5	8	10	19
65+	877	5.4	22	1	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	53	8.4	143	2	3	5	8	16	25	80
20-34	51	6.9	19	1	2	6	9	14	16	18
35-49	33	14.0	296	2	3	9	16	47	78	99+
50-64	47	11.6	145	3	3	7	12	26	42	60
65+	56	15.1	199	3	4	10	16	45	50	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3187	3.1	7	1	1	2	4	5	7	14
B. *Operated*	121	6.2	24	2	2	5	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	4087	4.3	17	1	1	3	5	8	11	20
B. *Operated*	240	11.1	159	2	3	7	12	24	45	81
1. SINGLE DX	3308	3.2	8	1	1	3	4	6	7	15
2. MULTIPLE DX	4327	4.7	27	1	1	3	5	9	12	26
A. NOT OPERATED	7274	3.8	13	1	1	3	5	7	9	18
B. OPERATED	361	9.4	119	2	3	6	10	18	31	60
TOTAL 0-19 YRS	3257	3.6	16	1	1	3	4	6	8	19
20-34	1636	3.4	9	1	1	3	4	7	9	16
35-49	761	4.5	28	1	1	3	5	8	12	25
50-64	817	4.5	22	1	1	3	5	8	11	25
65+	1164	5.6	32	1	2	4	7	10	14	40
GRAND TOTAL	**7635**	**4.0**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.5	41	3	3	7	13	19	21	21
20-34	29	10.2	107	2	3	8	11	16	31	55
35-49	18	9.8	46	3	3	6	16	24	67	99+
50-64	17	10.6	91	2	2	7	13	25	33	37
65+	25	10.2	51	1	2	8	15	24	41	99+
B. *Operated*										
0-19 YRS	6	8.8	100	1	1	7	9	26	28	28
20-34	8	9.9	21	<1	2	9	14	15	15	15
35-49	15	9.4	45	2	2	6	15	19	20	21
50-64	22	9.1	41	1	2	8	14	15	20	28
65+	10	8.7	21	1	2	9	12	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.3	80	3	3	9	20	24	27	27
20-34	36	13.1	127	3	4	11	15	20	40	58
35-49	52	16.8	328	2	3	11	19	36	73	99+
50-64	59	13.4	213	3	3	9	16	40	67	99+
65+	88	12.8	107	2	4	10	17	28	34	51
B. *Operated*										
0-19 YRS	4	6.0	35	1	1	4	10	14	14	14
20-34	19	12.9	76	4	4	12	15	21	33	42
35-49	37	17.8	316	3	5	14	22	48	79	99+
50-64	43	14.1	121	3	5	11	18	29	47	99+
65+	61	19.7	310	3	5	14	23	43	63	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	10.0	70	2	3	8	14	21	28	99+
B. *Operated*	61	9.2	39	1	2	8	14	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	245	13.8	181	3	3	10	18	31	44	99+
B. *Operated*	164	16.7	234	2	4	12	20	42	56	99
1. SINGLE DX	161	9.7	58	2	2	8	14	19	27	94
2. MULTIPLE DX	409	14.9	204	2	4	11	19	34	48	99+
A. NOT OPERATED	345	12.7	152	2	3	9	16	27	37	99+
B. OPERATED	225	14.7	192	2	3	11	18	30	47	95
TOTAL 0-19 YRS	31	9.2	61	1	2	7	14	21	27	28
20-34	92	11.9	101	3	4	10	14	19	31	57
35-49	122	15.2	255	2	3	11	19	35	67	99+
50-64	141	12.6	145	2	3	9	15	27	46	99+
65+	184	14.5	175	2	3	11	18	33	42	73
GRAND TOTAL	**570**	**13.5**	**168**	**2**	**3**	**10**	**17**	**28**	**44**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	3	7.0	63	1	1	4	13	16	16	16
B. *Operated*										
0-19 YRS	19	3.0	8	<1	<1	2	4	7	10	12
20-34	7	3.1	3	1	1	3	5	5	5	5
35-49	13	6.7	25	1	2	5	10	13	17	18
50-64	9	13.0	255	2	2	7	17	41	44	44
65+	8	11.9	194	<1	<1	6	22	34	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	122	1	1	4	15	25	25	25
20-34	7	5.9	46	1	1	2	10	17	18	18
35-49	3	28.3	641	9	9	19	47	57	57	57
50-64	5	32.2	717	7	7	19	52	73	73	73
65+	15	12.0	62	3	4	10	18	24	26	27
B. *Operated*										
0-19 YRS	10	11.4	206	1	1	6	9	38	42	42
20-34	19	14.4	356	1	2	10	14	31	62	84
35-49	6	19.2	399	3	3	11	25	54	57	57
50-64	19	17.1	278	4	5	13	20	35	61	74
65+	24	16.4	187	1	2	11	27	36	44	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.3	26	1	1	4	7	14	16	16
B. *Operated*	56	6.8	87	<1	1	3	8	14	34	44
2. MULTIPLE DX										
A. *Not Operated*	34	14.8	259	1	2	10	19	29	55	73
B. *Operated*	78	15.6	259	1	2	10	20	35	46	81
1. SINGLE DX	64	6.6	79	<1	1	3	8	14	32	43
2. MULTIPLE DX	112	15.4	257	1	2	10	20	35	46	78
A. NOT OPERATED	42	13.0	227	1	1	8	18	26	50	73
B. OPERATED	134	11.9	205	1	1	7	14	34	43	76
TOTAL 0-19 YRS	34	6.3	87	<1	1	3	6	13	32	42
20-34	36	9.5	220	1	1	4	12	18	32	84
35-49	23	12.8	230	1	2	9	13	31	57	57
50-64	33	18.3	349	2	3	11	20	45	69	74
65+	50	13.8	143	1	1	10	20	32	36	46
GRAND TOTAL	**176**	**12.2**	**209**	**1**	**1**	**7**	**15**	**30**	**44**	**74**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.5	2	1	1	2	3	4	5	6
20-34	87	3.1	3	1	2	3	4	5	6	10
35-49	21	2.4	2	1	1	2	3	4	5	6
50-64	13	3.8	10	2	2	3	4	7	13	14
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	49	1.7		<1	<1	2	2	2	3	3
20-34	15	2.1	1	1	1	2	3	3	3	3
35-49	1	16.0		16	16	16	16	16	16	16
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	3.1	4	1	1	3	4	6	7	11
20-34	125	3.5	6	1	2	3	4	6	7	16
35-49	28	3.9	12	2	2	3	4	6	15	16
50-64	35	3.9	3	2	2	4	5	6	7	9
65+	26	4.8	7	2	2	4	6	9	10	12
B. *Operated*										
0-19 YRS	24	3.3	13	<1	1	2	3	9	12	16
20-34	4	5.3	27	2	2	3	8	13	13	13
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	10.0	18	7	7	10	13	13	13	13
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	2.7	2	1	1	2	3	4	5	8
B. *Operated*	66	2.0	4	<1	1	2	2	3	3	14
2. MULTIPLE DX										
A. *Not Operated*	516	3.4	5	1	1	3	4	6	7	13
B. *Operated*	32	4.1	16	<1	1	2	5	11	13	16
1. SINGLE DX	334	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	548	3.4	6	1	1	3	4	6	8	14
A. NOT OPERATED	784	3.2	4	1	1	3	4	6	7	12
B. OPERATED	98	2.7	9	<1	1	2	3	4	10	16
TOTAL 0-19 YRS	521	2.8	4	1	1	2	3	5	6	11
20-34	231	3.3	5	1	2	3	4	6	7	14
35-49	51	3.6	11	1	1	3	4	6	15	16
50-64	51	4.1	6	2	2	3	5	6	9	14
65+	28	4.7	6	2	2	4	6	9	10	12
GRAND TOTAL	**882**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	5.3	14	1	2	4	7	10	12	19
20-34	15	7.3	85	1	2	4	7	13	32	38
35-49	12	7.8	31	3	3	6	9	16	21	22
50-64	14	7.4	21	2	3	6	9	15	17	18
65+	30	7.7	29	2	2	6	10	16	18	22
B. *Operated*										
0-19 YRS	16	6.9	12	2	3	6	9	11	13	14
20-34	3	14.3	72	8	8	11	21	24	24	24
35-49	2	14.5	41	10	10	14	19	19	19	19
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	20.0	210	3	3	20	31	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	6.5	20	1	2	5	9	12	16	23
20-34	98	8.1	35	2	3	6	11	16	19	31
35-49	71	9.7	44	2	3	8	13	19	23	31
50-64	182	11.1	74	3	3	8	14	22	30	43
65+	563	13.9	104	4	5	11	17	25	37	63
B. *Operated*										
0-19 YRS	24	11.6	58	2	4	10	15	24	29	29
20-34	32	20.8	244	1	3	20	28	38	44	77
35-49	34	20.5	299	6	8	15	22	37	68	84
50-64	74	21.8	294	4	7	16	25	45	59	85
65+	115	23.3	327	4	7	18	29	50	65	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	6.0	22	1	2	4	8	11	15	22
B. *Operated*	26	10.3	66	3	3	8	11	23	29	36
2. MULTIPLE DX										
A. *Not Operated*	1097	11.4	83	2	3	9	14	22	29	52
B. *Operated*	279	21.3	289	4	6	16	27	43	59	90
1. SINGLE DX	257	6.4	28	1	2	5	9	13	16	27
2. MULTIPLE DX	1376	13.4	140	3	4	10	16	27	36	68
A. NOT OPERATED	1328	10.5	77	2	3	8	14	21	27	49
B. OPERATED	305	20.3	279	4	5	16	25	41	57	89
TOTAL 0-19 YRS	383	6.3	21	1	2	5	9	12	15	25
20-34	148	10.9	112	2	2	7	14	25	33	45
35-49	119	12.7	138	3	4	9	16	23	31	78
50-64	271	13.8	155	3	4	10	17	29	41	62
65+	712	15.2	151	4	5	12	18	29	39	76
GRAND TOTAL	**1633**	**12.3**	**129**	**2**	**3**	**9**	**15**	**25**	**34**	**64**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	6.5	17	2	2	6	10	12	15	37
20-34	26	5.5	15	1	2	5	7	12	14	15
35-49	22	5.2	15	1	2	4	6	11	14	15
50-64	22	5.9	52	1	2	4	6	11	22	35
65+	15	7.3	24	1	3	6	8	16	19	20
B. *Operated*										
0-19 YRS	9	6.2	27	1	1	4	11	13	14	14
20-34	6	5.7	25	1	1	5	6	14	15	15
35-49	8	15.8	246	3	3	9	24	42	48	48
50-64	7	8.4	28	<1	1	9	12	15	16	16
65+	3	12.3	30	6	6	15	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	7.7	36	1	2	5	11	15	21	28
20-34	40	5.0	18	2	2	4	6	9	13	24
35-49	28	6.1	14	2	2	5	8	12	14	15
50-64	60	8.5	83	2	3	5	10	16	22	59
65+	110	10.4	86	2	3	7	14	22	32	45
B. *Operated*										
0-19 YRS	13	15.8	192	2	3	11	22	37	46	48
20-34	16	16.6	170	2	5	12	24	36	42	45
35-49	18	20.1	373	2	3	13	30	52	57	59
50-64	24	12.6	114	1	1	10	18	27	35	43
65+	31	19.5	249	3	6	15	29	46	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	6.3	20	2	2	5	9	12	15	26
B. *Operated*	33	9.5	88	1	1	7	13	17	27	48
2. MULTIPLE DX										
A. *Not Operated*	339	8.2	58	2	2	5	10	16	23	38
B. *Operated*	102	17.1	219	2	3	12	24	42	51	83
1. SINGLE DX	246	6.7	30	1	2	5	10	13	15	35
2. MULTIPLE DX	441	10.2	109	2	2	7	13	23	32	56
A. NOT OPERATED	552	7.4	44	2	2	5	10	15	20	35
B. OPERATED	135	15.2	197	1	2	11	20	36	48	72
TOTAL 0-19 YRS	251	7.5	37	2	2	6	10	14	19	34
20-34	88	7.3	62	2	2	5	8	15	24	42
35-49	86	9.7	142	2	3	6	10	20	48	57
50-64	103	8.9	83	1	2	5	11	19	27	51
65+	159	11.9	124	2	3	8	16	27	36	67
GRAND TOTAL	**687**	**9.0**	**83**	**2**	**2**	**6**	**11**	**19**	**28**	**52**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	538	3.4	5	1	1	3	4	6	7	12
20-34	493	3.7	5	1	2	3	4	7	8	12
35-49	70	4.3	9	1	1	3	5	9	11	15
50-64	11	6.4	15	2	3	5	8	12	16	16
65+	5	5.6	21	2	2	3	10	12	12	12
B. *Operated*										
0-19 YRS	10	5.0	6	2	2	5	7	8	9	9
20-34	8	11.0	263	1	1	6	10	39	50	50
35-49	4	4.5	14	1	1	4	7	9	9	9
50-64	6	6.3	12	2	2	6	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	4.5	46	1	2	3	5	8	11	96
20-34	162	5.0	12	2	2	4	6	9	11	19
35-49	22	5.4	16	1	2	4	7	12	15	17
50-64	13	13.1	115	2	3	10	18	30	35	36
65+	9	13.6	47	5	6	11	20	23	23	23
B. *Operated*										
0-19 YRS	10	12.0	53	4	5	11	13	24	28	28
20-34	12	11.6	100	4	5	8	14	25	38	40
35-49										
50-64	3	12.0	129	4	4	7	20	25	25	25
65+	2	16.0	8	14	14	16	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1117	3.6	6	1	1	3	4	6	8	12
B. *Operated*	28	6.9	81	1	1	6	8	11	16	50
2. MULTIPLE DX										
A. *Not Operated*	408	5.2	36	1	2	4	6	10	12	33
B. *Operated*	27	12.1	72	4	4	9	15	24	30	40
1. SINGLE DX	1145	3.7	8	1	1	3	4	7	9	13
2. MULTIPLE DX	435	5.7	41	1	2	4	6	11	15	37
A. NOT OPERATED	1525	4.1	14	1	2	3	5	7	10	15
B. OPERATED	55	9.5	82	1	2	7	12	18	27	49
TOTAL 0-19 YRS	760	3.8	17	1	1	3	5	7	9	14
20-34	675	4.2	13	1	2	3	5	8	10	15
35-49	96	4.6	11	1	2	4	6	9	12	16
50-64	33	9.5	69	2	3	7	10	25	28	36
65+	16	11.4	48	2	2	10	17	22	23	23
GRAND TOTAL	**1580**	**4.2**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	3.0	4	1	1	3	4	5	6	12
20-34	59	3.9	15	1	1	3	5	6	9	26
35-49	36	3.7	5	1	1	3	5	7	8	9
50-64	57	5.1	14	1	2	4	7	10	11	23
65+	125	6.2	18	1	2	5	9	12	14	21
B. *Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	7	2.7	2	<1	<1	3	4	4	4	4
35-49	10	7.2	68	2	2	5	6	19	30	30
50-64	8	13.1	216	<1	1	6	24	36	37	37
65+	7	10.1	131	<1	<1	5	20	28	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	3.3	5	1	1	3	4	6	8	12
20-34	119	5.4	26	2	2	4	6	9	12	31
35-49	38	7.2	87	1	1	5	8	12	26	52
50-64	125	6.4	18	1	2	6	9	11	13	22
65+	564	9.5	55	2	3	7	12	19	23	39
B. *Operated*										
0-19 YRS	15	9.1	44	1	2	9	15	22	77	99+
20-34	21	6.3	32	<1	1	5	8	17	19	21
35-49	13	8.9	47	1	2	9	12	21	22	22
50-64	19	8.9	214	3	3	5	7	13	44	68
65+	54	13.6	160	2	3	9	17	31	43	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	478	4.3	12	1	1	3	5	9	11	19
B. *Operated*	36	7.8	99	<1	<1	4	7	28	33	37
2. MULTIPLE DX										
A. *Not Operated*	1188	6.9	42	1	2	5	9	15	20	34
B. *Operated*	122	10.6	125	2	2	7	13	24	36	77
1. SINGLE DX	514	4.5	19	1	1	3	5	9	11	25
2. MULTIPLE DX	1310	7.2	51	1	2	5	9	16	21	39
A. NOT OPERATED	1666	6.1	35	1	2	4	8	13	18	30
B. OPERATED	158	9.9	120	1	2	6	12	25	35	67
TOTAL 0-19 YRS	562	3.3	6	1	1	3	4	6	8	15
20-34	206	5.0	23	1	2	4	5	9	13	28
35-49	97	6.1	51	1	1	4	7	11	21	42
50-64	209	6.5	43	1	2	5	8	11	14	36
65+	750	9.2	60	2	2	7	12	19	23	40
GRAND TOTAL	**1824**	**6.5**	**43**	**1**	**2**	**4**	**8**	**14**	**20**	**34**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	5.0	14	1	2	4	7	9	11	18
20-34	469	6.0	15	2	2	5	8	11	13	21
35-49	157	6.5	18	2	2	5	8	12	15	18
50-64	64	7.3	24	2	2	6	10	14	17	22
65+	28	6.8	11	2	3	6	10	12	12	13
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	29	7.1	31	1	1	6	11	16	17	18
35-49	23	6.8	24	<1	1	7	10	14	16	17
50-64	18	8.7	44	<1	1	7	16	18	19	19
65+	7	15.1	153	1	2	10	28	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	5.3	17	2	2	4	7	10	13	25
20-34	229	6.5	24	2	2	5	8	12	15	22
35-49	82	8.4	39	2	3	7	10	17	21	34
50-64	85	8.1	26	2	3	7	11	15	19	75
65+	88	10.4	46	3	3	9	14	18	24	35
B. *Operated*										
0-19 YRS	5	7.8	40	1	1	8	12	17	17	17
20-34	22	12.6	340	1	2	7	13	26	54	88
35-49	22	10.2	104	1	1	6	12	32	34	35
50-64	21	11.5	74	2	2	10	13	24	30	36
65+	18	14.6	104	1	3	13	21	31	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	6.0	16	2	2	5	8	11	13	20
B. *Operated*	78	8.1	45	1	1	7	12	17	18	32
2. MULTIPLE DX										
A. *Not Operated*	562	7.5	31	2	2	6	10	14	18	30
B. *Operated*	88	11.9	150	1	2	9	15	25	35	68
1. SINGLE DX	975	6.2	19	2	2	5	8	12	14	21
2. MULTIPLE DX	650	8.1	49	2	2	6	10	15	21	35
A. NOT OPERATED	1459	6.6	22	2	2	5	8	13	15	24
B. OPERATED	166	10.1	104	1	1	8	13	19	32	36
TOTAL 0-19 YRS	263	5.2	15	2	2	4	7	9	12	19
20-34	749	6.4	29	2	2	5	8	12	15	22
35-49	284	7.4	32	1	2	6	9	14	17	33
50-64	188	8.3	33	1	2	7	12	16	19	34
65+	141	10.5	56	2	3	9	14	20	27	36
GRAND TOTAL	**1625**	**6.9**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**31**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	3.7	6	1	1	3	5	6	8	15
20-34	102	4.3	11	1	2	3	5	8	9	20
35-49	13	3.5	3	2	2	3	4	6	7	7
50-64	6	6.7	23	2	2	6	6	15	16	16
65+	2	10.5	85	4	4	10	17	17	17	17
B. *Operated*										
0-19 YRS	6	4.5	4	2	2	4	6	7	7	7
20-34	3	5.0	3	3	3	6	6	6	6	6
35-49	2	10.5	25	7	7	10	14	14	14	14
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	3.8	5	1	2	3	5	6	7	11
20-34	106	3.8	4	1	2	3	5	6	8	10
35-49	19	6.1	15	1	2	4	8	12	15	16
50-64	7	5.9	11	2	2	6	8	11	11	11
65+	3	8.3	12	5	5	8	11	12	12	12
B. *Operated*										
0-19 YRS	7	12.0	233	3	3	6	10	39	46	46
20-34	6	7.2	9	3	3	7	8	12	12	12
35-49	1	19.0		19	19	19	19	19	19	19
50-64	2	16.0	200	6	6	16	26	26	26	26
65+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	3.9	8	1	1	3	5	7	9	17
B. *Operated*	12	5.8	9	2	3	6	7	9	13	14
2. MULTIPLE DX										
A. *Not Operated*	408	4.0	6	1	2	3	5	7	8	12
B. *Operated*	17	11.7	121	3	3	8	14	25	39	46
1. SINGLE DX	393	4.0	8	1	1	3	5	7	9	17
2. MULTIPLE DX	425	4.3	13	1	2	4	5	7	9	19
A. NOT OPERATED	789	4.0	7	1	2	3	5	7	8	16
B. OPERATED	29	9.2	82	3	3	6	9	20	27	46
TOTAL 0-19 YRS	544	3.9	9	1	1	3	5	6	8	13
20-34	217	4.2	8	1	2	3	5	8	9	16
35-49	35	5.7	18	2	2	4	7	13	15	19
50-64	16	7.4	37	2	2	6	8	15	23	26
65+	6	11.2	46	4	4	10	17	21	21	21
GRAND TOTAL	**818**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	12	2.3	6	<1	<1	1	2	6	9	9
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	130	1.9	2	<1	<1	1	2	3	4	8
20-34	441	2.0	2	<1	<1	2	3	4	4	6
35-49	80	2.1	2	<1	<1	2	3	4	5	7
50-64	36	2.3	4	<1	<1	2	2	4	7	11
65+	4	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	9	1	1	3	6	8	8	8
20-34	9	2.3	5	<1	<1	1	3	6	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	26	2.5	3	<1	1	2	3	5	7	7
20-34	135	2.7	7	<1	<1	2	3	5	6	16
35-49	44	3.3	5	<1	1	3	5	6	7	12
50-64	17	2.6	2	<1	<1	3	3	5	5	5
65+	10	3.0	2	2	2	3	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.4	5	<1	<1	1	3	6	8	9
B. *Operated*	691	2.0	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	18	3.3	11	<1	1	2	5	8	10	12
B. *Operated*	232	2.8	6	<1	<1	2	3	5	6	13
1. SINGLE DX	708	2.0	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX	250	2.8	6	<1	<1	2	3	5	7	12
A. NOT OPERATED	35	2.9	8	<1	<1	1	3	8	9	12
B. OPERATED	923	2.2	3	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	163	2.0	3	<1	<1	2	2	4	5	8
20-34	597	2.2	3	<1	<1	2	3	4	5	10
35-49	127	2.5	3	<1	<1	2	3	5	6	9
50-64	56	2.5	4	<1	<1	2	3	5	6	11
65+	15	3.4	7	<1	2	3	3	6	10	12
GRAND TOTAL	**958**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	757	2.7	5	1	1	2	3	5	6	8
20-34	343	3.3	6	1	1	3	4	6	7	16
35-49	130	4.0	18	1	1	3	5	7	10	29
50-64	88	4.3	13	1	1	3	5	8	10	21
65+	79	4.2	14	1	1	3	5	8	13	21
B. *Operated*										
0-19 YRS	36	2.5	3	<1	<1	2	3	5	5	9
20-34	19	4.6	9	1	1	4	6	9	11	12
35-49	8	5.5	64	<1	<1	3	5	19	25	25
50-64	6	8.5	104	1	1	3	14	26	27	27
65+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	852	3.1	12	1	1	2	4	5	7	12
20-34	421	3.8	13	1	1	3	4	7	10	16
35-49	237	4.3	14	1	2	3	5	8	10	19
50-64	300	4.6	17	1	2	4	5	8	11	29
65+	380	5.7	18	2	2	4	7	11	14	23
B. *Operated*										
0-19 YRS	32	7.0	217	1	1	4	7	10	12	86
20-34	33	8.0	95	1	2	6	9	14	20	56
35-49	25	9.8	94	2	2	6	13	20	33	42
50-64	30	8.2	32	2	2	6	14	18	19	99+
65+	30	9.0	45	2	3	7	10	18	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	3.2	8	1	1	2	4	6	7	15
B. *Operated*	71	4.0	22	<1	<1	3	4	8	12	27
2. MULTIPLE DX										
A. *Not Operated*	2190	4.0	15	1	1	3	5	7	10	19
B. *Operated*	150	8.3	96	1	2	6	9	17	21	86
1. SINGLE DX	1468	3.2	9	1	1	3	4	6	7	15
2. MULTIPLE DX	2340	4.3	21	1	1	3	5	8	11	23
A. NOT OPERATED	3587	3.7	12	1	1	3	4	7	9	17
B. OPERATED	221	6.9	76	1	1	4	9	15	20	64
TOTAL 0-19 YRS	1677	3.0	13	1	1	2	4	5	6	11
20-34	816	3.8	14	1	1	3	4	7	9	16
35-49	400	4.6	23	1	1	3	5	9	13	30
50-64	424	4.9	19	1	2	4	6	9	14	29
65+	491	5.6	20	2	2	4	7	11	15	24
GRAND TOTAL	**3808**	**3.9**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.6	5	1	2	4	6	8	9	9
20-34	44	3.6	3	1	2	3	4	6	8	9
35-49	11	3.7	6	1	1	3	4	7	10	10
50-64	10	3.5	1	2	2	3	4	5	5	5
65+	2	3.5	13	<1	<1	3	6	6	6	6
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.3	9	3	3	4	6	10	12	13
20-34	22	4.3	4	2	2	4	6	7	8	9
35-49	8	8.0	26	3	3	7	12	16	16	16
50-64	11	6.5	16	1	2	5	9	13	15	15
65+	6	7.8	54	1	1	7	9	20	21	21
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49	1	25.0		25	25	25	25	25	25	25
50-64	1	13.0		13	13	13	13	13	13	13
65+	3	5.7	16	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.8	4	1	2	3	5	7	9	10
B. *Operated*	4	7.5	38	2	2	6	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	62	5.7	15	2	2	4	7	10	15	20
B. *Operated*	6	13.0	88	2	2	11	23	25	25	25
1. SINGLE DX	92	4.0	6	1	2	3	5	7	9	13
2. MULTIPLE DX	68	6.4	25	2	2	5	8	13	16	25
A. NOT OPERATED	150	4.6	10	1	2	4	6	9	10	16
B. OPERATED	10	10.8	70	2	2	9	16	24	25	25
TOTAL 0-19 YRS	39	5.4	15	2	2	4	7	9	12	23
20-34	67	3.8	4	2	2	3	5	7	8	9
35-49	20	6.5	36	1	2	4	8	15	20	25
50-64	22	5.4	13	1	2	4	6	12	14	15
65+	12	7.3	39	<1	1	6	9	17	20	21
GRAND TOTAL	**160**	**5.0**	**15**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	5.2	17	2	2	4	6	9	11	26
20-34	146	4.4	8	1	2	4	5	8	9	15
35-49	21	5.0	5	2	2	5	7	8	9	10
50-64	7	1.4	1	1	1	1	2	3	3	3
65+	5	5.8	53	<1	<1	2	10	18	18	18
B. *Operated*										
0-19 YRS	18	3.3	8	<1	1	2	6	7	9	11
20-34	59	3.4	10	<1	<1	2	5	7	10	17
35-49	13	3.0	14	<1	<1	2	2	10	12	13
50-64	4	7.0	115	1	1	2	13	23	23	23
65+	7	3.1	4	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.6	5	2	2	4	6	7	9	11
20-34	164	5.1	11	1	2	4	6	9	11	19
35-49	26	6.3	13	2	3	5	7	11	15	16
50-64	28	7.2	61	1	1	5	8	16	19	39
65+	42	7.9	40	1	2	5	12	16	22	25
B. *Operated*										
0-19 YRS	13	3.6	4	<1	<1	3	6	6	7	7
20-34	39	5.5	13	<1	1	5	8	10	12	17
35-49	19	6.8	108	<1	1	4	7	13	33	47
50-64	15	6.7	62	<1	1	4	8	20	27	29
65+	8	5.6	12	2	2	5	7	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	4.7	12	1	2	4	6	8	10	17
B. *Operated*	101	3.4	13	<1	<1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	336	5.6	19	1	2	4	7	11	15	21
B. *Operated*	94	5.7	38	<1	1	4	7	10	16	39
1. SINGLE DX	378	4.4	12	1	1	4	5	8	10	18
2. MULTIPLE DX	430	5.6	23	1	2	4	7	11	15	24
A. NOT OPERATED	613	5.2	16	1	2	4	6	9	12	19
B. OPERATED	195	4.5	26	<1	1	3	6	9	12	26
TOTAL 0-19 YRS	205	4.7	11	1	2	4	6	8	10	14
20-34	408	4.6	10	1	1	4	6	9	11	18
35-49	79	5.6	35	<1	1	4	7	10	14	38
50-64	54	6.3	58	1	1	3	7	17	22	39
65+	62	6.9	35	1	1	5	10	15	19	25
GRAND TOTAL	**808**	**5.0**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.0	24	1	1	4	7	15	16	16
20-34	22	6.8	51	1	1	5	7	13	24	34
35-49	29	5.5	60	<1	<1	3	5	17	24	33
50-64	16	21.9	512	3	4	11	30	62	73	77
65+	9	10.0	51	2	3	7	16	21	22	22
B. *Operated*										
0-19 YRS	5	10.2	50	2	2	14	16	16	16	16
20-34	128	2.6	20	1	1	1	1	7	14	46
35-49	65	5.6	24	1	1	6	8	12	14	22
50-64	127	3.1	16	1	1	1	4	8	10	22
65+	25	10.1	48	1	5	8	11	22	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.2	142	<1	1	3	6	15	29	68
20-34	38	7.8	63	1	2	5	10	15	28	38
35-49	29	8.3	55	1	2	6	9	16	24	37
50-64	47	12.5	239	2	3	6	14	26	49	79
65+	62	9.7	53	2	3	7	11	22	26	34
B. *Operated*										
0-19 YRS	8	21.6	836	2	3	11	26	73	87	87
20-34	35	15.9	171	1	2	16	23	35	56	99+
35-49	86	9.5	269	1	1	2	10	29	37	90
50-64	56	17.0	425	2	3	11	19	40	89	99+
65+	57	13.2	137	2	3	9	16	33	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	9.2	159	<1	1	4	10	23	33	72
B. *Operated*	350	4.0	26	1	1	1	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	215	9.3	113	1	2	6	11	21	30	59
B. *Operated*	242	13.4	284	1	1	8	17	33	46	98
1. SINGLE DX	442	5.1	58	1	1	2	7	12	18	35
2. MULTIPLE DX	457	11.5	207	1	1	7	14	28	38	90
A. NOT OPERATED	307	9.3	127	1	2	6	11	21	31	66
B. OPERATED	592	7.8	153	1	1	3	10	19	32	89
TOTAL 0-19 YRS	68	8.8	200	1	2	4	10	16	35	84
20-34	223	6.0	76	1	1	2	7	18	26	71
35-49	209	7.6	136	1	1	4	9	17	30	69
50-64	246	9.3	226	1	1	5	11	22	43	90
65+	153	11.1	84	2	3	8	14	23	32	40
GRAND TOTAL	**899**	**8.3**	**144**	**1**	**1**	**5**	**10**	**20**	**32**	**82**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	5	<1	<1	2	3	6	7	7
20-34	7	3.7	7	1	1	3	6	8	8	8
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	4.0	9	1	1	4	6	7	7	7
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	17	3.7	5	2	2	3	4	5	10	12
20-34	14	7.3	51	1	1	4	8	24	25	25
35-49	6	5.7	24	<1	<1	5	11	11	11	11
50-64	3	4.3	33	<1	<1	1	8	11	11	11
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	17	2	2	3	4	12	13	13
20-34	17	4.8	6	1	1	5	6	8	9	10
35-49	5	6.6	21	2	2	5	11	12	12	12
50-64	3	5.3	5	4	4	4	7	8	8	8
65+	6	6.0	13	1	1	5	9	11	11	11
B. *Operated*										
0-19 YRS	14	4.6	11	3	3	3	4	10	13	14
20-34	15	5.3	32	<1	<1	2	9	15	18	19
35-49	5	7.8	29	1	1	11	12	13	13	13
50-64	4	16.5	294	5	5	9	26	42	42	42
65+	5	5.8	7	3	3	5	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.2	5	<1	1	3	4	7	7	8
B. *Operated*	41	5.6	32	<1	1	3	6	12	20	25
2. MULTIPLE DX										
A. *Not Operated*	37	5.3	10	1	2	5	7	11	12	13
B. *Operated*	43	6.5	50	<1	1	4	10	13	16	42
1. SINGLE DX	66	4.7	23	1	1	3	5	11	13	25
2. MULTIPLE DX	80	5.9	31	1	1	4	8	11	14	35
A. NOT OPERATED	62	4.4	9	1	1	4	6	9	11	13
B. OPERATED	84	6.0	41	<1	1	4	9	12	17	36
TOTAL 0-19 YRS	47	3.9	8	1	2	3	4	7	12	14
20-34	53	5.5	28	<1	1	4	7	11	18	25
35-49	19	6.0	21	<1	1	4	11	12	13	13
50-64	13	8.2	115	<1	1	5	9	17	37	42
65+	14	6.2	17	1	1	5	9	11	15	16
GRAND TOTAL	**146**	**5.4**	**28**	**1**	**1**	**4**	**7**	**11**	**13**	**26**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.4	9	1	2	4	5	9	12	13
20-34	25	3.7	3	<1	2	3	5	6	7	7
35-49	11	6.5	30	1	2	4	10	16	17	17
50-64	5	5.0	6	3	3	4	6	9	9	9
65+	4	5.3	4	4	4	5	6	8	8	8
B. *Operated*										
0-19 YRS	6	4.2	18	1	1	2	6	11	12	12
20-34	70	3.9	16	1	1	2	4	8	10	23
35-49	51	3.6	12	1	1	2	4	8	11	19
50-64	18	6.7	82	<1	1	3	8	18	30	37
65+	10	5.0	14	1	1	3	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.2	12	1	1	4	5	7	8	23
20-34	31	5.5	23	1	2	4	6	12	14	24
35-49	33	8.6	170	1	2	5	7	24	59	99+
50-64	27	6.2	22	2	2	4	9	13	18	18
65+	23	8.8	53	2	2	8	10	23	27	29
B. *Operated*										
0-19 YRS	4	12.8	209	2	2	7	21	34	34	34
20-34	42	9.2	122	1	1	5	10	22	26	62
35-49	35	9.4	89	1	1	7	15	25	32	36
50-64	29	8.2	48	1	2	7	11	17	22	32
65+	16	11.7	112	1	2	8	22	28	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.6	10	1	2	4	5	8	12	17
B. *Operated*	155	4.2	23	1	1	2	5	9	12	25
2. MULTIPLE DX										
A. *Not Operated*	158	6.4	57	1	2	4	7	12	22	59
B. *Operated*	126	9.4	95	1	1	6	13	23	30	42
1. SINGLE DX	225	4.3	19	1	1	3	5	9	12	21
2. MULTIPLE DX	284	7.7	76	1	2	5	9	19	25	58
A. NOT OPERATED	228	5.8	43	1	2	4	6	11	17	54
B. OPERATED	281	6.5	62	1	1	3	8	16	23	35
TOTAL 0-19 YRS	79	4.7	22	1	1	4	5	8	12	31
20-34	168	5.5	46	1	1	3	6	11	19	28
35-49	130	6.7	79	1	1	4	7	16	25	68
50-64	79	7.0	44	1	2	4	10	13	20	36
65+	53	8.7	64	2	2	7	10	23	28	31
GRAND TOTAL	**509**	**6.2**	**53**	**1**	**1**	**4**	**8**	**13**	**22**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.2	1	2	2	3	4	4	4	4
20-34	6	6.5	28	3	3	5	6	16	17	17
35-49	3	3.7		3	3	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	6.6	18	2	2	7	9	13	14	14
50-64	4	6.3	10	4	4	5	8	11	11	11
65+	10	13.6	345	3	3	6	13	40	65	65
B. *Operated*										
0-19 YRS	6	5.2	7	<1	<1	5	8	8	8	8
20-34	10	11.9	363	2	2	6	9	40	65	65
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	10	8.5	58	1	1	6	13	20	26	26
65+	8	9.3	40	4	4	10	14	69	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.3	10	2	2	3	7	8	8	8
B. *Operated*	16	5.3	22	2	2	4	5	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	23	9.2	165	2	2	6	10	14	33	65
B. *Operated*	38	8.6	118	1	2	5	10	20	47	99+
1. SINGLE DX	19	5.2	19	2	2	4	5	13	17	17
2. MULTIPLE DX	61	8.8	133	1	2	5	10	15	41	96
A. NOT OPERATED	26	8.6	148	2	2	5	9	14	26	65
B. OPERATED	54	7.6	91	2	2	5	9	17	25	98
TOTAL 0-19 YRS	12	4.2	5	<1	1	4	5	8	8	8
20-34	19	8.9	201	1	2	5	8	16	43	65
35-49	15	5.0	11	2	2	4	6	9	13	14
50-64	15	7.5	43	1	2	5	11	14	23	26
65+	19	11.9	194	3	4	9	14	44	82	99+
GRAND TOTAL	**80**	**7.9**	**108**	**2**	**2**	**5**	**9**	**15**	**24**	**89**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	1	2	2	4	4	4	4	4
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	11	5.1	62	1	1	2	5	15	27	28
50-64	47	5.1	41	1	1	4	6	8	11	44
65+	50	6.3	55	1	1	5	7	10	17	47
B. *Operated*										
0-19 YRS	3	6.3	1	5	5	7	7	7	7	7
20-34	23	4.3	11	<1	<1	3	6	10	11	12
35-49	62	4.4	24	<1	1	3	5	8	14	29
50-64	244	5.5	74	<1	1	3	6	10	14	53
65+	253	5.0	38	<1	1	3	6	10	14	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.6	81	1	2	4	9	11	31	38
20-34	8	4.4	13	1	1	2	8	9	9	9
35-49	29	5.2	23	1	1	3	7	11	13	22
50-64	115	7.7	110	1	1	4	8	17	33	55
65+	180	8.9	90	1	2	5	11	22	31	45
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	14	6.0	24	1	2	4	9	12	17	19
35-49	79	8.0	95	1	2	4	10	20	36	41
50-64	327	11.1	168	1	2	7	15	24	36	77
65+	391	9.7	140	1	2	6	12	22	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.5	46	1	1	4	6	9	12	45
B. *Operated*	585	5.1	50	<1	1	3	6	10	13	36
2. MULTIPLE DX										
A. *Not Operated*	347	8.0	90	1	1	5	10	19	29	48
B. *Operated*	813	10.1	145	1	2	6	13	22	36	71
1. SINGLE DX	702	5.2	49	<1	1	3	6	10	13	38
2. MULTIPLE DX	1160	9.4	130	1	2	6	12	22	34	58
A. NOT OPERATED	464	7.4	80	1	1	4	8	15	28	47
B. OPERATED	1398	9.0	111	1	1	4	9	18	28	58
TOTAL 0-19 YRS	26	6.0	50	1	2	4	7	11	17	38
20-34	48	4.7	15	<1	1	3	7	10	11	19
35-49	181	6.2	59	<1	1	3	6	15	21	40
50-64	733	8.3	126	1	1	4	10	19	29	59
65+	874	8.0	99	1	1	5	9	17	29	56
GRAND TOTAL	**1862**	**7.8**	**104**	**1**	**1**	**4**	**9**	**17**	**28**	**54**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	16	3.6	8	<1	1	4	4	8	10	11
65+	30	3.7	7	<1	<1	3	4	8	9	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	7.0	33	<1	1	6	9	16	20	20
50-64	48	10.0	64	1	1	9	16	23	24	27
65+	64	9.8	130	1	1	6	13	23	28	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	7	7.9	43	1	1	5	13	17	18	18
50-64	51	9.3	152	1	2	6	12	18	25	83
65+	82	7.9	46	2	2	6	11	14	22	35
B. *Operated*										
0-19 YRS										
20-34	3	15.7	102	4	4	21	22	22	22	22
35-49	18	16.4	344	3	4	12	16	41	66	77
50-64	81	15.8	269	2	3	11	18	35	46	84
65+	141	17.0	216	2	3	13	23	36	48	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.7	7	<1	<1	4	4	8	9	11
B. *Operated*	121	9.7	96	1	1	7	14	22	25	42
2. MULTIPLE DX										
A. *Not Operated*	142	8.4	83	1	2	6	11	16	22	40
B. *Operated*	243	16.5	239	2	3	12	22	36	49	78
1. SINGLE DX	171	7.9	77	1	1	4	11	19	23	29
2. MULTIPLE DX	385	13.5	197	2	2	9	17	29	40	76
A. NOT OPERATED	192	7.2	67	1	1	5	9	14	21	35
B. OPERATED	364	14.2	202	1	2	11	19	29	40	75
TOTAL 0-19 YRS										
20-34	5	11.8	84	3	3	9	21	22	22	22
35-49	38	11.3	198	1	2	6	14	20	39	77
50-64	196	11.7	180	1	2	7	15	25	34	79
65+	317	11.9	157	1	2	8	16	27	36	62
GRAND TOTAL	**556**	**11.8**	**166**	**1**	**2**	**8**	**15**	**25**	**36**	**73**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	17	4.5	7	<1	1	4	6	9	10	10
65+	57	7.8	75	<1	1	5	11	18	28	42
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	17.2	54	5	6	17	21	26	27	27
35-49	18	12.6	26	5	7	12	15	19	24	26
50-64	56	13.0	93	3	5	11	15	21	28	66
65+	91	13.6	70	2	4	12	18	24	33	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	2	1	1	4	5	5	5	5
20-34	4	23.0	374	4	4	19	35	50	50	50
35-49	18	8.5	28	1	1	8	11	16	17	18
50-64	74	7.9	52	1	2	5	11	16	26	36
65+	221	8.5	46	2	2	7	11	16	21	35
B. *Operated*										
0-19 YRS	2	29.5	685	11	11	29	48	48	48	48
20-34	11	22.4	497	6	6	11	35	61	69	70
35-49	54	18.0	217	6	7	13	21	34	52	73
50-64	220	18.0	156	6	8	15	21	33	42	60
65+	467	17.2	145	4	6	14	20	32	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	7.0	60	<1	1	5	9	16	25	40
B. *Operated*	172	13.4	72	2	5	12	17	22	30	40
2. MULTIPLE DX										
A. *Not Operated*	323	8.4	51	2	2	6	11	16	21	36
B. *Operated*	754	17.6	159	5	7	14	21	33	45	67
1. SINGLE DX	248	11.4	77	1	2	10	15	21	28	41
2. MULTIPLE DX	1077	14.8	144	3	4	12	18	29	39	61
A. NOT OPERATED	399	8.2	53	1	2	6	11	16	22	37
B. OPERATED	926	16.8	145	4	7	14	20	31	41	65
TOTAL 0-19 YRS	10	9.2	194	1	2	4	8	29	48	48
20-34	22	20.5	315	5	6	15	22	51	61	70
35-49	90	15.0	154	3	6	12	16	25	43	73
50-64	367	14.6	139	2	4	12	18	29	37	54
65+	836	13.9	122	2	3	11	17	27	34	59
GRAND TOTAL	**1325**	**14.2**	**133**	**2**	**3**	**12**	**17**	**28**	**35**	**59**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	6	5.2	2	3	3	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	12.0	18	8	8	11	15	18	18	18
50-64	4	14.0	30	10	10	12	17	22	22	22
65+	8	16.4	48	6	7	16	21	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.7	21	5	5	5	11	13	13	13
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	16	10.2	183	<1	<1	6	10	25	46	54
65+	16	7.8	13	3	4	7	11	14	15	15
B. *Operated*										
0-19 YRS										
20-34	4	14.8	68	3	3	17	20	22	22	22
35-49	12	14.3	123	7	7	10	14	32	43	45
50-64	28	17.0	89	5	7	14	23	32	34	39
65+	61	18.9	118	6	8	16	26	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	1	3	3	6	6	6	6	6
B. *Operated*	17	14.3	36	7	8	11	18	23	26	27
2. MULTIPLE DX										
A. *Not Operated*	37	8.7	85	<1	2	7	11	15	24	54
B. *Operated*	105	17.7	109	6	8	16	24	35	44	99+
1. SINGLE DX	24	11.6	43	4	5	11	16	22	24	27
2. MULTIPLE DX	142	15.4	118	3	4	12	21	33	40	99+
A. NOT OPERATED	44	8.1	74	<1	2	6	9	14	21	54
B. OPERATED	122	17.2	100	6	8	15	23	33	40	99+
TOTAL 0-19 YRS										
20-34	8	11.3	49	3	4	10	17	21	22	22
35-49	18	12.8	92	4	7	10	11	24	38	45
50-64	49	14.3	120	<1	2	12	21	28	34	54
65+	91	15.8	110	4	5	14	22	33	43	99+
GRAND TOTAL	**166**	**14.8**	**108**	**3**	**4**	**12**	**20**	**31**	**37**	**91**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	8	4.0	7	1	1	3	5	8	10	10
50-64	30	4.2	32	1	1	3	5	7	9	32
65+	53	5.6	33	1	1	4	7	15	18	27
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	8.3	26	1	2	9	10	15	19	19
35-49	52	10.1	16	2	7	10	12	17	18	20
50-64	213	10.6	27	2	6	9	13	16	20	29
65+	476	12.5	36	4	8	12	14	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.7	9	2	2	6	8	9	9	9
35-49	42	8.0	92	1	2	5	9	20	28	49
50-64	214	7.6	61	2	2	5	8	15	24	42
65+	501	8.4	58	1	2	6	11	18	24	37
B. *Operated*										
0-19 YRS	4	8.3	10	5	5	8	11	11	11	11
20-34	33	13.8	66	5	7	10	17	28	31	31
35-49	172	13.9	60	6	8	12	17	21	25	67
50-64	734	14.4	81	6	8	12	17	24	31	57
65+	2023	17.3	104	7	9	15	21	30	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	5.0	30	1	1	3	5	12	17	30
B. *Operated*	751	11.7	33	3	7	11	14	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	763	8.1	60	1	2	6	10	17	23	41
B. *Operated*	2966	16.4	97	7	8	14	19	28	35	59
1. SINGLE DX	844	11.0	37	1	3	10	14	17	21	33
2. MULTIPLE DX	3729	14.7	101	3	5	13	18	26	34	55
A. NOT OPERATED	856	7.8	58	1	2	5	9	17	23	39
B. OPERATED	3717	15.4	88	6	8	13	18	26	33	54
TOTAL 0-19 YRS	5	7.0	16	2	2	6	11	11	11	11
20-34	50	11.4	61	2	3	9	13	25	30	31
35-49	274	12.0	62	2	4	11	15	20	22	48
50-64	1191	12.2	76	2	4	11	15	21	27	47
65+	3053	14.9	98	3	5	13	18	27	34	54
GRAND TOTAL	**4573**	**14.0**	**91**	**2**	**4**	**12**	**17**	**25**	**32**	**53**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	8.6	169	1	1	3	8	31	40	40
50-64	28	3.8	16	<1	<1	2	4	9	15	17
65+	48	4.4	16	1	1	4	4	8	11	24
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	10	8.6	52	<1	1	5	13	19	24	24
35-49	52	12.2	112	1	2	11	15	18	24	66
50-64	199	11.5	52	2	3	11	15	20	25	31
65+	339	11.9	55	2	3	12	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	19	5.5	31	<1	1	4	9	17	60	99+
50-64	136	8.2	122	1	1	4	10	18	27	54
65+	299	9.7	104	1	2	7	12	22	30	62
B. *Operated*										
0-19 YRS	3	14.0	67	7	7	12	20	23	23	23
20-34	17	15.4	112	1	2	15	19	31	39	42
35-49	72	14.2	81	3	6	13	17	21	28	61
50-64	487	15.4	113	3	5	14	19	27	31	80
65+	1025	17.6	122	3	5	15	22	32	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.6	30	<1	1	3	4	9	14	35
B. *Operated*	602	11.7	59	2	3	11	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	456	9.0	107	1	2	6	12	20	30	65
B. *Operated*	1604	16.7	118	3	5	15	21	29	37	63
1. SINGLE DX	686	10.8	61	1	2	10	14	19	24	36
2. MULTIPLE DX	2060	15.0	126	2	3	13	19	28	36	63
A. NOT OPERATED	540	8.3	97	1	2	5	10	18	29	59
B. OPERATED	2206	15.4	107	2	4	14	19	28	34	59
TOTAL 0-19 YRS	5	9.2	77	1	1	7	15	23	23	23
20-34	29	12.2	98	<1	1	12	17	23	33	42
35-49	151	12.1	96	1	2	11	15	20	28	69
50-64	850	13.0	107	2	3	11	17	24	29	57
65+	1711	14.7	116	2	3	13	19	28	35	58
GRAND TOTAL	**2746**	**14.0**	**113**	**2**	**3**	**12**	**18**	**26**	**34**	**59**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	3	<1	1	4	4	5	5	5
20-34	9	4.9	3	2	3	5	6	8	8	8
35-49	7	7.3	28	1	1	7	11	14	15	15
50-64	21	5.2	21	<1	<1	4	7	11	16	19
65+	23	9.8	82	1	2	7	11	22	34	36
B. *Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	13	9.5	16	2	4	9	12	14	16	16
35-49	22	12.5	108	2	4	9	16	26	37	45
50-64	46	13.9	102	3	4	12	18	24	27	58
65+	64	11.4	82	1	2	9	17	20	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.0	13	1	2	5	8	12	13	13
20-34	17	7.4	39	2	3	5	8	18	23	25
35-49	15	4.3	6	1	1	4	5	7	10	11
50-64	90	8.3	70	1	2	5	9	19	25	45
65+	158	10.0	119	1	2	6	12	23	32	57
B. *Operated*										
0-19 YRS	11	15.5	174	3	4	12	20	35	48	49
20-34	4	23.8	1238	1	1	9	44	76	76	76
35-49	33	14.7	109	4	6	12	16	29	42	47
50-64	143	15.3	134	3	4	12	19	29	40	69
65+	257	19.3	195	5	7	15	24	38	47	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.4	40	<1	1	5	8	12	18	35
B. *Operated*	147	12.1	86	1	2	10	17	24	28	46
2. MULTIPLE DX										
A. *Not Operated*	288	8.9	92	1	2	5	10	19	27	51
B. *Operated*	448	17.7	179	3	6	14	22	35	46	76
1. SINGLE DX	221	10.2	78	1	2	8	14	20	26	45
2. MULTIPLE DX	736	14.2	163	2	3	10	18	31	40	68
A. NOT OPERATED	362	8.4	82	1	2	5	9	18	26	50
B. OPERATED	595	16.3	162	3	5	13	20	32	43	70
TOTAL 0-19 YRS	35	7.9	87	1	1	5	10	15	25	49
20-34	43	9.0	134	1	3	5	11	14	21	76
35-49	77	11.4	96	1	2	9	14	23	36	46
50-64	300	12.3	115	1	2	9	17	25	32	59
65+	502	14.9	172	2	3	11	18	32	40	69
GRAND TOTAL	**957**	**13.3**	**146**	**1**	**3**	**10**	**17**	**28**	**38**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	19	7.1	70	1	1	4	7	19	29	34
50-64	20	6.8	55	<1	1	4	8	21	24	25
65+	48	7.6	59	2	2	5	8	15	24	45
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	13.5	41	9	9	13	18	18	18	18
35-49	9	16.0	18	11	11	17	19	22	22	22
50-64	38	13.6	63	6	7	12	16	22	31	44
65+	69	14.1	59	2	3	15	19	24	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.4	3	2	2	4	5	7	8	8
35-49	41	5.6	20	1	1	4	8	11	15	20
50-64	178	7.3	57	1	1	5	9	16	23	41
65+	242	10.0	94	2	3	7	12	21	30	45
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	13.0		13	13	13	13	13	13	13
35-49	47	18.4	218	4	5	14	25	43	60	99+
50-64	219	15.8	107	4	7	14	19	30	37	87
65+	403	18.9	132	5	8	16	23	33	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	7.3	58	1	2	5	8	17	24	41
B. *Operated*	119	14.0	57	3	5	13	18	23	27	38
2. MULTIPLE DX										
A. *Not Operated*	469	8.5	74	1	2	6	10	18	25	43
B. *Operated*	671	17.8	131	5	7	15	22	33	42	67
1. SINGLE DX	207	11.1	68	2	2	9	16	23	25	39
2. MULTIPLE DX	1140	14.0	129	2	3	11	18	28	37	60
A. NOT OPERATED	557	8.3	72	1	2	5	10	18	25	43
B. OPERATED	790	17.2	122	5	7	15	22	31	40	66
TOTAL 0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	12	6.6	22	2	3	4	8	14	17	18
35-49	116	11.8	143	1	1	8	17	25	38	78
50-64	455	11.9	98	1	2	10	16	25	32	50
65+	762	14.9	128	3	4	13	20	29	37	57
GRAND TOTAL	**1347**	**13.6**	**120**	**2**	**3**	**11**	**18**	**27**	**35**	**57**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	13.0		13	13	13	13	13	13	13
35-49	42	5.0	25	<1	1	4	6	11	14	26
50-64	197	5.6	42	1	1	3	7	14	18	34
65+	225	5.9	30	1	1	4	8	12	18	25
B. *Operated*										
0-19 YRS	7	7.7	45	<1	<1	8	9	19	21	21
20-34	10	8.1	35	2	2	7	8	18	22	22
35-49	121	7.9	33	1	2	8	10	14	18	30
50-64	578	8.4	48	1	1	8	11	17	20	28
65+	626	8.2	47	1	2	7	12	17	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.9	59	1	1	5	12	20	25	25
20-34	7	5.3	10	2	2	4	7	10	11	11
35-49	265	6.7	52	1	1	5	8	14	23	46
50-64	1086	8.1	71	1	2	6	10	17	23	42
65+	1431	9.0	63	1	2	7	12	19	24	39
B. *Operated*										
0-19 YRS	5	10.6	69	3	3	7	19	21	21	21
20-34	21	10.0	63	2	2	8	12	25	28	30
35-49	323	11.2	89	1	2	9	15	21	30	46
50-64	1594	12.1	110	2	3	10	16	23	32	57
65+	1981	13.0	113	2	3	10	17	26	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	5.7	34	1	1	4	7	13	18	28
B. *Operated*	1342	8.3	46	1	2	7	11	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	2800	8.4	65	1	2	6	11	18	24	42
B. *Operated*	3924	12.5	110	2	3	10	16	25	33	52
1. SINGLE DX	1808	7.6	44	1	1	6	11	16	20	29
2. MULTIPLE DX	6724	10.8	95	1	2	8	14	22	29	50
A. NOT OPERATED	3266	8.0	62	1	2	6	10	17	23	37
B. OPERATED	5266	11.4	97	1	2	9	15	23	30	50
TOTAL 0-19 YRS	24	8.3	52	<1	1	6	12	21	22	25
20-34	39	8.8	47	2	2	8	11	19	25	30
35-49	751	8.7	68	1	2	7	11	18	25	41
50-64	3455	9.8	88	1	2	8	13	20	27	48
65+	4263	10.6	88	1	2	8	14	22	28	48
GRAND TOTAL	**8532**	**10.1**	**86**	**1**	**2**	**8**	**13**	**21**	**28**	**47**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	11	2.3	3	<1	<1	1	4	5	5	5
35-49	4	3.8	18	<1	<1	2	6	10	10	10
50-64	15	5.3	61	<1	<1	2	6	11	26	31
65+	25	3.7	10	<1	1	2	5	8	11	13
B. *Operated*										
0-19 YRS	10	6.3	41	1	1	3	12	16	18	18
20-34	14	7.1	33	1	1	6	9	13	21	23
35-49	42	5.4	45	<1	1	2	8	15	19	31
50-64	203	5.6	46	<1	1	2	9	15	19	33
65+	205	5.5	63	<1	1	2	8	14	18	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	16	6.4	24	1	2	5	6	17	18	18
35-49	16	8.6	30	1	2	8	13	17	17	17
50-64	40	5.7	45	<1	1	3	7	15	21	30
65+	79	8.9	82	1	2	6	11	20	25	47
B. *Operated*										
0-19 YRS	3	5.7	22	2	2	4	9	11	11	11
20-34	9	12.9	66	1	3	12	16	26	28	28
35-49	45	10.1	117	<1	1	5	15	27	38	40
50-64	185	12.6	174	1	1	10	18	29	38	92
65+	184	11.6	222	1	1	7	14	27	42	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.8	22	<1	<1	2	5	9	11	30
B. *Operated*	474	5.6	53	<1	1	2	8	15	19	34
2. MULTIPLE DX										
A. *Not Operated*	155	7.6	61	1	1	5	10	17	22	41
B. *Operated*	426	11.9	185	1	1	8	16	27	39	91
1. SINGLE DX	532	5.4	50	<1	1	2	8	14	19	33
2. MULTIPLE DX	581	10.7	156	1	1	7	14	25	36	83
A. NOT OPERATED	213	6.5	53	<1	1	4	8	15	20	40
B. OPERATED	900	8.6	125	<1	1	4	12	22	29	64
TOTAL 0-19 YRS	20	4.6	27	<1	<1	2	6	13	16	18
20-34	50	6.9	39	1	1	5	9	16	22	28
35-49	107	7.8	76	<1	1	4	12	17	27	40
50-64	443	8.5	112	<1	1	4	12	22	30	62
65+	493	8.2	131	<1	1	4	11	19	29	63
GRAND TOTAL	**1113**	**8.2**	**112**	**<1**	**1**	**4**	**11**	**20**	**28**	**59**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.3	15	<1	1	2	4	6	7	27
20-34	19	3.7	15	1	1	2	5	8	13	17
35-49	4	1.5		1	1	1	2	2	2	2
50-64	16	7.9	64	1	2	4	11	18	28	32
65+	20	9.7	143	1	2	5	8	31	39	40
B. *Operated*										
0-19 YRS	57	6.6	151	<1	1	4	8	11	14	88
20-34	53	7.4	76	1	2	4	8	18	26	48
35-49	69	6.5	52	1	1	4	8	13	18	37
50-64	90	6.4	25	<1	1	5	9	14	17	23
65+	117	6.9	47	1	2	4	10	15	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	4.0	18	1	1	3	5	7	10	25
20-34	47	4.5	20	<1	1	3	6	10	13	21
35-49	10	7.2	52	1	1	6	8	18	26	26
50-64	42	7.3	64	1	1	5	9	18	27	38
65+	72	8.1	49	2	2	6	11	17	23	37
B. *Operated*										
0-19 YRS	47	11.3	258	1	2	6	9	28	53	76
20-34	38	8.3	45	1	1	6	12	19	20	28
35-49	34	11.1	153	2	3	7	13	27	35	63
50-64	72	10.9	139	1	2	9	14	19	36	94
65+	134	15.0	192	2	2	12	20	33	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	5.1	50	1	1	3	5	10	22	39
B. *Operated*	386	6.7	62	1	1	4	9	14	18	37
2. MULTIPLE DX										
A. *Not Operated*	291	5.7	37	1	1	4	7	11	19	34
B. *Operated*	325	12.3	172	1	2	8	15	28	39	72
1. SINGLE DX	498	6.4	59	1	1	4	8	14	18	38
2. MULTIPLE DX	616	9.2	119	1	2	5	11	21	31	63
A. NOT OPERATED	403	5.5	40	1	1	4	6	11	19	38
B. OPERATED	711	9.3	120	1	2	6	12	20	29	63
TOTAL 0-19 YRS	277	5.6	92	1	1	3	5	10	15	56
20-34	157	6.3	47	1	1	4	8	15	20	28
35-49	117	7.7	83	1	1	5	9	14	30	46
50-64	220	8.1	76	1	1	5	11	17	22	66
65+	343	10.5	122	1	2	6	14	24	33	59
GRAND TOTAL	**1114**	**7.9**	**94**	**1**	**1**	**5**	**10**	**17**	**26**	**54**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.8	12	1	1	3	4	9	13	13
35-49	10	3.2	3	1	1	3	4	6	6	6
50-64	12	4.1	30	<1	<1	1	6	13	16	17
65+	16	5.1	6	2	2	5	6	9	10	10
B. *Operated*										
0-19 YRS	7	4.4	5	2	2	5	6	8	8	8
20-34	91	5.1	16	1	1	5	7	9	10	25
35-49	105	5.2	12	1	2	4	7	9	11	17
50-64	111	5.0	21	1	1	3	6	10	12	25
65+	119	6.0	28	1	2	5	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	20	5.3	30	<1	1	4	5	11	18	25
35-49	21	4.5	17	1	1	3	6	12	13	14
50-64	33	5.9	27	<1	1	5	8	13	16	23
65+	41	5.7	23	1	1	4	6	13	15	25
B. *Operated*										
0-19 YRS	4	7.8	22	3	3	7	11	14	14	14
20-34	49	5.4	15	<1	1	5	7	11	13	17
35-49	49	6.5	27	2	2	5	8	11	14	29
50-64	76	7.3	61	1	2	5	9	16	19	46
65+	109	9.0	96	2	2	5	10	20	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.2	12	1	1	3	5	10	11	17
B. *Operated*	433	5.3	19	1	2	4	7	9	14	22
2. MULTIPLE DX										
A. *Not Operated*	116	5.4	23	1	1	4	7	12	15	25
B. *Operated*	287	7.5	61	1	2	5	9	15	23	43
1. SINGLE DX	481	5.2	19	1	1	4	7	10	13	22
2. MULTIPLE DX	403	6.9	51	1	1	5	9	14	19	42
A. NOT OPERATED	164	5.1	20	1	1	4	6	11	14	25
B. OPERATED	720	6.2	37	1	2	5	8	12	17	37
TOTAL 0-19 YRS	12	5.4	12	2	2	5	7	10	13	14
20-34	170	5.2	17	1	1	4	7	10	11	25
35-49	185	5.3	17	1	2	4	7	10	13	22
50-64	232	5.8	36	1	1	4	7	12	17	31
65+	285	7.0	54	1	2	5	9	15	20	42
GRAND TOTAL	**884**	**6.0**	**34**	**1**	**1**	**4**	**8**	**11**	**16**	**34**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.3		1	1	1	2	2	2	2
50-64	3	6.0	7	4	4	5	8	9	9	9
65+	24	3.5	6	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	11	3.1	25	<1	<1	2	2	9	17	18
20-34	31	2.9	7	<1	<1	2	4	6	9	11
35-49	100	2.6	6	<1	<1	2	3	6	8	12
50-64	229	2.4	5	<1	<1	2	3	4	6	11
65+	425	3.1	12	<1	1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.5	85	3	3	9	16	16	16	16
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	6	6.8	68	2	2	3	8	21	23	23
65+	53	8.0	45	<1	1	6	11	15	23	36
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	12	4.5	26	1	1	2	6	12	17	18
35-49	46	9.4	174	<1	1	4	10	27	39	58
50-64	161	4.4	25	<1	1	2	5	10	15	26
65+	445	5.6	48	1	1	3	7	12	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.4	6	1	1	3	5	7	8	9
B. *Operated*	796	2.8	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	63	7.8	45	1	2	6	10	16	23	35
B. *Operated*	666	5.6	52	1	1	3	6	12	18	38
1. SINGLE DX	827	2.9	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX	729	5.7	52	1	1	3	7	12	18	36
A. NOT OPERATED	94	6.3	36	1	1	5	9	13	16	31
B. OPERATED	1462	4.1	30	<1	1	2	4	9	13	31
TOTAL 0-19 YRS	13	2.9	21	<1	<1	2	2	6	16	18
20-34	45	3.6	15	<1	<1	2	4	9	12	18
35-49	152	4.6	66	<1	<1	2	4	10	19	55
50-64	399	3.3	15	<1	<1	2	4	7	10	21
65+	947	4.6	33	<1	1	3	5	10	14	31
GRAND TOTAL	**1556**	**4.2**	**31**	**<1**	**1**	**2**	**4**	**9**	**13**	**31**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.8	3	1	1	4	5	6	6	6
35-49	43	5.2	31	<1	1	3	5	13	18	27
50-64	62	6.5	45	1	1	5	7	14	24	33
65+	39	7.2	51	1	2	5	8	16	25	33
B. *Operated*										
0-19 YRS	4	3.5	3	<1	<1	4	5	5	5	5
20-34	116	5.0	15	<1	1	5	7	8	10	19
35-49	539	5.6	9	<1	1	6	7	9	11	14
50-64	973	6.4	13	1	2	6	8	10	12	18
65+	955	6.9	13	2	3	7	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	34	4.1	9	1	1	3	7	9	10	11
35-49	170	8.4	146	1	1	5	10	19	22	83
50-64	418	8.9	107	1	2	6	10	19	31	52
65+	449	10.6	127	2	2	7	13	22	33	53
B. *Operated*										
0-19 YRS	6	6.7	3	4	4	7	8	9	9	9
20-34	107	6.7	20	2	2	6	8	11	16	27
35-49	636	7.6	52	2	3	6	8	11	17	44
50-64	1246	8.2	46	2	3	7	9	13	18	43
65+	1537	9.5	54	3	4	8	11	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	6.2	41	1	1	4	7	13	21	33
B. *Operated*	2587	6.4	13	1	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1072	9.4	120	1	2	6	11	20	30	53
B. *Operated*	3532	8.6	51	2	4	7	10	14	20	43
1. SINGLE DX	2739	6.3	14	1	2	6	8	10	12	19
2. MULTIPLE DX	4604	8.8	67	2	3	7	10	16	23	47
A. NOT OPERATED	1224	9.0	111	1	2	5	11	19	29	53
B. OPERATED	6119	7.7	36	2	3	7	9	12	16	36
TOTAL 0-19 YRS	11	5.0	7	<1	1	5	7	8	9	9
20-34	265	5.5	17	1	1	5	7	9	11	25
35-49	1388	6.9	47	1	2	6	8	11	15	33
50-64	2699	7.6	45	2	2	6	9	12	17	42
65+	2980	8.8	54	2	3	7	10	15	21	43
GRAND TOTAL	**7343**	**7.9**	**49**	**2**	**2**	**6**	**9**	**13**	**19**	**41**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	3.6	3	1	2	3	4	5	7	10
35-49	64	3.6	4	1	2	3	4	5	7	14
50-64	81	4.4	19	1	2	4	4	6	9	31
65+	65	4.0	9	1	1	4	5	7	8	20
B. *Operated*										
0-19 YRS	5	1.8	2	<1	<1	1	2	4	4	4
20-34	152	4.1	10	<1	1	3	6	8	11	15
35-49	132	4.3	7	1	1	4	6	7	8	13
50-64	114	4.4	19	<1	1	3	5	9	11	26
65+	79	4.3	16	1	1	3	5	8	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	25	5.9	23	2	2	4	7	14	17	19
35-49	53	5.8	47	1	2	4	6	9	18	41
50-64	97	6.2	49	1	1	4	6	14	24	37
65+	102	8.3	96	1	1	4	11	16	23	56
B. *Operated*										
0-19 YRS	3	20.7	550	2	2	13	38	47	47	47
20-34	125	6.8	51	1	1	5	8	13	23	67
35-49	131	7.9	61	1	2	6	9	15	24	42
50-64	146	10.2	132	1	2	6	13	23	31	84
65+	150	10.5	113	2	2	7	13	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	4.0	11	1	2	4	4	6	8	21
B. *Operated*	482	4.3	12	<1	1	4	6	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	278	6.9	64	1	2	4	8	15	21	44
B. *Operated*	555	9.0	96	1	2	6	11	21	29	61
1. SINGLE DX	716	4.2	12	1	1	4	5	7	9	18
2. MULTIPLE DX	833	8.3	86	1	2	5	10	19	27	57
A. NOT OPERATED	512	5.5	42	1	2	4	5	11	16	36
B. OPERATED	1037	6.8	63	1	1	5	8	14	22	49
TOTAL 0-19 YRS	9	8.4	224	<1	<1	2	7	33	47	47
20-34	326	5.2	28	<1	1	4	6	11	14	30
35-49	380	5.6	33	1	2	4	6	10	15	29
50-64	438	6.7	69	1	1	4	7	15	24	45
65+	396	7.6	80	1	2	4	9	18	26	51
GRAND TOTAL	**1549**	**6.4**	**56**	**1**	**1**	**4**	**7**	**14**	**21**	**45**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	9	3.7	3	2	2	3	4	7	8	8
50-64	88	3.5	5	1	1	3	4	5	7	14
65+	94	3.4	6	1	1	3	4	5	6	17
B. *Operated*										
0-19 YRS										
20-34	8	4.8	7	<1	<1	5	6	8	8	8
35-49	56	5.2	11	<1	1	6	7	9	10	15
50-64	385	5.3	13	<1	1	6	7	9	10	16
65+	386	5.9	17	<1	1	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	6.3	4	4	4	7	8	8	8	8
35-49	16	5.3	21	<1	1	4	6	12	17	19
50-64	93	8.0	79	1	2	4	8	20	29	42
65+	158	7.2	65	1	1	4	9	17	25	33
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	24	6.5	14	1	2	6	9	12	14	15
35-49	130	7.2	28	1	2	6	8	12	15	38
50-64	717	7.7	34	1	2	7	9	13	17	35
65+	719	8.4	53	1	2	7	10	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.5	5	1	1	3	4	5	6	14
B. *Operated*	835	5.5	15	<1	1	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	271	7.3	66	1	1	4	8	19	25	36
B. *Operated*	1592	7.9	42	1	2	7	9	13	18	38
1. SINGLE DX	1029	5.2	13	<1	1	5	7	9	11	16
2. MULTIPLE DX	1863	7.8	46	1	2	7	9	13	19	37
A. NOT OPERATED	465	5.7	44	1	1	4	5	12	19	33
B. OPERATED	2427	7.1	34	1	2	7	8	12	15	31
TOTAL 0-19 YRS	3	9.0	4	7	7	9	10	11	11	11
20-34	38	5.9	11	<1	1	6	8	10	13	15
35-49	211	6.4	23	1	1	6	8	11	14	28
50-64	1283	6.7	31	1	1	6	8	11	15	31
65+	1357	7.2	43	1	2	6	9	13	17	32
GRAND TOTAL	**2892**	**6.9**	**36**	**1**	**1**	**6**	**8**	**12**	**16**	**31**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	7	3.1	4	<1	<1	3	5	6	6	6
35-49	29	2.9	7	1	1	2	4	4	5	15
50-64	109	2.9	14	<1	1	2	3	6	7	22
65+	55	4.9	50	1	1	2	5	11	23	38
B. *Operated*										
0-19 YRS	11	7.8	16	4	4	6	10	14	16	16
20-34	26	6.2	7	1	3	6	8	10	11	12
35-49	32	7.8	22	1	1	7	11	13	15	22
50-64	66	9.2	24	5	5	8	10	14	22	29
65+	36	10.8	73	3	4	8	11	26	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	41	4.9	27	<1	1	3	5	12	19	22
35-49	83	5.6	43	<1	1	3	7	10	23	35
50-64	256	5.4	68	1	1	3	6	12	17	43
65+	206	7.1	64	1	1	4	9	16	28	35
B. *Operated*										
0-19 YRS	11	13.3	147	5	6	9	12	33	45	46
20-34	41	10.1	49	4	5	9	11	19	21	42
35-49	133	11.9	88	5	6	9	13	22	29	54
50-64	296	13.3	109	5	6	10	15	23	36	62
65+	269	15.0	116	4	6	12	18	27	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.4	23	<1	1	2	4	6	9	32
B. *Operated*	171	8.7	33	3	4	7	10	14	22	30
2. MULTIPLE DX										
A. *Not Operated*	588	6.0	60	1	1	3	7	14	20	38
B. *Operated*	750	13.5	106	5	6	10	16	25	35	63
1. SINGLE DX	373	5.9	34	1	1	5	8	11	15	30
2. MULTIPLE DX	1338	10.2	100	1	1	8	13	21	29	53
A. NOT OPERATED	790	5.3	52	1	1	3	6	12	18	37
B. OPERATED	921	12.6	96	4	5	10	14	23	32	59
TOTAL 0-19 YRS	26	9.6	77	4	4	7	9	16	29	46
20-34	115	6.9	34	1	1	6	9	13	19	30
35-49	277	8.6	69	1	1	7	10	17	25	38
50-64	727	8.6	90	1	1	6	11	18	23	49
65+	566	10.9	104	1	2	9	14	25	30	57
GRAND TOTAL	**1711**	**9.2**	**89**	**1**	**1**	**7**	**12**	**19**	**27**	**48**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	2.7	1	1	1	3	3	4	4	4
65+	12	7.3	103	1	1	4	7	20	35	38
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	10	3.1	7	<1	<1	2	6	7	7	7
35-49	22	6.0	30	1	1	5	8	13	20	21
50-64	16	5.6	12	1	1	5	9	10	11	11
65+	42	7.7	76	<1	1	5	10	15	29	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	8	4.4	4	3	3	4	5	8	9	9
50-64	7	20.4	865	1	2	5	30	72	81	81
65+	23	6.9	59	<1	1	5	8	16	27	33
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	6	10.5	92	3	3	7	14	27	28	28
35-49	23	7.9	34	1	3	7	10	15	23	25
50-64	47	11.1	144	1	2	7	14	21	36	68
65+	76	13.0	146	1	2	10	15	29	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.7	60	1	1	4	7	9	22	38
B. *Operated*	92	6.4	46	<1	1	5	9	12	20	39
2. MULTIPLE DX										
A. *Not Operated*	43	8.3	187	1	1	5	8	16	34	81
B. *Operated*	153	11.6	127	1	2	8	14	25	37	58
1. SINGLE DX	114	6.3	48	1	1	5	7	11	19	40
2. MULTIPLE DX	196	10.9	141	1	2	7	13	24	36	63
A. NOT OPERATED	65	7.5	144	1	1	4	7	12	34	75
B. OPERATED	245	9.6	103	1	2	7	11	21	31	51
TOTAL 0-19 YRS	7	7.6	47	1	1	7	7	19	22	22
20-34	20	5.8	40	<1	1	4	7	12	21	28
35-49	54	6.5	29	1	2	5	8	12	21	25
50-64	76	10.1	179	1	1	6	11	19	36	78
65+	153	10.2	116	1	1	7	12	24	37	51
GRAND TOTAL	**310**	**9.2**	**112**	**1**	**1**	**6**	**11**	**20**	**33**	**54**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	25	4.2	34	1	1	2	4	11	17	28
65+	94	6.3	35	1	1	5	7	13	17	33
B. *Operated*										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	2	1.0		1	1	1	1	1	1	1
35-49	17	5.2	29	<1	1	3	8	15	17	17
50-64	414	5.7	26	1	1	5	8	11	15	20
65+	1273	6.0	22	1	2	5	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	4	8.5	15	3	3	9	11	12	12	12
50-64	136	6.5	54	1	1	4	8	15	20	38
65+	891	8.5	62	2	2	6	10	17	23	42
B. *Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	3	32.3	2172	2	2	9	67	86	86	86
35-49	23	8.7	20	3	4	8	12	15	17	20
50-64	557	8.3	45	2	2	7	10	17	22	31
65+	2907	9.1	57	2	3	7	11	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.8	35	1	1	4	7	13	16	32
B. *Operated*	1709	5.9	23	1	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	1032	8.2	61	1	2	6	10	17	23	41
B. *Operated*	3493	9.0	57	2	3	7	11	17	23	40
1. SINGLE DX	1829	5.9	24	1	2	5	8	11	14	23
2. MULTIPLE DX	4525	8.8	58	2	2	7	11	17	23	40
A. NOT OPERATED	1152	7.9	59	1	2	6	10	16	22	41
B. OPERATED	5202	8.0	48	2	2	6	10	16	20	35
TOTAL 0-19 YRS	7	4.0	3	2	2	4	5	7	7	7
20-34	5	19.8	1381	1	1	2	28	86	86	86
35-49	45	7.2	25	1	1	7	10	15	16	20
50-64	1132	7.1	41	1	2	6	9	15	19	30
65+	5165	8.2	51	2	2	6	10	16	21	38
GRAND TOTAL	**6354**	**8.0**	**50**	**2**	**2**	**6**	**10**	**16**	**21**	**37**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	38	3.9	5	1	1	5	5	6	8	9
35-49	7	4.9		4	4	5	5	5	5	5
50-64	4	4.5	16	<1	<1	4	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	18	3.5	4	1	1	3	5	7	8	8
20-34	172	4.3	10	1	2	3	5	9	10	17
35-49	55	3.8	6	1	2	3	5	7	9	13
50-64	19	5.1	23	2	2	3	4	14	18	18
65+	16	4.6	15	1	1	3	6	8	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.9	5	3	4	5	6	9	11	12
20-34	71	5.0	6	1	2	5	6	8	10	14
35-49	13	7.1	33	1	2	5	10	17	19	19
50-64	2	16.0	288	4	4	16	28	28	28	28
65+	7	5.7	22	2	2	5	5	14	16	16
B. *Operated*										
0-19 YRS	12	7.9	15	1	2	8	11	13	14	14
20-34	61	8.9	35	2	3	9	12	16	21	31
35-49	31	9.7	65	1	2	7	13	19	24	39
50-64	21	5.3	35	1	1	3	5	14	22	24
65+	35	11.0	112	2	3	7	14	21	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.2	5	1	1	5	5	7	8	9
B. *Operated*	280	4.3	10	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	108	5.6	15	1	2	5	6	9	14	23
B. *Operated*	160	9.0	58	2	2	7	12	17	23	39
1. SINGLE DX	331	4.2	9	1	2	3	5	8	9	17
2. MULTIPLE DX	268	7.6	43	2	2	6	9	15	19	36
A. NOT OPERATED	159	5.2	12	1	2	5	6	8	11	19
B. OPERATED	440	6.0	32	1	2	4	8	13	16	32
TOTAL 0-19 YRS	47	5.5	10	1	2	5	7	10	12	14
20-34	342	5.2	16	1	2	4	7	10	13	19
35-49	106	6.0	32	1	2	4	7	13	16	31
50-64	46	5.6	37	1	2	3	5	16	21	28
65+	58	8.6	82	1	2	6	10	17	30	49
GRAND TOTAL	**599**	**5.8**	**27**	**1**	**2**	**4**	**7**	**11**	**16**	**26**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	13	6.4	53	1	1	3	9	17	23	25
65+	63	6.4	57	<1	1	4	8	15	17	40
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	16	3.5	5	<1	1	3	5	7	8	8
35-49	107	4.1	18	1	1	3	5	9	12	24
50-64	574	4.4	20	1	1	3	5	10	14	24
65+	1287	4.4	14	1	1	3	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	6.0	18	2	2	4	7	13	15	15
50-64	76	6.3	37	1	1	5	7	13	16	37
65+	255	8.2	69	1	1	6	11	17	24	38
B. *Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	6	14.2	383	2	2	4	19	49	52	52
35-49	74	6.1	41	1	1	4	9	12	17	34
50-64	491	7.5	65	1	2	5	9	17	22	45
65+	1732	8.3	71	2	2	5	10	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	6.2	52	<1	1	4	7	15	17	40
B. *Operated*	1986	4.4	16	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	339	7.7	61	1	1	5	10	16	24	38
B. *Operated*	2306	8.0	70	2	2	5	10	18	23	44
1. SINGLE DX	2068	4.5	18	1	1	3	5	9	13	23
2. MULTIPLE DX	2645	8.0	69	1	2	5	10	17	23	44
A. NOT OPERATED	421	7.4	60	1	1	5	10	16	23	39
B. OPERATED	4292	6.4	48	1	2	4	7	14	19	35
TOTAL 0-19 YRS	5	4.0	2	3	3	4	5	6	6	6
20-34	24	6.2	109	<1	1	4	5	9	29	52
35-49	193	4.9	28	1	1	3	6	11	13	33
50-64	1154	5.9	42	1	1	4	7	14	18	32
65+	3337	6.8	52	1	2	4	8	15	20	38
GRAND TOTAL	**4713**	**6.5**	**49**	**1**	**2**	**4**	**8**	**14**	**19**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	7	1	1	3	5	8	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	20	4.0	12	1	1	3	5	7	12	16
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	6	7.3	5	3	3	8	9	9	9	9
20-34	13	8.5	31	<1	1	8	11	15	20	21
35-49	40	9.3	76	1	2	9	11	14	22	53
50-64	104	8.5	28	1	1	9	11	14	19	26
65+	114	10.2	35	1	2	9	13	17	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	11	<1	<1	3	5	8	11	13
20-34	4	3.5	4	1	1	4	5	5	5	5
35-49	18	5.7	38	1	1	3	7	15	21	24
50-64	71	6.9	37	1	2	5	8	17	22	26
65+	92	9.8	109	1	2	7	12	24	44	99+
B. *Operated*										
0-19 YRS	10	13.3	52	8	8	12	14	24	32	32
20-34	2	12.0	2	11	11	12	13	13	13	13
35-49	51	14.2	110	2	5	12	17	27	36	54
50-64	210	12.5	83	2	3	11	15	22	29	49
65+	355	15.4	141	2	4	12	19	28	36	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.8	9	1	1	3	5	7	10	16
B. *Operated*	277	9.3	38	1	2	9	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	201	7.8	71	1	1	5	10	18	25	77
B. *Operated*	628	14.3	119	2	3	12	18	27	35	62
1. SINGLE DX	313	8.7	38	1	2	8	11	15	19	28
2. MULTIPLE DX	829	12.7	115	2	3	11	16	24	33	62
A. NOT OPERATED	237	7.2	63	1	1	5	9	16	24	61
B. OPERATED	905	12.8	99	2	3	11	16	23	30	58
TOTAL 0-19 YRS	42	6.6	34	<1	1	5	8	13	15	32
20-34	20	7.6	28	<1	1	7	11	14	17	21
35-49	110	11.0	94	1	2	9	13	20	29	53
50-64	405	10.1	64	1	2	9	13	19	24	41
65+	565	13.4	121	2	3	11	17	26	35	70
GRAND TOTAL	**1142**	**11.6**	**97**	**1**	**2**	**10**	**14**	**22**	**29**	**58**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	<1	1	2	4	5
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	4	6.3	41	1	1	4	11	15	15	15
B. *Operated*										
0-19 YRS	13	2.8	1	2	2	3	3	4	5	5
20-34	5	3.8	2	2	2	4	5	5	5	5
35-49	9	3.4	8	1	1	2	4	8	10	10
50-64	13	3.3	2	2	2	3	4	6	6	6
65+	25	4.1	15	<1	1	3	4	7	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	15	1	1	3	4	10	11	11
20-34	4	5.5	1	5	5	5	6	7	7	7
35-49	4	4.3	7	2	2	3	6	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	8.5	28	3	3	13	35	99+	99+	99+
B. *Operated*										
0-19 YRS	6	6.8	32	1	1	6	13	14	14	14
20-34	1	11.0		11	11	11	11	11	11	11
35-49	4	5.3	7	3	3	5	7	8	8	8
50-64	9	4.6	21	1	1	2	9	11	13	13
65+	18	9.0	97	2	3	5	9	20	35	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.7	12	<1	<1	1	3	6	11	15
B. *Operated*	65	3.6	7	1	2	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	19	5.2	14	1	1	4	7	13	57	99+
B. *Operated*	38	7.3	58	1	1	5	9	14	19	43
1. SINGLE DX	86	3.3	8	<1	<1	3	4	6	8	18
2. MULTIPLE DX	57	6.6	44	1	1	5	9	13	19	95
A. NOT OPERATED	40	3.9	14	<1	<1	3	5	12	14	99+
B. OPERATED	103	4.9	29	1	2	3	5	10	13	32
TOTAL 0-19 YRS	39	3.0	10	<1	<1	2	3	6	12	14
20-34	12	5.3	5	2	3	5	6	8	11	11
35-49	18	3.9	7	1	2	3	6	8	9	10
50-64	23	3.8	9	1	1	3	4	9	11	13
65+	51	6.3	50	1	2	4	8	14	23	99
GRAND TOTAL	**143**	**4.6**	**25**	**<1**	**1**	**3**	**5**	**10**	**13**	**46**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.0	77	1	1	4	8	22	28	34
20-34	14	5.7	35	<1	1	5	6	15	20	22
35-49	30	8.2	52	2	2	6	10	20	26	28
50-64	44	11.0	138	2	2	7	14	25	50	99+
65+	45	10.5	104	1	2	8	15	23	32	47
B. *Operated*										
0-19 YRS	32	16.2	155	7	8	13	18	43	58	99+
20-34	46	12.4	44	4	7	11	15	18	27	37
35-49	66	12.8	117	3	5	10	15	20	28	73
50-64	101	16.0	149	3	5	13	19	26	45	62
65+	69	18.5	279	2	4	14	23	39	56	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.5	46	1	1	2	4	14	23	26
20-34	25	6.7	50	1	1	4	10	14	22	31
35-49	46	8.4	76	2	2	6	9	21	26	44
50-64	88	12.3	182	1	2	8	16	27	38	74
65+	66	14.9	157	2	3	11	22	31	34	62
B. *Operated*										
0-19 YRS	27	20.0	186	2	5	18	25	35	47	68
20-34	48	15.9	197	2	4	12	17	33	51	68
35-49	48	20.5	302	5	8	14	22	50	64	71
50-64	82	23.3	378	4	6	18	31	52	68	98
65+	98	26.0	328	7	8	23	33	49	64	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	9.3	95	1	1	6	12	23	29	57
B. *Operated*	314	15.4	159	3	5	12	18	27	44	70
2. MULTIPLE DX										
A. *Not Operated*	245	11.0	140	1	1	7	14	27	32	53
B. *Operated*	303	22.2	312	4	6	16	28	49	63	92
1. SINGLE DX	468	13.4	146	2	3	10	17	25	40	65
2. MULTIPLE DX	548	17.2	266	1	2	12	24	37	51	85
A. NOT OPERATED	399	10.4	123	1	1	7	13	26	32	54
B. OPERATED	617	18.7	246	3	6	14	23	42	54	87
TOTAL 0-19 YRS	100	13.0	161	1	1	10	18	28	42	84
20-34	133	11.9	113	1	2	10	14	22	33	63
35-49	190	13.0	165	2	3	10	15	24	44	69
50-64	315	16.1	235	2	3	12	20	37	51	93
65+	278	19.0	270	2	3	14	27	38	53	83
GRAND TOTAL	**1016**	**15.5**	**214**	**2**	**3**	**11**	**20**	**33**	**48**	**78**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	3	<1	<1	3	4	5	7	7
20-34										
35-49	2	10.5	61	5	5	10	16	16	16	16
50-64	3	8.0	127	<1	<1	2	16	21	21	21
65+	3	17.0	228	3	3	15	28	33	33	33
B. *Operated*										
0-19 YRS	7	9.0	38	2	2	12	14	16	17	17
20-34	7	17.9	212	3	4	15	17	43	49	49
35-49	6	15.2	31	10	10	14	18	23	24	24
50-64	5	20.6	248	9	9	15	26	48	48	48
65+	3	5.0	19	2	2	3	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	45	<1	<1	4	11	18	19	19
20-34	2	7.0		7	7	7	7	7	7	7
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	5	9.6	57	2	2	8	17	18	18	18
65+	11	15.2	295	2	2	5	22	43	56	57
B. *Operated*										
0-19 YRS	6	24.2	349	1	2	19	39	52	53	53
20-34	3	15.3	86	9	9	11	22	26	26	26
35-49	5	16.4	37	9	9	19	21	23	23	23
50-64	7	32.3	432	6	8	25	47	62	65	65
65+	6	31.0	391	9	10	25	56	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.3	68	<1	<1	3	5	18	26	33
B. *Operated*	28	14.2	127	2	2	12	17	22	48	49
2. MULTIPLE DX										
A. *Not Operated*	26	11.2	151	1	2	6	17	23	38	57
B. *Operated*	27	25.4	302	5	9	20	37	54	57	65
1. SINGLE DX	49	10.8	115	1	1	10	15	20	34	49
2. MULTIPLE DX	53	18.4	275	2	3	14	23	50	55	65
A. NOT OPERATED	47	9.0	118	<1	1	4	14	21	33	57
B. OPERATED	55	19.7	241	2	3	15	23	49	54	65
TOTAL 0-19 YRS	32	9.0	134	<1	1	4	13	19	37	53
20-34	12	15.4	148	3	6	13	16	33	47	49
35-49	15	14.1	37	4	5	14	19	23	24	24
50-64	20	20.1	321	1	2	16	24	48	57	65
65+	23	18.2	319	2	3	14	28	55	56	57
GRAND TOTAL	**102**	**14.7**	**211**	**1**	**2**	**11**	**19**	**35**	**51**	**61**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	3	<1	1	2	4	5	5	5
20-34	24	2.0	3	1	1	2	2	3	5	9
35-49	17	2.9	5	1	1	2	4	7	8	8
50-64	18	2.6	5	1	1	2	3	5	8	10
65+	7	3.1	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	16	5.3	18	1	2	4	6	7	16	20
20-34	92	4.3	4	2	2	4	5	6	8	13
35-49	59	4.5	3	2	3	4	5	7	8	11
50-64	63	5.7	47	2	2	4	6	9	13	49
65+	25	8.0	46	2	3	5	9	16	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.6	16	1	1	4	5	10	15	17
20-34	9	2.9	8	1	1	2	4	8	9	9
35-49	15	3.2	6	1	1	2	4	8	9	9
50-64	36	5.1	15	1	1	4	7	11	12	16
65+	33	7.3	36	2	2	5	10	13	21	30
B. *Operated*										
0-19 YRS	24	7.5	35	2	2	5	13	16	18	23
20-34	88	7.0	54	3	3	5	7	13	18	45
35-49	75	6.3	23	3	3	5	7	11	14	31
50-64	89	9.0	130	2	3	5	9	17	32	66
65+	81	11.8	117	3	4	8	13	28	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.5	4	1	1	2	4	5	6	10
B. *Operated*	255	5.1	20	2	3	4	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	112	5.2	21	1	1	4	7	11	13	25
B. *Operated*	357	8.5	83	3	3	5	9	15	29	52
1. SINGLE DX	347	4.4	17	1	1	4	5	8	10	20
2. MULTIPLE DX	469	7.7	70	2	2	5	8	15	22	49
A. NOT OPERATED	204	4.0	15	1	1	3	5	9	11	19
B. OPERATED	612	7.1	60	2	3	5	7	13	18	47
TOTAL 0-19 YRS	85	4.9	21	1	1	4	5	13	16	22
20-34	213	5.1	27	1	2	4	5	8	13	34
35-49	166	5.0	14	1	2	4	6	8	11	21
50-64	206	6.8	78	1	2	4	7	12	17	53
65+	146	9.7	87	2	3	7	12	20	32	50
GRAND TOTAL	**816**	**6.3**	**50**	**1**	**2**	**4**	**7**	**12**	**16**	**41**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	6	<1	<1	2	5	45	95	99+
20-34	10	14.1	360	<1	<1	6	12	49	51	51
35-49	47	7.6	114	1	2	5	7	18	25	64
50-64	113	5.8	51	1	1	3	6	14	20	36
65+	223	7.3	58	1	1	5	8	16	23	50
B. *Operated*										
0-19 YRS	18	8.2	172	<1	1	5	8	11	40	59
20-34	30	5.6	49	1	1	3	6	10	16	38
35-49	97	5.5	41	<1	1	4	7	12	14	37
50-64	227	7.1	56	1	1	4	9	18	22	37
65+	308	7.6	50	1	1	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.7	16	<1	<1	3	8	11	13	15
20-34	134	6.8	63	1	1	5	8	14	22	44
35-49	493	7.7	69	1	1	5	9	18	23	46
50-64	1805	8.1	68	1	1	5	10	19	24	42
65+	2598	9.4	81	1	2	7	12	20	26	44
B. *Operated*										
0-19 YRS	36	11.1	54	2	4	9	13	21	28	34
20-34	157	10.7	129	2	3	8	12	20	32	90
35-49	546	10.7	100	1	2	8	14	24	31	45
50-64	1534	12.0	127	2	2	9	16	26	36	57
65+	2179	13.2	145	2	2	10	17	28	37	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	7.0	70	1	1	5	8	16	25	51
B. *Operated*	680	7.1	54	1	1	5	9	15	21	38
2. MULTIPLE DX										
A. *Not Operated*	5065	8.7	75	1	2	6	11	19	25	44
B. *Operated*	4452	12.4	133	2	2	9	16	27	35	62
1. SINGLE DX	1083	7.0	60	1	1	5	9	16	22	47
2. MULTIPLE DX	9517	10.4	105	1	2	7	13	23	31	54
A. NOT OPERATED	5468	8.5	75	1	2	6	11	19	25	45
B. OPERATED	5132	11.7	126	1	2	8	15	25	34	59
TOTAL 0-19 YRS	99	7.5	65	<1	<1	6	10	16	21	79
20-34	331	8.7	105	1	2	6	10	17	30	54
35-49	1183	8.9	86	1	2	6	11	21	27	47
50-64	3679	9.6	96	1	2	7	12	22	29	51
65+	5308	10.8	109	1	2	8	14	23	32	54
GRAND TOTAL	**10600**	**10.1**	**102**	**1**	**2**	**7**	**13**	**22**	**30**	**52**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	19	<1	<1	1	3	6	8	24
20-34	35	2.9	7	<1	1	2	4	6	10	11
35-49	28	4.4	15	1	1	3	6	11	14	15
50-64	15	6.5	25	<1	2	6	11	14	15	16
65+	7	4.3	8	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	69	5.4	16	1	1	5	8	10	14	16
20-34	137	6.2	27	1	1	5	8	14	16	24
35-49	45	9.2	90	<1	2	7	12	18	22	59
50-64	28	5.6	29	1	1	4	8	11	14	27
65+	20	6.2	32	<1	1	4	8	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.9	69	1	1	5	9	14	30	35
20-34	55	4.8	21	<1	1	3	8	9	14	21
35-49	29	6.5	22	1	1	5	11	13	13	17
50-64	42	4.6	15	1	1	3	7	11	12	15
65+	39	5.4	33	1	1	3	8	13	20	23
B. *Operated*										
0-19 YRS	16	11.9	427	1	1	8	11	23	67	86
20-34	63	9.2	100	1	2	8	11	17	21	69
35-49	46	10.4	64	<1	2	8	14	23	35	99+
50-64	38	10.7	95	1	2	8	16	19	26	52
65+	42	12.6	152	1	2	8	19	28	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.8	16	<1	1	2	5	9	12	19
B. *Operated*	299	6.4	35	1	1	5	8	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	180	5.4	27	1	1	4	8	12	14	23
B. *Operated*	205	10.7	125	1	2	8	14	22	28	80
1. SINGLE DX	415	5.7	31	<1	1	4	8	13	15	24
2. MULTIPLE DX	385	8.2	86	1	1	6	11	17	23	60
A. NOT OPERATED	296	4.8	23	<1	1	3	7	11	14	23
B. OPERATED	504	8.1	76	1	1	6	10	17	23	55
TOTAL 0-19 YRS	131	5.9	76	<1	1	4	8	11	14	45
20-34	290	6.2	42	1	1	5	8	13	17	25
35-49	148	8.1	59	1	1	7	11	17	23	59
50-64	123	6.9	50	1	1	5	10	16	18	34
65+	108	8.3	88	1	1	5	12	21	27	47
GRAND TOTAL	**800**	**6.9**	**59**	**1**	**1**	**5**	**9**	**14**	**20**	**35**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.7	14	<1	<1	2	5	8	10	18
20-34	16	6.3	38	1	1	5	8	13	22	26
35-49	7	5.0	10	1	1	7	8	8	8	8
50-64	11	4.6	26	1	1	2	6	14	16	16
65+	30	6.1	31	<1	1	4	9	15	18	21
B. *Operated*										
0-19 YRS	95	7.2	114	<1	<1	3	8	22	28	54
20-34	8	13.6	210	1	1	6	25	36	39	39
35-49	7	8.9	68	2	2	5	15	22	23	23
50-64	18	5.7	18	1	1	5	9	11	14	16
65+	23	7.6	80	2	2	5	8	15	32	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.7	26	<1	<1	3	6	12	17	24
20-34	14	7.6	50	1	1	4	11	19	21	22
35-49	18	6.0	49	<1	<1	2	10	17	22	24
50-64	76	6.6	31	1	1	5	9	14	19	26
65+	196	8.2	53	1	2	6	10	17	24	35
B. *Operated*										
0-19 YRS	48	14.1	285	2	2	8	17	30	66	73
20-34	8	9.0	63	1	1	5	16	21	22	22
35-49	19	15.4	221	2	3	12	20	32	50	64
50-64	46	12.3	158	1	2	7	19	27	43	55
65+	104	9.9	64	2	2	7	13	21	26	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.6	21	<1	<1	3	7	10	15	21
B. *Operated*	151	7.5	100	<1	<1	4	8	21	29	45
2. MULTIPLE DX										
A. *Not Operated*	374	7.1	44	1	1	5	9	16	21	32
B. *Operated*	225	11.7	145	2	2	8	17	23	31	67
1. SINGLE DX	300	6.0	63	<1	<1	3	7	14	22	42
2. MULTIPLE DX	599	8.8	87	1	1	6	12	20	25	46
A. NOT OPERATED	523	6.4	39	<1	1	4	8	14	19	31
B. OPERATED	376	10.0	131	<1	1	6	13	22	30	63
TOTAL 0-19 YRS	298	6.7	104	<1	<1	3	8	17	22	64
20-34	46	8.4	76	1	1	5	11	22	27	39
35-49	51	9.7	126	<1	1	6	14	22	28	64
50-64	151	8.1	75	1	1	5	10	19	23	48
65+	353	8.5	57	1	2	6	11	19	24	36
GRAND TOTAL	**899**	**7.9**	**81**	**<1**	**1**	**5**	**10**	**19**	**24**	**44**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.3	6	<1	<1	3	5	6	9	11
20-34	16	4.6	9	<1	1	5	6	7	11	12
35-49	35	8.4	125	1	1	5	7	22	42	47
50-64	31	6.2	93	<1	1	2	7	19	31	41
65+	81	4.7	33	1	1	3	6	10	16	30
B. *Operated*										
0-19 YRS	28	10.3	190	<1	<1	6	13	31	47	54
20-34	17	17.9	387	1	1	7	33	53	55	55
35-49	15	8.9	67	2	2	8	9	27	28	28
50-64	27	18.4	206	1	2	14	29	35	45	52
65+	32	8.8	68	2	2	6	10	21	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.3	26	<1	<1	2	6	11	18	19
20-34	41	9.9	111	1	1	6	11	29	33	47
35-49	54	7.0	53	1	1	5	8	14	28	32
50-64	82	6.9	63	<1	1	5	9	16	26	39
65+	303	7.0	74	1	1	4	9	17	24	37
B. *Operated*										
0-19 YRS	22	21.8	222	2	4	20	35	45	48	49
20-34	33	23.2	278	6	7	18	30	50	60	72
35-49	51	23.9	442	3	4	22	32	48	77	96
50-64	87	18.4	275	1	2	14	27	41	52	71
65+	155	16.2	220	3	4	11	23	37	46	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	5.3	54	<1	1	3	6	10	21	44
B. *Operated*	119	12.6	186	<1	1	7	17	33	45	54
2. MULTIPLE DX										
A. *Not Operated*	515	7.1	71	1	1	4	9	18	26	38
B. *Operated*	348	18.9	278	2	3	12	28	41	50	79
1. SINGLE DX	315	8.1	116	<1	1	4	8	25	33	53
2. MULTIPLE DX	863	11.8	188	1	1	7	15	30	40	65
A. NOT OPERATED	711	6.6	67	1	1	4	8	16	25	39
B. OPERATED	467	17.3	261	1	2	11	26	40	49	72
TOTAL 0-19 YRS	118	8.7	140	<1	<1	4	9	25	38	51
20-34	107	14.5	234	1	1	7	23	33	50	66
35-49	155	13.1	254	1	2	7	16	32	47	82
50-64	227	12.6	198	1	1	7	19	34	41	60
65+	571	9.3	126	1	1	5	11	24	32	51
GRAND TOTAL	**1178**	**10.8**	**171**	**1**	**1**	**6**	**13**	**29**	**38**	**57**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	18	<1	<1	1	3	5	14	18
20-34	23	5.2	41	<1	1	3	5	16	23	24
35-49	59	5.1	45	1	1	2	7	12	16	41
50-64	139	4.7	24	1	1	3	6	10	15	24
65+	204	7.3	64	1	1	4	10	17	23	39
B. *Operated*										
0-19 YRS	20	3.6	14	<1	<1	2	4	9	13	15
20-34	44	7.3	58	1	1	4	11	16	32	99+
35-49	63	7.0	46	<1	1	5	9	15	19	37
50-64	173	7.7	58	1	1	5	10	17	22	42
65+	217	9.1	72	1	2	6	12	21	30	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	11.6	317	1	1	7	11	21	39	92
20-34	56	8.0	113	<1	1	4	9	22	35	48
35-49	97	5.5	27	<1	1	4	8	13	16	24
50-64	374	7.7	65	1	1	5	10	18	25	37
65+	708	9.5	85	1	2	7	12	21	30	48
B. *Operated*										
0-19 YRS	17	13.9	200	2	3	10	17	33	50	57
20-34	55	12.6	154	2	2	8	15	30	42	53
35-49	92	11.0	144	1	2	7	14	25	35	63
50-64	299	13.3	185	1	3	9	17	29	43	76
65+	544	14.6	146	2	3	11	19	30	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	5.9	47	1	1	3	8	15	21	31
B. *Operated*	517	8.0	62	1	1	5	10	17	26	38
2. MULTIPLE DX										
A. *Not Operated*	1260	8.6	82	1	1	6	11	20	27	46
B. *Operated*	1007	13.8	159	2	3	10	18	30	41	67
1. SINGLE DX	958	7.0	56	1	1	4	9	16	22	38
2. MULTIPLE DX	2267	10.9	123	1	2	8	14	24	33	57
A. NOT OPERATED	1701	7.9	74	1	1	5	10	18	25	43
B. OPERATED	1524	11.8	134	1	2	9	15	27	36	62
TOTAL 0-19 YRS	78	8.3	170	<1	1	4	10	18	22	82
20-34	178	8.9	108	1	1	5	11	24	33	52
35-49	311	7.4	74	1	1	4	9	17	22	43
50-64	985	9.0	103	1	1	6	11	21	29	54
65+	1673	10.8	108	1	2	8	14	24	32	54
GRAND TOTAL	**3225**	**9.8**	**106**	**1**	**1**	**7**	**13**	**22**	**31**	**53**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	42	2.5	2	<1	<1	2	4	4	5	7
20-34	152	3.0	2	1	1	3	4	5	6	8
35-49	140	3.2	5	1	1	3	4	5	6	13
50-64	174	3.4	4	1	1	3	4	5	6	13
65+	122	3.4	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	6.0	39	1	1	4	11	13	13	13
65+	3	4.7	6	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	21	2.8	1	1	1	3	3	4	5	6
35-49	53	3.5	5	1	2	3	4	6	8	12
50-64	89	3.8	8	1	2	3	4	6	9	18
65+	84	5.0	13	1	2	4	6	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	4	1	1	2	3	6	7	7
B. *Operated*	630	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	6	5.3	19	1	1	4	7	12	13	13
B. *Operated*	250	4.0	9	1	2	3	5	7	9	18
1. SINGLE DX	637	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX	256	4.1	9	1	2	3	5	7	10	18
A. NOT OPERATED	13	3.8	12	1	1	2	5	8	12	13
B. OPERATED	880	3.4	5	1	1	3	4	6	7	13
TOTAL 0-19 YRS	45	2.5	2	<1	<1	2	4	4	5	7
20-34	176	3.0	2	1	1	3	4	5	6	8
35-49	194	3.3	5	1	1	3	4	5	7	12
50-64	268	3.5	6	1	2	3	4	6	7	14
65+	210	4.0	8	1	1	4	5	7	9	16
GRAND TOTAL	**893**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	9	3.1	3	<1	1	3	4	6	6	6
35-49	14	2.6	5	<1	1	2	3	6	8	8
50-64	29	2.2	3	<1	<1	2	3	5	6	8
65+	44	2.8	9	<1	1	2	3	5	9	17
B. *Operated*										
0-19 YRS	25	4.7	12	<1	<1	3	8	9	12	12
20-34	44	6.0	16	1	2	5	8	11	13	20
35-49	93	3.9	17	<1	<1	2	6	9	12	20
50-64	290	4.1	14	1	1	2	7	10	11	16
65+	309	4.7	18	1	1	3	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	3	3.3	4	<1	<1	4	5	5	5	5
35-49	20	2.7	3	<1	1	2	3	5	6	7
50-64	67	4.0	9	1	1	3	6	7	9	15
65+	111	5.7	28	1	1	4	7	12	15	26
B. *Operated*										
0-19 YRS	15	[illegible]	15	2	2	5	8	12	14	15
20-34	38	7.3	33	1	1	6	11	17	18	22
35-49	112	6.6	28	1	1	6	9	11	14	27
50-64	302	6.7	[illegible]	1	1	5	9	14	18	24
65+	555	8.0	65	1	1	6	11	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.7	6	<1	1	2	3	6	8	13
B. *Operated*	761	4.5	16	<1	1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	203	4.8	19	1	1	4	7	9	14	18
B. *Operated*	1022	7.4	49	1	1	6	10	15	19	32
1. SINGLE DX	860	4.2	16	<1	1	2	7	10	12	17
2. MULTIPLE DX	1225	7.0	45	1	1	5	10	15	18	30
A. NOT OPERATED	302	4.1	16	1	1	3	5	8	12	17
B. OPERATED	1783	6.1	37	1	1	4	9	13	16	27
TOTAL 0-19 YRS	45	5.2	13	<1	1	4	8	11	12	15
20-34	94	6.2	23	1	1	5	8	12	17	21
35-49	239	5.0	22	<1	1	3	7	11	12	18
50-64	688	5.1	22	1	1	3	8	11	14	21
65+	1019	6.5	47	1	1	4	9	14	17	32
GRAND TOTAL	**2085**	**5.8**	**35**	**1**	**1**	**4**	**9**	**13**	**16**	**26**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	5	1.8		1	1	2	2	2	2	2
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	66	2.4	17	<1	<1	2	2	3	8	29
20-34	62	2.9	8	<1	<1	2	3	8	9	14
35-49	68	3.6	10	<1	<1	2	6	8	9	14
50-64	105	3.7	14	<1	<1	2	5	8	10	21
65+	47	3.6	19	<1	1	2	4	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	11.[illegible]		11	11	11	11	11	11	11
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	39	1.7	1	<1	1	2	2	3	3	4
20-34	20	8.7	162	1	1	2	8	32	41	43
35-49	33	4.5	15	<1	<1	2	8	11	12	13
50-64	44	6.8	52	1	1	6	9	13	20	41
65+	61	8.0	58	1	1	5	11	20	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.5		<1	<1	1	2	2	2	2
B. *Operated*	348	3.3	13	<1	<1	2	3	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	8	3.8	11	1	1	3	5	9	11	11
B. *Operated*	197	6.0	54	1	1	2	8	15	20	41
1. SINGLE DX	371	3.2	13	<1	<1	2	3	8	10	20
2. MULTIPLE DX	205	5.9	52	1	1	2	8	13	20	40
A. NOT OPERATED	31	2.1	4	<1	<1	2	2	4	5	11
B. OPERATED	545	4.2	30	<1	<1	2	5	10	14	27
TOTAL 0-19 YRS	114	2.1	10	<1	<1	1	2	3	4	18
20-34	88	4.2	47	<1	<1	2	4	8	14	42
35-49	107	3.7	11	<1	<1	2	6	9	11	13
50-64	153	4.6	27	<1	1	2	7	10	12	21
65+	114	5.9	44	<1	1	3	9	18	21	28
GRAND TOTAL	**576**	**4.1**	**29**	**<1**	**<1**	**2**	**5**	**10**	**13**	**27**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	4	1	1	2	4	6	6	6
20-34	5	2.8	12	<1	<1	1	4	9	9	9
35-49	4	4.8	7	2	2	5	7	7	7	7
50-64	11	1.9	1	1	1	2	2	3	4	4
65+	11	4.4	45	<1	<1	2	4	13	23	24
B. *Operated*										
0-19 YRS	590	2.6	3	<1	1	2	3	5	6	10
20-34	583	2.8	5	<1	<1	2	3	5	7	11
35-49	512	2.6	7	<1	<1	2	3	4	7	15
50-64	585	2.6	5	<1	<1	2	3	5	7	13
65+	263	3.1	10	<1	1	2	3	5	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	1	3	3	3	3
20-34	8	2.6	4	1	1	2	4	6	6	6
35-49	10	3.4	5	<1	<1	3	4	7	8	8
50-64	14	4.4	10	<1	1	4	6	9	11	12
65+	15	10.9	412	<1	1	3	9	22	66	81
B. *Operated*										
0-19 YRS	89	3.6	7	1	1	3	4	7	9	15
20-34	179	4.1	12	1	1	3	5	8	10	20
35-49	257	4.4	38	<1	1	3	5	8	12	36
50-64	346	4.2	21	1	1	3	5	9	13	26
65+	218	5.7	57	1	2	3	7	12	14	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.2	16	<1	1	2	3	7	8	24
B. *Operated*	2533	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	56	5.3	121	<1	1	3	5	9	14	77
B. *Operated*	1089	4.5	30	1	1	3	5	9	13	30
1. SINGLE DX	2570	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	1145	4.5	34	1	1	3	5	9	13	33
A. NOT OPERATED	93	4.5	80	<1	1	2	4	9	12	56
B. OPERATED	3622	3.2	14	<1	1	2	4	6	9	18
TOTAL 0-19 YRS	694	2.7	4	<1	1	2	3	5	6	11
20-34	775	3.1	7	<1	1	2	4	6	8	15
35-49	783	3.2	18	<1	<1	2	3	6	9	20
50-64	956	3.2	12	<1	1	2	3	6	10	18
65+	507	4.5	45	1	1	3	5	10	13	34
GRAND TOTAL	**3715**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**6**	**9**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	14	<1	<1	2	3	6	12	18
20-34	3	3.0	7	<1	<1	2	5	6	6	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	6	1.5	2	<1	<1	1	1	4	4	4
65+	4	10.8	101	2	2	8	18	24	24	24
B. *Operated*										
0-19 YRS	463	2.2	6	<1	<1	1	2	4	6	13
20-34	217	2.9	40	<1	<1	2	3	5	7	15
35-49	139	2.5	5	<1	<1	2	3	5	8	12
50-64	144	3.0	10	<1	<1	2	3	6	9	18
65+	94	3.4	8	<1	1	3	4	6	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	7	<1	<1	1	3	6	10	11
20-34	4	5.3	16	2	2	4	8	11	11	11
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	8	4.6	11	1	1	4	6	10	11	11
65+	19	4.5	17	1	1	4	6	10	15	17
B. *Operated*										
0-19 YRS	92	7.0	225	<1	<1	2	5	10	33	87
20-34	101	3.7	16	<1	<1	2	5	9	13	18
35-49	95	4.4	36	<1	<1	2	6	10	16	34
50-64	102	3.8	13	<1	<1	3	5	8	11	18
65+	102	6.3	54	<1	1	4	8	15	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.4	23	<1	<1	2	4	7	15	24
B. *Operated*	1057	2.6	14	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	63	3.5	11	<1	<1	2	4	8	11	16
B. *Operated*	492	5.0	67	<1	<1	2	6	10	16	43
1. SINGLE DX	1097	2.6	14	<1	<1	2	3	5	8	15
2. MULTIPLE DX	555	4.8	61	<1	<1	2	5	10	15	39
A. NOT OPERATED	103	3.5	16	<1	<1	2	4	8	12	21
B. OPERATED	1549	3.4	32	<1	<1	2	3	7	10	23
TOTAL 0-19 YRS	603	2.9	42	<1	<1	2	2	5	9	33
20-34	325	3.2	32	<1	<1	2	4	6	9	16
35-49	245	3.2	18	<1	<1	2	3	7	10	22
50-64	260	3.4	11	<1	<1	2	4	8	10	18
65+	219	5.0	34	<1	1	3	6	11	16	31
GRAND TOTAL	**1652**	**3.4**	**31**	**<1**	**<1**	**2**	**3**	**7**	**10**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	5	1.6		<1	<1	2	2	2	2	2
35-49	6	2.0	1	1	1	2	2	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	217	1.6	1	<1	<1	2	2	2	2	4
20-34	493	1.6	1	<1	<1	1	2	2	3	4
35-49	288	1.8	1	<1	<1	2	2	2	3	6
50-64	111	2.4	11	<1	1	2	2	3	4	18
65+	87	2.4	1	1	2	2	3	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.0	1	<1	<1	2	3	3	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	29	2.0	1	<1	<1	2	2	3	4	7
20-34	127	2.1	4	<1	<1	2	2	3	4	38
35-49	189	2.3	3	<1	<1	2	3	4	6	10
50-64	125	2.6	4	1	1	2	3	4	5	12
65+	69	4.3	55	1	1	2	4	7	10	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.7	1	<1	<1	2	2	2	4	4
B. *Operated*	1196	1.8	2	<1	<1	2	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	15	2.3	1	<1	<1	3	3	3	4	4
B. *Operated*	539	2.6	10	<1	1	2	3	4	6	14
1. SINGLE DX	1211	1.8	2	<1	<1	2	2	2	3	5
2. MULTIPLE DX	554	2.6	10	<1	1	2	3	4	6	14
A. NOT OPERATED	30	2.0	1	<1	<1	2	3	3	4	4
B. OPERATED	1735	2.0	5	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	248	1.6	1	<1	<1	2	2	2	3	4
20-34	633	1.7	1	<1	<1	2	2	2	3	5
35-49	486	2.0	2	<1	<1	2	2	3	4	8
50-64	238	2.5	7	1	1	2	2	4	5	12
65+	160	3.2	25	1	1	2	3	5	7	25
GRAND TOTAL	**1765**	**2.0**	**5**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.2	3	<1	1	3	5	5	7	7
35-49	34	4.2	8	<1	1	4	6	7	8	13
50-64	6	3.3	3	<1	<1	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	3	7.3	1	6	6	8	8	8	8	8
20-34	303	5.2	4	1	2	5	6	7	8	10
35-49	867	5.6	5	1	2	6	7	8	8	11
50-64	191	5.1	6	<1	1	6	7	7	8	12
65+	14	2.9	8	<1	1	2	2	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	4.0	9	<1	1	3	6	7	10	13
35-49	102	3.2	6	<1	<1	2	5	6	8	10
50-64	19	3.2	6	<1	1	2	6	7	8	8
65+	9	5.2	5	2	2	5	7	9	9	9
B. *Operated*										
0-19 YRS	8	8.4	5	4	5	9	10	11	11	11
20-34	995	5.9	16	1	2	6	7	8	10	16
35-49	4991	6.4	9	2	4	6	7	9	10	16
50-64	1246	6.7	12	2	4	6	8	9	11	19
65+	151	7.9	13	2	5	7	9	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.9	6	<1	1	4	5	7	7	13
B. *Operated*	1378	5.4	5	1	2	6	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	153	3.4	7	<1	<1	2	5	7	8	10
B. *Operated*	7391	6.4	11	2	4	6	7	9	11	17
1. SINGLE DX	1432	5.4	5	1	2	6	6	7	8	11
2. MULTIPLE DX	7544	6.4	11	1	4	6	7	9	10	17
A. NOT OPERATED	207	3.5	6	<1	<1	3	5	7	8	11
B. OPERATED	8769	6.3	10	1	4	6	7	9	10	16
TOTAL 0-19 YRS	11	8.1	4	4	5	8	10	11	11	11
20-34	1335	5.7	13	1	2	6	7	8	9	15
35-49	5994	6.2	9	1	4	6	7	8	10	15
50-64	1462	6.5	11	1	2	6	7	9	11	18
65+	174	7.3	14	1	2	7	9	12	15	20
GRAND TOTAL	**8976**	**6.2**	**10**	**1**	**3**	**6**	**7**	**9**	**10**	**16**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	26	2.7	5	<1	<1	1	5	6	6	7
35-49	30	4.5	12	<1	<1	5	7	8	8	17
50-64	19	2.9	6	<1	<1	2	5	7	8	8
65+	6	2.2	8	<1	<1	1	1	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	48	4.4	10	<1	<1	5	6	8	9	18
35-49	114	5.6	9	<1	1	6	7	9	11	16
50-64	56	5.5	18	<1	1	6	7	8	9	29
65+	17	4.8	8	<1	1	4	7	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	84	3.3	8	<1	<1	2	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	235	5.3	11	<1	1	6	7	8	10	17
1. SINGLE DX	85	3.3	8	<1	<1	2	5	7	8	14
2. MULTIPLE DX	237	5.3	11	<1	1	6	7	8	10	17
A. NOT OPERATED	3	4.0	1	3	3	4	5	5	5	5
B. OPERATED	319	4.8	11	<1	<1	5	7	8	9	17
TOTAL 0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	75	3.8	9	<1	<1	4	6	7	8	16
35-49	145	5.4	9	<1	1	6	7	8	11	17
50-64	76	4.9	16	<1	1	5	7	8	8	25
65+	23	4.1	9	<1	<1	4	7	8	9	10
GRAND TOTAL	**322**	**4.8**	**11**	**<1**	**<1**	**5**	**7**	**8**	**9**	**17**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.0		5	5	5	5	5	5	5
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	110	5.0	1	3	4	5	6	6	7	9
20-34	338	4.9	2	3	3	5	6	6	7	8
35-49	106	5.8	3	4	4	6	6	7	8	14
50-64	72	6.7	3	4	5	6	7	9	10	14
65+	35	8.2	8	4	6	8	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	5	1	1	3	5	5	5	5
35-49	4	4.5	2	3	3	4	5	6	6	6
50-64										
65+	4	12.3	86	6	6	8	17	26	26	26
B. *Operated*										
0-19 YRS	58	5.9	13	4	4	5	6	8	10	28
20-34	327	5.6	2	4	4	5	6	8	9	11
35-49	229	6.8	7	4	5	6	7	10	10	18
50-64	184	8.0	17	5	5	7	8	11	15	28
65+	133	10.0	20	5	6	9	12	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.0	3	<1	<1	3	5	5	5	5
B. *Operated*	661	5.4	3	3	4	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	12	6.6	43	1	1	5	7	14	24	26
B. *Operated*	931	7.0	12	4	4	6	8	10	13	24
1. SINGLE DX	667	5.4	3	3	4	5	6	7	8	12
2. MULTIPLE DX	943	7.0	12	4	4	6	8	10	13	24
A. NOT OPERATED	18	5.4	32	<1	1	5	6	9	19	26
B. OPERATED	1592	6.4	9	4	4	6	7	9	11	19
TOTAL 0-19 YRS	169	5.3	6	3	4	5	6	7	8	11
20-34	671	5.2	2	3	4	5	6	7	[illegible]	10
35-49	342	6.4	6	4	4	6	7	9	10	16
50-64	256	7.6	13	5	5	7	8	11	13	26
65+	172	9.7	19	5	6	8	11	15	18	28
GRAND TOTAL	**1610**	**6.3**	**9**	**4**	**4**	**6**	**7**	**9**	**11**	**20**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	13	3.6	5	1	1	4	6	6	6	6
35-49	22	2.3	4	<1	<1	2	3	5	8	8
50-64	12	5.1	18	1	1	4	7	10	15	16
65+	11	3.5	10	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	13	4.9	3	2	3	5	6	7	7	7
35-49	24	6.0	12	1	1	6	7	11	13	16
50-64	16	3.6	5	<1	<1	3	5	7	8	8
65+	8	3.5	8	1	1	2	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	63	3.2	8	<1	1	2	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	64	4.7	8	1	1	5	6	8	9	15
1. SINGLE DX	65	3.2	8	<1	1	2	5	7	8	15
2. MULTIPLE DX	64	4.7	8	1	1	5	6	8	9	15
A. NOT OPERATED	2	4.0	2	3	3	4	5	5	5	5
B. OPERATED	127	4.0	9	<1	1	3	6	8	8	16
TOTAL 0-19 YRS	9	2.1	2	<1	<1	1	3	5	5	5
20-34	27	4.3	4	1	1	5	6	6	7	7
35-49	46	4.2	11	<1	1	3	6	8	11	16
50-64	28	4.2	11	<1	1	3	6	8	9	16
65+	19	3.5	9	1	1	3	5	8	9	10
GRAND TOTAL	**129**	**4.0**	**9**	**<1**	**1**	**3**	**6**	**8**	**8**	**16**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
20-34	13	2.6	2	1	1	2	3	5	6	6
35-49	13	2.3	2	<1	<1	3	3	4	5	5
50-64	11	4.5	17	1	1	3	6	12	13	13
65+	12	3.0	2	1	1	3	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	14.0		14	14	14	14	14	14	14
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	10	2.3	2	<1	<1	2	3	4	5	5
35-49	8	3.5	16	1	1	2	3	10	13	13
50-64	14	2.4	1	1	1	2	4	4	4	4
65+	11	3.6	3	1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	55	2.9	5	<1	1	3	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	4	5.3	34	2	2	3	8	14	14	14
B. *Operated*	45	3.0	5	1	1	2	4	6	6	13
1. SINGLE DX	56	2.9	5	<1	1	2	3	5	7	13
2. MULTIPLE DX	49	3.1	7	1	1	2	4	6	7	14
A. NOT OPERATED	5	4.4	29	<1	<1	2	6	14	14	14
B. OPERATED	100	2.9	5	1	1	2	4	5	7	13
TOTAL 0-19 YRS	8	2.6	4	<1	<1	2	3	6	7	7
20-34	23	2.5	2	<1	1	2	3	5	6	6
35-49	22	2.7	6	<1	1	2	3	4	8	13
50-64	27	3.6	13	<1	1	2	4	10	13	14
65+	25	3.2	3	1	2	3	4	6	6	7
GRAND TOTAL	**105**	**3.0**	**6**	**<1**	**1**	**2**	**3**	**6**	**7**	**14**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	7	5.0	18	<1	<1	5	9	11	11	11
35-49	15	3.5	15	1	1	2	3	11	13	14
50-64	17	2.8	10	<1	<1	2	2	9	11	11
65+	27	2.8	5	<1	1	2	4	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	8	6.9	17	2	2	6	11	12	12	12
35-49	14	4.6	28	1	1	2	5	15	17	18
50-64	21	3.6	9	<1	<1	2	5	10	10	10
65+	54	3.8	7	1	2	3	5	7	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	68	3.3	10	<1	1	2	4	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	99	4.2	12	1	1	3	5	10	12	17
1. SINGLE DX	68	3.3	10	<1	1	2	4	9	11	14
2. MULTIPLE DX	100	4.3	12	1	1	3	6	10	12	16
A. NOT OPERATED	1	9.0		9	9	9	9	9	9	9
B. OPERATED	167	3.8	11	<1	1	2	5	10	11	15
TOTAL 0-19 YRS	4	6.3	26	<1	<1	6	10	12	12	12
20-34	15	6.0	17	<1	<1	5	10	12	12	12
35-49	29	4.0	21	1	1	2	4	13	15	18
50-64	38	3.2	9	<1	<1	2	3	10	11	11
65+	82	3.5	7	1	1	3	5	7	9	12
GRAND TOTAL	**168**	**3.8**	**11**	**<1**	**1**	**2**	**5**	**10**	**11**	**15**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	24	1.3		<1	<1	1	2	2	2	2
20-34	10	2.3	2	<1	<1	2	3	4	5	5
35-49	4	1.5		1	1	1	2	2	2	2
50-64	10	2.6	6	<1	<1	1	5	6	7	7
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	10	2.6	3	<1	<1	2	3	5	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*	51	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	17	2.4	2	<1	<1	2	3	4	6	7
1. SINGLE DX	54	2.0	2	<1	<1	1	2	4	6	7
2. MULTIPLE DX	18	2.3	2	<1	<1	2	3	4	6	7
A. NOT OPERATED	4	3.0	6	<1	<1	2	5	6	6	6
B. OPERATED	68	2.0	2	<1	<1	2	2	4	5	7
TOTAL 0-19 YRS	28	1.5	1	<1	<1	1	2	2	3	4
20-34	11	2.3	1	<1	<1	2	3	4	5	5
35-49	6	1.8	1	1	1	2	2	3	3	3
50-64	14	2.6	5	<1	<1	2	5	6	7	7
65+	13	2.6	3	<1	1	2	3	5	7	7
GRAND TOTAL	**72**	**2.1**	**2**	**<1**	**<1**	**2**	**2**	**4**	**6**	**7**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	7	8.7	232	1	1	4	5	35	43	43
50-64	8	4.0	15	<1	<1	3	6	10	12	12
65+	8	7.4	91	1	1	3	11	24	26	26
B. *Operated*										
0-19 YRS	7	10.6	17	4	5	11	13	16	17	17
20-34	53	8.4	30	1	2	8	12	16	18	22
35-49	70	9.5	35	1	1	10	12	16	19	29
50-64	125	10.7	99	1	2	9	14	18	23	53
65+	75	15.6	169	2	3	14	18	30	40	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	5.7	20	<1	<1	6	9	10	10	10
35-49	4	6.0	15	1	1	6	9	10	10	10
50-64	12	5.6	18	1	2	4	6	12	15	16
65+	36	9.6	46	2	3	8	14	18	26	29
B. *Operated*										
0-19 YRS	10	13.9	62	5	5	11	21	26	29	29
20-34	43	18.0	184	2	6	15	26	47	74	99+
35-49	72	16.4	86	4	8	14	20	31	36	40
50-64	119	18.9	225	5	8	14	22	38	54	94
65+	100	22.6	317	4	7	17	31	49	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.1	84	<1	1	3	5	17	28	43
B. *Operated*	330	11.2	94	1	2	10	14	19	24	46
2. MULTIPLE DX										
A. *Not Operated*	57	8.1	38	1	2	6	10	16	21	29
B. *Operated*	344	19.2	217	4	8	15	24	38	53	99+
1. SINGLE DX	358	10.8	95	1	2	10	14	19	25	44
2. MULTIPLE DX	401	17.6	207	3	5	14	22	36	48	99+
A. NOT OPERATED	85	7.4	54	1	1	5	9	16	24	38
B. OPERATED	674	15.3	173	2	3	12	18	31	41	91
TOTAL 0-19 YRS	20	11.3	48	2	4	10	13	22	26	29
20-34	103	12.1	117	1	2	10	15	27	45	99+
35-49	153	12.6	79	1	2	11	15	26	32	40
50-64	264	13.9	171	2	2	11	16	26	39	91
65+	219	17.5	239	2	3	14	22	36	52	91
GRAND TOTAL	**759**	**14.4**	**165**	**1**	**2**	**11**	**17**	**29**	**40**	**88**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	41	3.4	1	2	2	3	4	5	6	7
20-34	251	3.6	1	2	2	4	4	5	5	7
35-49	286	3.7	1	2	3	4	4	5	5	8
50-64	201	3.9	2	2	3	4	4	5	6	10
65+	109	4.3	4	2	3	4	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49										
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	3	5.0	7	2	2	6	7	7	7	7
B. *Operated*										
0-19 YRS	11	3.3	3	2	2	3	3	6	8	8
20-34	89	3.9	2	3	3	4	4	5	6	10
35-49	140	4.2	7	2	3	4	4	5	7	16
50-64	149	5.3	33	3	3	4	5	6	14	32
65+	103	6.9	52	3	3	5	8	11	14	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*	888	3.8	2	2	3	4	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	8	3.6	4	<1	1	3	5	7	7	7
B. *Operated*	492	5.0	25	3	3	4	5	7	11	30
1. SINGLE DX	897	3.8	2	2	3	4	4	5	6	9
2. MULTIPLE DX	500	5.0	24	3	3	4	5	7	10	29
A. NOT OPERATED	17	2.9	3	<1	<1	3	4	6	7	7
B. OPERATED	1380	4.2	10	2	3	4	4	5	7	15
TOTAL 0-19 YRS	53	3.4	1	2	2	3	4	5	6	8
20-34	343	3.7	2	2	2	4	4	5	5	8
35-49	429	3.8	3	2	3	4	4	5	6	12
50-64	355	4.5	15	3	3	4	5	6	7	19
65+	217	5.5	29	2	3	4	5	9	11	43
GRAND TOTAL	**1397**	**4.2**	**10**	**2**	**3**	**4**	**4**	**5**	**7**	**15**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	9	1	1	4	6	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	4.7		4	4	5	5	5	5	5
B. *Operated*										
0-19 YRS	12	7.8	8	3	4	7	10	11	12	12
20-34	63	8.7	129	3	4	7	9	12	15	84
35-49	52	6.6	9	2	3	6	9	10	11	12
50-64	49	7.6	20	2	3	6	10	13	17	23
65+	20	7.3	21	2	2	6	9	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	19	3	3	10	11	11	11	11
20-34	9	3.4	10	1	1	2	4	9	11	11
35-49	9	3.9	5	2	2	4	5	7	9	9
50-64	8	9.8	117	<1	1	5	13	28	34	34
65+	5	15.8	233	7	7	10	18	43	43	43
B. *Operated*										
0-19 YRS	10	11.4	199	2	2	6	10	34	49	49
20-34	40	10.2	52	3	4	8	13	21	31	99+
35-49	43	9.1	48	2	3	7	12	19	22	38
50-64	88	10.6	119	3	4	7	13	21	26	69
65+	51	10.2	94	3	3	7	11	20	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	5	1	1	4	5	7	8	8
B. *Operated*	196	7.7	51	2	3	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	34	7.3	77	1	2	4	10	12	30	43
B. *Operated*	232	10.2	91	3	4	7	13	20	26	55
1. SINGLE DX	205	7.5	50	2	3	6	9	12	14	21
2. MULTIPLE DX	266	9.8	90	2	3	7	11	20	27	50
A. NOT OPERATED	43	6.6	64	1	1	4	9	11	21	43
B. OPERATED	428	9.0	74	2	4	7	10	17	22	50
TOTAL 0-19 YRS	25	9.3	83	2	3	7	10	12	26	49
20-34	116	8.7	92	2	3	7	9	15	20	96
35-49	105	7.4	27	2	3	6	10	12	15	30
50-64	146	9.5	86	2	3	7	11	18	23	51
65+	79	9.6	83	2	3	7	11	19	32	48
GRAND TOTAL	**471**	**8.8**	**74**	**2**	**3**	**7**	**10**	**16**	**22**	**50**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.8	3	<1	<1	1	2	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.3	4	1	1	3	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	16	1.8	1	1	1	2	2	3	3	3
20-34	747	3.3	5	<1	<1	2	5	6	7	9
35-49	260	4.3	10	<1	1	5	6	7	8	16
50-64	70	4.4	7	1	1	5	7	8	8	9
65+	40	4.0	7	<1	1	3	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	5.4	75	<1	<1	3	6	14	29	32
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	8	2.8	6	<1	<1	2	4	7	7	7
20-34	517	4.7	9	1	1	5	6	8	10	15
35-49	364	5.6	9	1	1	6	7	8	10	14
50-64	89	6.6	39	1	2	6	7	10	15	41
65+	49	5.4	7	1	2	6	7	9	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.3	4	<1	<1	1	3	5	6	6
B. *Operated*	1133	3.6	7	<1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	19	3.8	51	<1	<1	1	5	7	21	32
B. *Operated*	1027	5.2	12	1	1	5	7	8	10	15
1. SINGLE DX	1143	3.6	7	<1	1	3	5	7	7	10
2. MULTIPLE DX	1046	5.2	13	1	1	5	7	8	10	15
A. NOT OPERATED	29	3.3	34	<1	<1	1	4	6	8	32
B. OPERATED	2160	4.3	10	<1	1	5	6	8	9	14
TOTAL 0-19 YRS	24	2.1	2	<1	1	2	2	4	6	7
20-34	1281	3.9	8	<1	1	4	6	7	8	14
35-49	630	5.0	10	1	1	5	7	8	9	14
50-64	165	5.5	25	1	1	6	7	9	10	20
65+	89	4.7	7	1	2	5	7	8	9	11
GRAND TOTAL	**2189**	**4.3**	**10**	**<1**	**1**	**4**	**6**	**8**	**9**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.8	10	<1	<1	3	6	7	7	7
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	8	8.1	158	<1	<1	2	10	30	37	37
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	38	3.1	4	<1	1	2	5	6	7	7
35-49	51	4.7	15	<1	1	4	6	9	11	19
50-64	98	4.0	19	<1	1	3	5	8	10	25
65+	105	3.8	9	<1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	13.2	264	3	3	8	17	42	42	42
65+	13	8.7	51	1	2	4	17	18	20	21
B. *Operated*										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34	32	6.2	32	<1	<1	5	8	14	20	23
35-49	66	6.4	76	1	1	5	7	9	15	60
50-64	149	7.0	31	1	2	6	9	13	17	23
65+	221	7.3	32	1	2	6	10	16	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.6	77	<1	<1	2	5	13	29	37
B. *Operated*	294	3.9	13	<1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	18	9.9	102	2	3	6	17	20	34	42
B. *Operated*	472	7.0	37	1	2	6	9	14	18	30
1. SINGLE DX	311	4.0	16	<1	1	3	5	8	10	18
2. MULTIPLE DX	490	7.1	40	1	2	6	9	15	19	31
A. NOT OPERATED	35	7.9	92	<1	1	4	8	17	33	42
B. OPERATED	766	5.8	30	1	1	5	8	12	16	26
TOTAL 0-19 YRS	6	3.2	13	<1	<1	1	4	9	10	10
20-34	74	4.4	18	<1	<1	4	6	8	13	23
35-49	119	5.6	49	<1	1	5	6	9	14	39
50-64	255	5.9	33	1	1	5	8	11	15	36
65+	347	6.3	31	1	1	5	8	15	18	30
GRAND TOTAL	**801**	**5.9**	**33**	**1**	**1**	**5**	**8**	**12**	**17**	**29**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	2	<1	<1	2	3	4	5	5
20-34	31	3.1	3	<1	1	3	4	6	7	7
35-49	53	2.8	3	1	1	2	4	5	6	8
50-64	53	4.9	81	<1	1	2	5	8	13	55
65+	85	4.9	24	<1	1	3	6	11	18	24
B. *Operated*										
0-19 YRS	91	3.7	11	<1	1	3	4	8	11	17
20-34	207	4.3	13	1	1	3	6	9	12	18
35-49	208	4.1	14	1	1	3	6	8	11	17
50-64	253	4.2	18	1	1	3	5	9	11	27
65+	255	4.9	23	1	1	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	3	<1	1	3	5	6	6	6
20-34	51	5.0	84	<1	1	3	5	10	11	62
35-49	53	4.5	11	<1	1	4	6	9	12	15
50-64	141	5.1	28	1	1	3	7	10	16	26
65+	294	7.2	66	1	1	5	8	15	23	54
B. *Operated*										
0-19 YRS	56	5.6	33	1	1	4	7	12	15	33
20-34	136	7.7	97	1	2	5	8	14	21	64
35-49	175	7.5	55	1	2	6	9	14	20	54
50-64	291	7.5	66	1	1	5	10	17	21	40
65+	479	9.4	73	1	2	7	13	20	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	4.0	28	<1	1	3	5	7	11	27
B. *Operated*	1014	4.3	17	1	1	3	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	555	6.1	52	<1	1	4	7	13	20	43
B. *Operated*	1137	8.2	70	1	2	6	10	18	24	46
1. SINGLE DX	1256	4.3	19	1	1	3	5	9	12	21
2. MULTIPLE DX	1692	7.5	65	1	1	5	9	16	23	45
A. NOT OPERATED	797	5.4	46	<1	1	3	6	11	18	37
B. OPERATED	2151	6.4	49	1	1	4	8	14	19	35
TOTAL 0-19 YRS	183	4.1	17	<1	1	3	5	8	13	22
20-34	425	5.4	50	1	1	4	6	10	14	39
35-49	489	5.2	30	1	1	4	7	10	14	32
50-64	738	5.7	45	1	1	3	7	12	18	31
65+	1113	7.4	60	1	1	5	10	17	22	42
GRAND TOTAL	**2948**	**6.1**	**48**	**1**	**1**	**4**	**8**	**13**	**19**	**35**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	8	2.1	1	1	1	2	3	3	3	3
35-49	3	9.3	41	2	2	12	13	14	14	14
50-64	6	2.7	4	<1	<1	2	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	14	3.6	1	2	2	3	4	5	6	6
20-34	136	3.7	1	2	3	4	4	5	5	7
35-49	190	3.8	4	2	2	4	4	5	6	9
50-64	179	4.2	2	2	3	4	5	5	7	12
65+	88	4.9	5	3	3	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	3.9	12	1	1	3	5	9	13	13
35-49	9	3.8	6	<1	<1	4	6	7	7	7
50-64	18	4.4	17	1	1	3	5	9	14	18
65+	18	6.0	15	2	3	4	8	11	14	16
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	61	4.3	3	2	2	4	5	6	7	13
35-49	103	4.8	9	3	3	4	5	8	10	20
50-64	160	4.8	4	3	3	4	5	7	9	12
65+	94	6.3	14	3	3	5	7	11	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.2	11	<1	1	2	3	7	13	14
B. *Operated*	607	4.0	3	2	3	4	5	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	57	4.6	14	1	1	3	6	10	12	18
B. *Operated*	420	5.0	8	3	3	4	5	8	10	18
1. SINGLE DX	630	4.0	3	2	2	4	5	5	7	12
2. MULTIPLE DX	477	5.0	8	2	3	4	5	8	11	18
A. NOT OPERATED	80	4.2	13	1	1	3	5	10	12	17
B. OPERATED	1027	4.4	5	2	3	4	5	7	8	14
TOTAL 0-19 YRS	22	3.1	2	<1	1	3	4	5	6	6
20-34	216	3.8	2	2	2	4	4	5	6	10
35-49	305	4.2	6	2	2	4	4	6	8	15
50-64	363	4.4	4	2	3	4	5	7	8	13
65+	201	5.6	11	3	3	5	6	9	12	19
GRAND TOTAL	**1107**	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**9**	**15**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	2	1	1	3	4	5	5	5
20-34	45	4.3	11	1	2	3	5	8	9	21
35-49	48	5.1	13	1	1	4	7	10	13	17
50-64	39	5.2	11	1	1	4	7	11	13	14
65+	29	6.9	68	2	2	4	9	15	19	43
B. *Operated*										
0-19 YRS	44	4.4	6	2	3	4	5	6	8	17
20-34	204	4.4	4	2	3	4	5	6	8	13
35-49	139	4.2	3	2	3	4	5	6	8	11
50-64	120	4.0	1	2	3	4	5	5	6	8
65+	42	4.8	5	2	2	4	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.0	12	1	1	4	6	10	13	16
20-34	109	5.1	16	1	1	4	7	10	11	23
35-49	118	6.2	19	2	2	5	8	11	14	24
50-64	195	6.9	34	2	2	5	9	12	16	28
65+	289	9.3	63	2	3	7	12	17	23	66
B. *Operated*										
0-19 YRS	18	6.3	19	3	3	5	7	10	17	22
20-34	75	5.4	14	2	2	4	5	11	12	23
35-49	100	5.9	20	2	3	4	6	11	16	25
50-64	107	8.1	129	2	3	5	7	14	20	77
65+	78	9.3	66	3	3	6	12	23	28	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	5.0	21	1	1	4	6	10	13	20
B. *Operated*	549	4.3	4	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	736	7.4	42	2	2	6	9	14	18	34
B. *Operated*	378	7.1	61	2	3	5	7	13	21	44
1. SINGLE DX	724	4.5	8	2	3	4	5	7	9	16
2. MULTIPLE DX	1114	7.3	48	2	2	5	9	14	19	38
A. NOT OPERATED	911	6.9	39	1	2	5	9	13	17	33
B. OPERATED	927	5.5	29	2	3	4	5	9	12	27
TOTAL 0-19 YRS	101	4.7	10	1	2	4	5	8	10	19
20-34	433	4.7	10	2	2	4	5	8	11	21
35-49	405	5.3	14	2	2	4	6	10	12	21
50-64	461	6.3	48	2	2	5	7	11	15	37
65+	438	8.7	60	2	3	7	11	17	23	49
GRAND TOTAL	**1838**	**6.2**	**34**	**2**	**2**	**4**	**7**	**12**	**16**	**32**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	5.0	7	1	2	5	7	8	10	14
20-34	269	4.5	11	1	2	4	5	7	9	18
35-49	240	5.1	15	1	2	5	6	8	10	18
50-64	332	5.5	10	2	2	5	7	9	11	17
65+	298	6.2	14	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	6.3	8	3	3	6	8	9	9	9
35-49	3	6.7	5	4	4	8	8	8	8	8
50-64	11	8.6	136	1	2	5	8	23	41	43
65+	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	4.9	16	1	1	4	6	9	12	19
20-34	500	4.8	9	1	2	4	6	9	11	16
35-49	745	6.1	19	2	2	5	7	11	14	23
50-64	1640	6.4	20	2	2	6	8	11	14	23
65+	2455	7.9	46	2	3	6	9	14	19	42
B. *Operated*										
0-19 YRS	5	4.2	2	3	3	4	5	6	6	6
20-34	58	8.8	37	1	2	7	11	19	22	24
35-49	76	11.2	66	2	3	10	15	20	28	45
50-64	212	11.6	122	2	3	9	13	23	29	66
65+	249	13.8	135	3	4	11	18	27	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1467	5.3	11	1	2	5	6	9	11	18
B. *Operated*	21	7.7	72	2	3	6	8	10	25	43
2. MULTIPLE DX										
A. *Not Operated*	5559	6.8	31	2	2	6	8	12	16	29
B. *Operated*	600	12.1	113	2	3	9	15	24	31	59
1. SINGLE DX	1488	5.3	12	1	2	5	7	9	11	18
2. MULTIPLE DX	6159	7.3	42	2	2	6	9	13	18	37
A. NOT OPERATED	7026	6.5	27	2	2	5	8	12	15	27
B. OPERATED	621	12.0	112	2	3	9	15	23	31	58
TOTAL 0-19 YRS	553	4.9	11	1	2	4	6	9	11	17
20-34	831	5.0	13	1	2	4	6	9	11	21
35-49	1064	6.2	23	2	2	5	8	11	15	25
50-64	2195	6.8	31	2	2	6	8	12	15	28
65+	3004	8.2	53	2	3	7	10	15	20	44
GRAND TOTAL	**7647**	**6.9**	**37**	**2**	**2**	**6**	**8**	**12**	**16**	**33**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	474	4.2	9	1	1	3	5	8	9	16
20-34	321	3.7	5	1	1	3	5	7	8	11
35-49	121	4.5	10	1	1	4	6	8	11	17
50-64	92	5.6	15	1	2	5	7	9	14	22
65+	90	7.3	29	2	2	6	9	15	17	28
B. *Operated*										
0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	4.4	10	1	1	4	5	8	10	20
20-34	495	5.0	18	1	2	4	6	9	12	24
35-49	297	7.0	44	2	2	5	9	13	20	32
50-64	356	8.2	47	2	3	7	10	15	20	33
65+	478	10.0	60	3	3	8	12	21	26	53
B. *Operated*										
0-19 YRS	14	15.7	542	2	4	8	14	30	80	94
20-34	42	10.0	69	2	3	7	12	17	27	46
35-49	24	11.8	186	2	4	8	14	34	75	99+
50-64	31	20.9	281	4	6	15	29	54	71	99+
65+	43	21.5	226	6	8	19	26	48	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1098	4.5	11	1	1	4	6	8	10	17
B. *Operated*	7	6.3	7	3	3	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	1950	7.0	41	2	2	5	9	14	20	33
B. *Operated*	154	16.2	236	3	4	12	20	40	64	99+
1. SINGLE DX	1105	4.5	11	1	1	4	6	8	10	17
2. MULTIPLE DX	2104	7.7	61	2	2	5	9	16	22	47
A. NOT OPERATED	3048	6.1	32	1	2	5	7	12	16	29
B. OPERATED	161	15.8	230	3	4	11	20	38	64	99+
TOTAL 0-19 YRS	815	4.5	21	1	1	4	5	8	10	19
20-34	859	4.7	17	1	2	4	6	9	11	23
35-49	442	6.6	45	1	2	5	8	12	18	39
50-64	480	8.5	67	2	3	7	10	16	22	53
65+	613	10.4	77	2	3	8	13	21	27	61
GRAND TOTAL	**3209**	**6.6**	**46**	**1**	**2**	**5**	**8**	**13**	**19**	**36**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	4.7	15	1	1	4	6	9	10	24
20-34	120	4.7	7	1	2	4	6	8	10	13
35-49	111	5.1	10	1	2	4	6	11	12	13
50-64	197	6.2	16	2	3	5	8	11	13	24
65+	159	6.9	34	2	3	5	8	12	18	49
B. *Operated*										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	29	6.8	39	1	2	5	7	17	22	24
35-49	35	3.4	6	1	1	3	5	7	8	11
50-64	55	4.9	17	1	1	4	6	12	14	18
65+	51	5.3	38	1	2	3	6	13	18	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	5.3	24	1	1	4	6	10	17	26
20-34	355	6.1	29	1	2	5	8	12	15	31
35-49	537	6.4	27	2	2	5	8	12	14	23
50-64	1057	7.2	33	2	2	6	9	13	17	32
65+	1441	8.5	52	2	3	7	10	16	21	43
B. *Operated*										
0-19 YRS	10	6.1	14	3	3	5	9	12	14	14
20-34	152	11.0	151	2	2	7	12	25	39	67
35-49	255	13.5	164	1	2	9	19	31	37	67
50-64	524	14.4	186	1	2	11	20	33	45	78
65+	611	19.1	268	2	3	15	26	44	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	5.7	18	1	2	5	7	10	12	24
B. *Operated*	174	5.0	25	1	1	3	6	11	16	24
2. MULTIPLE DX										
A. *Not Operated*	3472	7.5	40	2	2	6	9	14	18	33
B. *Operated*	1552	15.7	218	2	3	11	22	36	48	83
1. SINGLE DX	818	5.6	20	1	2	5	7	10	13	24
2. MULTIPLE DX	5024	10.0	110	2	2	7	12	22	31	60
A. NOT OPERATED	4116	7.2	37	2	2	6	9	13	17	32
B. OPERATED	1726	14.6	209	1	2	10	20	34	47	81
TOTAL 0-19 YRS	153	5.1	20	1	1	4	6	10	14	25
20-34	656	7.0	58	1	2	5	8	13	21	41
35-49	938	8.1	72	1	2	6	9	16	25	48
50-64	1833	9.1	86	2	2	6	11	19	27	49
65+	2262	11.2	132	2	3	8	13	25	36	72
GRAND TOTAL	**5842**	**9.4**	**100**	**2**	**2**	**6**	**11**	**20**	**29**	**58**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	3	4.3	12	1	1	4	7	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.6	3	<1	<1	2	4	5	5	5
20-34	120	3.8	5	1	1	4	6	6	8	10
35-49	5	5.4	8	<1	<1	6	7	9	9	9
50-64	2	6.5	61	1	1	6	12	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	2	2	2	4	5	5	5	5
20-34	11	2.6	2	<1	<1	2	4	5	5	5
35-49	3	7.7	9	5	5	7	10	11	11	11
50-64										
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	26	5.3	8	1	1	5	6	10	11	12
20-34	207	4.7	5	1	1	5	6	7	8	11
35-49	16	5.7	3	3	3	6	7	8	8	8
50-64	4	2.5	9	<1	<1	1	4	7	7	7
65+	2	9.5	13	7	7	9	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	5	1	1	3	4	7	8	8
B. *Operated*	144	3.8	6	<1	1	4	6	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	21	3.9	6	<1	1	4	5	6	9	11
B. *Operated*	255	4.9	6	1	1	5	6	8	9	12
1. SINGLE DX	151	3.8	6	<1	1	4	5	6	8	11
2. MULTIPLE DX	276	4.8	6	1	1	5	6	8	9	12
A. NOT OPERATED	28	3.8	5	1	1	4	5	7	8	11
B. OPERATED	399	4.5	6	1	1	5	6	7	8	12
TOTAL 0-19 YRS	51	4.1	6	<1	1	4	6	7	10	12
20-34	341	4.3	6	1	1	5	6	7	8	11
35-49	24	5.9	5	2	3	6	7	8	10	11
50-64	6	3.8	22	<1	<1	1	7	11	12	12
65+	5	7.4	9	4	4	7	9	12	12	12
GRAND TOTAL	**427**	**4.4**	**6**	**1**	**1**	**5**	**6**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	3.3	64	<1	1	2	3	5	8	48
20-34	109	3.9	11	1	1	3	5	9	11	15
35-49	80	4.0	10	<1	1	3	5	8	10	19
50-64	84	3.7	8	1	1	3	5	7	8	17
65+	52	3.9	7	1	1	3	5	9	10	97
B. *Operated*										
0-19 YRS	10	3.8	6	<1	<1	3	5	7	9	9
20-34	42	5.3	8	1	2	5	7	8	10	14
35-49	24	5.0	13	1	1	4	7	10	13	14
50-64	20	6.3	21	<1	1	5	9	11	16	20
65+	22	5.9	29	1	2	4	7	12	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.1	27	1	1	2	5	9	13	30
20-34	260	4.6	24	1	1	3	6	9	12	23
35-49	243	4.8	20	1	1	4	6	9	12	26
50-64	363	5.5	38	1	1	4	7	11	13	31
65+	634	7.4	81	1	2	5	8	15	19	39
B. *Operated*										
0-19 YRS	9	7.3	33	1	1	6	12	16	17	17
20-34	55	9.3	72	2	3	7	10	20	30	40
35-49	66	11.6	202	3	4	7	12	24	38	89
50-64	96	9.9	128	2	3	7	12	19	28	67
65+	89	14.1	172	3	5	11	17	30	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	3.7	23	1	1	3	5	7	10	21
B. *Operated*	118	5.4	15	1	1	4	7	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	1624	5.9	51	1	1	4	7	11	15	33
B. *Operated*	315	11.3	146	2	3	8	13	24	34	95
1. SINGLE DX	553	4.1	22	1	1	3	5	8	11	20
2. MULTIPLE DX	1939	6.8	70	1	1	5	8	14	19	40
A. NOT OPERATED	2059	5.4	46	1	1	4	7	11	15	28
B. OPERATED	433	9.6	117	2	2	7	11	19	29	88
TOTAL 0-19 YRS	253	3.9	43	<1	1	2	4	8	13	27
20-34	466	5.1	28	1	1	4	6	10	13	28
35-49	413	5.7	53	1	1	4	7	11	15	36
50-64	563	6.0	52	1	1	4	7	11	16	33
65+	797	7.9	90	1	2	5	9	15	23	77
GRAND TOTAL	**2492**	**6.2**	**60**	**1**	**1**	**4**	**7**	**12**	**17**	**37**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	16	1	1	3	5	11	13	13
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	5.0	15	1	1	4	8	10	10	10
50-64	11	6.1	12	1	2	5	8	11	13	13
65+	10	6.4	66	2	2	4	6	18	29	29
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64	3	2.0		2	2	2	2	2	2	2
65+	3	6.7	22	3	3	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	7.2	138	1	1	5	7	12	15	72
20-34	23	10.2	108	3	3	8	12	19	32	52
35-49	24	14.6	301	2	2	10	17	29	51	85
50-64	80	7.6	33	2	2	6	11	15	18	29
65+	294	10.9	81	2	3	8	14	21	29	52
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	10	9.0	22	2	2	10	12	14	16	16
35-49	8	18.3	313	8	8	13	17	48	61	61
50-64	27	26.6	545	2	4	17	43	59	77	86
65+	36	20.7	283	4	7	13	31	47	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.4	27	1	1	4	7	10	13	29
B. *Operated*	9	3.6	11	1	1	2	4	9	12	12
2. MULTIPLE DX										
A. *Not Operated*	457	10.2	92	2	3	8	13	19	28	54
B. *Operated*	82	20.9	357	3	5	12	31	52	66	95
1. SINGLE DX	44	5.0	24	1	1	3	6	10	13	29
2. MULTIPLE DX	539	11.8	146	2	3	8	14	25	37	76
A. NOT OPERATED	492	9.8	89	2	3	7	12	19	28	53
B. OPERATED	91	19.1	349	2	3	11	28	50	61	94
TOTAL 0-19 YRS	46	6.6	112	1	1	4	7	12	15	72
20-34	37	9.0	78	2	2	8	12	16	20	52
35-49	36	14.3	275	2	2	10	16	27	54	85
50-64	121	11.6	207	2	2	7	13	29	45	78
65+	343	11.8	110	2	3	9	14	26	35	67
GRAND TOTAL	**583**	**11.3**	**140**	**2**	**3**	**8**	**13**	**24**	**36**	**74**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.9	17	2	3	7	11	14	16	16
20-34	14	7.4	4	3	5	8	9	10	10	10
35-49										
B. *Operated*										
0-19 YRS	3	17.0	127	4	4	23	24	24	24	24
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	8.0	27	2	2	6	11	13	17	28
20-34	35	8.9	26	2	4	9	11	12	15	31
35-49	4	3.0	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	9	13.9	69	2	3	16	20	23	24	24
20-34	6	5.0	7	2	2	4	5	10	10	10
35-49	4	7.0	50	2	2	5	12	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	7.7	13	2	3	8	10	12	15	16
B. *Operated*	6	9.5	118	2	2	3	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	112	8.1	27	2	2	7	11	13	15	29
B. *Operated*	19	9.6	59	2	2	5	17	21	23	24
1. SINGLE DX	52	7.9	24	2	2	7	10	14	16	24
2. MULTIPLE DX	131	8.3	31	2	2	7	11	14	20	29
A. NOT OPERATED	158	8.0	23	2	3	7	11	13	15	28
B. OPERATED	25	9.6	69	2	2	5	18	23	24	24
TOTAL 0-19 YRS	117	8.6	32	2	2	7	11	16	21	27
20-34	56	8.0	20	2	3	8	10	11	13	30
35-49	10	4.4	22	1	1	3	4	12	17	17
GRAND TOTAL	**183**	**8.2**	**29**	**2**	**2**	**7**	**11**	**14**	**20**	**27**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	34	2	2	7	12	13	13	13
20-34	11	2.8	5	<1	<1	2	4	6	8	8
35-49	12	3.3	3	1	1	3	5	6	6	6
50-64	2	5.0	32	1	1	5	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	11	7.9	1	6	6	8	9	9	9	9
20-34	228	7.7	7	5	6	7	8	10	11	16
35-49	149	8.0	6	5	6	8	9	11	13	17
50-64	17	7.7	7	3	5	8	10	11	12	12
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	8	2	2	6	8	9	9	9
20-34	34	4.0	9	1	1	3	5	8	11	14
35-49	60	4.6	12	1	2	4	6	9	13	16
50-64	47	6.2	73	2	2	4	6	13	30	99+
65+	33	8.5	66	1	2	6	11	20	27	37
B. *Operated*										
0-19 YRS	17	10.6	23	6	6	10	13	17	22	24
20-34	247	9.2	22	6	6	8	10	13	16	38
35-49	312	10.6	65	5	6	8	11	17	24	44
50-64	73	11.6	121	6	6	9	12	20	32	96
65+	5	13.2	91	3	3	13	18	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.8	10	1	1	3	5	9	11	13
B. *Operated*	406	7.8	6	5	6	7	9	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	181	5.7	39	1	2	4	7	11	16	47
B. *Operated*	654	10.2	55	6	6	8	11	16	22	51
1. SINGLE DX	435	7.5	8	4	5	7	8	10	12	16
2. MULTIPLE DX	835	9.2	55	2	3	8	10	15	22	51
A. NOT OPERATED	210	5.4	35	1	1	4	6	11	15	43
B. OPERATED	1060	9.3	38	5	6	8	10	13	18	37
TOTAL 0-19 YRS	39	8.6	18	2	3	8	10	14	16	24
20-34	520	8.1	17	3	5	7	9	11	14	28
35-49	533	9.1	46	2	4	8	10	14	20	35
50-64	139	9.2	95	2	3	7	10	17	26	99+
65+	39	9.1	68	1	2	6	12	21	28	37
GRAND TOTAL	**1270**	**8.7**	**39**	**2**	**4**	**8**	**9**	**13**	**17**	**37**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.2	10	<1	<1	2	4	8	11	15
20-34	76	2.6	28	<1	<1	<1	3	5	8	36
35-49	56	2.7	6	<1	<1	1	4	6	9	11
50-64	72	2.5	12	<1	<1	<1	2	7	9	17
65+	40	4.6	26	<1	<1	3	6	9	14	28
B. *Operated*										
0-19 YRS	21	3.8	8	<1	<1	3	5	8	10	11
20-34	52	4.7	22	1	1	4	5	8	14	29
35-49	77	4.4	11	1	1	4	5	9	10	20
50-64	39	3.6	14	<1	<1	2	4	10	12	17
65+	27	5.3	42	1	1	3	6	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.5	30	1	2	4	7	11	13	36
20-34	104	5.0	21	1	1	4	6	11	12	25
35-49	145	6.5	37	1	2	5	8	12	16	35
50-64	191	6.5	22	2	2	5	8	12	17	23
65+	197	7.1	30	1	2	6	9	14	19	25
B. *Operated*										
0-19 YRS	13	4.2	17	<1	1	3	4	8	15	17
20-34	66	8.6	70	1	2	5	11	19	30	37
35-49	105	7.5	33	<1	2	6	10	14	21	28
50-64	123	8.6	67	1	2	7	10	16	23	43
65+	91	10.2	75	2	2	7	15	24	30	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	3.0	16	<1	<1	1	4	7	10	16
B. *Operated*	216	4.4	17	<1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	710	6.3	28	1	2	5	8	12	16	28
B. *Operated*	398	8.5	60	1	2	6	11	17	25	35
1. SINGLE DX	546	3.5	17	<1	<1	2	4	8	10	19
2. MULTIPLE DX	1108	7.1	41	1	2	5	9	14	20	33
A. NOT OPERATED	1040	5.3	27	<1	<1	4	7	11	15	25
B. OPERATED	614	7.1	49	1	1	5	9	16	22	34
TOTAL 0-19 YRS	193	4.2	19	<1	<1	3	5	9	11	16
20-34	298	5.2	37	<1	<1	3	6	11	16	34
35-49	383	5.8	29	<1	1	4	8	12	15	29
50-64	425	6.2	37	<1	<1	4	8	13	17	26
65+	355	7.5	45	1	2	6	9	16	22	31
GRAND TOTAL	**1654**	**5.9**	**36**	**<1**	**<1**	**4**	**8**	**13**	**17**	**30**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.3	1	1	1	2	3	3	3	3
35-49	21	2.9	4	1	1	2	4	5	7	9
50-64	27	4.3	9	1	1	3	6	7	9	15
65+	46	3.9	4	1	2	3	5	7	7	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	7	8.4	185	1	1	4	6	32	39	39
50-64	6	3.8	8	2	2	2	7	8	8	8
65+	9	2.9	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	8.2	61	4	4	5	6	22	24	24
35-49	35	4.9	13	1	2	4	7	9	11	18
50-64	82	5.9	25	2	3	5	6	9	11	31
65+	243	6.4	14	2	3	5	8	12	14	17
B. *Operated*										
0-19 YRS										
20-34	3	9.0	31	3	3	10	13	14	14	14
35-49	9	6.4	16	1	2	5	9	12	13	13
50-64	21	11.3	308	2	2	8	11	13	47	86
65+	30	12.9	201	2	3	8	13	32	55	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.7	5	1	1	3	5	7	7	12
B. *Operated*	25	5.0	57	<1	1	2	5	8	18	39
2. MULTIPLE DX										
A. *Not Operated*	367	6.2	17	2	2	5	8	11	14	23
B. *Operated*	63	11.3	201	2	3	8	12	19	46	82
1. SINGLE DX	126	3.9	15	1	1	3	5	7	8	21
2. MULTIPLE DX	430	6.9	47	2	2	5	8	12	15	34
A. NOT OPERATED	468	5.6	16	2	2	5	7	10	14	22
B. OPERATED	88	9.5	167	1	2	6	11	15	39	75
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	17	6.2	33	1	2	4	7	13	20	24
35-49	72	4.9	27	1	1	3	6	9	11	34
50-64	136	6.3	68	1	2	5	7	10	12	40
65+	328	6.5	34	2	2	5	8	13	15	28
GRAND TOTAL	**556**	**6.2**	**42**	**2**	**2**	**5**	**7**	**11**	**14**	**32**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	56	2.5	2	<1	1	2	3	4	5	8
20-34	36	2.6	4	<1	<1	2	3	5	8	10
35-49	35	4.7	23	1	1	4	6	8	11	28
50-64	47	5.1	42	1	1	3	6	9	14	40
65+	109	5.0	10	1	1	4	6	9	11	15
B. ***Operated***										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	368	3.8	12	1	1	3	5	7	11	19
20-34	231	3.8	10	1	1	3	4	7	10	16
35-49	287	4.9	22	1	1	4	6	9	12	30
50-64	656	5.7	22	1	2	4	7	11	15	25
65+	2375	8.4	63	2	2	6	10	16	[illegible]	41
B. ***Operated***										
0-19 YRS	12	8.3	68	2	2	5	10	21	29	30
20-34	25	7.9	33	1	1	7	9	17	22	24
35-49	31	13.7	286	2	2	9	20	55	97	99+
50-64	57	11.4	131	1	2	6	16	26	38	52
65+	162	15.6	155	2	4	13	20	32	46	98
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	283	4.2	16	1	1	3	5	8	10	20
B. ***Operated***	3	8.0	31	3	3	7	12	14	14	14
2. MULTIPLE DX										
A. ***Not Operated***	3917	7.0	48	1	2	5	9	14	18	35
B. ***Operated***	287	13.6	156	2	2	10	18	30	45	99+
1. SINGLE DX	286	4.2	16	1	1	3	5	8	10	20
2. MULTIPLE DX	4204	7.4	58	1	2	5	9	15	20	40
A. NOT OPERATED	4200	6.8	47	1	2	5	8	13	17	34
B. OPERATED	290	13.5	154	2	2	10	17	30	44	99+
TOTAL 0-19 YRS	436	3.8	12	1	1	3	4	7	11	20
20-34	294	4.0	13	1	1	3	5	8	10	19
35-49	354	5.6	51	1	1	4	7	11	15	47
50-64	760	6.1	34	1	2	4	7	12	16	31
65+	2646	8.7	70	2	2	7	11	17	22	48
GRAND TOTAL	**4490**	**7.2**	**56**	**1**	**2**	**5**	**9**	**14**	**20**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	25	2.4	4	<1	1	2	3	5	6	9
20-34	11	2.6	1	1	1	2	3	4	5	5
35-49	24	3.8	5	1	1	4	5	7	8	11
50-64	26	3.2	7	<1	1	3	4	5	7	14
65+	71	3.9	13	<1	<1	2	5	8	10	19
B. ***Operated***										
0-19 YRS	6	4.0	4	1	1	4	6	6	6	6
20-34	5	4.8	10	<1	<1	4	8	8	8	8
35-49	5	7.0	17	4	4	6	9	14	14	14
50-64	9	8.1	8	4	4	9	11	11	11	11
65+	21	8.3	10	4	4	8	10	12	15	16
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	48	4.6	12	1	1	4	6	8	14	17
20-34	47	4.4	15	<1	1	3	5	9	14	19
35-49	106	4.2	10	1	1	4	5	8	10	18
50-64	179	5.5	23	1	1	4	7	11	14	25
65+	784	6.6	26	1	2	5	8	13	16	24
B. ***Operated***										
0-19 YRS	8	5.4	21	2	2	3	8	13	14	14
20-34	18	7.6	22	1	1	7	12	14	15	15
35-49	46	6.6	31	2	2	5	7	12	15	36
50-64	68	9.0	40	3	3	8	11	18	25	33
65+	264	10.3	80	3	4	8	12	19	24	65
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	157	3.4	9	<1	1	3	4	7	9	15
B. ***Operated***	46	7.2	11	2	3	7	10	11	14	16
2. MULTIPLE DX										
A. ***Not Operated***	1164	6.0	24	1	2	5	8	12	15	24
B. ***Operated***	404	9.4	65	2	3	8	11	17	23	45
1. SINGLE DX	203	4.3	12	<1	1	3	6	9	11	15
2. MULTIPLE DX	1568	6.9	37	1	2	5	9	13	17	30
A. NOT OPERATED	1321	5.7	23	1	1	4	7	11	15	23
B. OPERATED	450	9.2	60	2	3	8	11	16	22	39
TOTAL 0-19 YRS	87	4.0	11	1	1	3	5	8	11	16
20-34	81	4.9	16	<1	1	4	7	11	14	18
35-49	181	4.9	16	1	1	4	6	9	12	19
50-64	282	6.2	28	1	1	5	8	12	15	27
65+	1140	7.3	41	1	2	6	9	14	18	31
GRAND TOTAL	**1771**	**6.6**	**35**	**1**	**2**	**5**	**8**	**13**	**16**	**29**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.3	13	1	1	3	5	8	11	21
20-34	118	4.9	13	1	2	4	6	10	12	18
35-49	27	5.9	27	1	2	5	7	14	19	22
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS										
20-34	2	14.5	145	6	6	14	23	23	23	23
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.2	14	<1	1	4	7	10	12	18
20-34	111	6.5	19	1	2	6	8	12	14	24
35-49	42	6.9	19	2	3	6	10	13	15	21
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	5	14.0	421	1	1	6	21	50	50	50
20-34	8	11.3	86	2	2	9	15	27	30	30
35-49	3	14.0	52	8	8	12	19	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	4.8	15	1	1	4	6	10	12	22
B. *Operated*	2	14.5	145	6	6	14	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	193	6.3	18	1	2	5	8	11	14	23
B. *Operated*	16	12.6	161	1	2	9	15	29	44	50
1. SINGLE DX	193	4.9	16	1	1	4	6	10	13	22
2. MULTIPLE DX	209	6.8	31	1	2	6	9	12	18	27
A. NOT OPERATED	384	5.6	17	1	2	5	7	10	14	22
B. OPERATED	18	12.8	151	1	2	9	19	28	42	50
TOTAL 0-19 YRS	88	5.2	37	1	1	4	6	10	12	39
20-34	239	5.9	20	1	2	5	8	11	14	24
35-49	72	6.8	25	2	2	5	9	14	19	22
50-64	3	2.0	3	1	1	1	3	4	4	4
65+										
GRAND TOTAL	**402**	**5.9**	**25**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.0	4	<1	<1	1	2	4	5	12
20-34	27	5.3	50	<1	1	2	5	18	23	27
35-49	45	3.7	17	<1	1	2	5	7	11	24
50-64	44	4.3	39	<1	<1	2	5	9	18	29
65+	304	3.1	19	<1	<1	2	4	7	10	16
B. *Operated*										
0-19 YRS	29	5.3	5	2	2	6	7	8	8	11
20-34	19	6.1	5	2	3	6	7	8	10	12
35-49	19	5.5	8	1	1	6	8	9	10	10
50-64	33	7.2	35	1	1	6	9	14	23	25
65+	67	6.7	27	2	2	6	8	12	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.6	28	1	1	3	6	10	13	30
20-34	120	3.9	14	1	1	3	5	9	12	19
35-49	145	4.5	23	1	1	3	6	9	13	20
50-64	384	4.6	26	<1	1	3	6	10	14	28
65+	1438	5.7	37	1	1	4	7	11	16	31
B. *Operated*										
0-19 YRS	33	8.4	33	2	3	7	11	19	20	25
20-34	54	7.8	29	1	2	6	12	16	19	20
35-49	83	9.4	51	1	2	8	13	19	24	34
50-64	160	9.5	80	2	3	8	12	17	21	56
65+	461	10.6	85	2	3	8	14	20	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	3.2	20	<1	<1	2	4	7	10	25
B. *Operated*	167	6.3	20	1	2	6	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	2200	5.2	33	1	1	4	7	11	15	30
B. *Operated*	791	9.9	75	2	2	8	13	19	23	40
1. SINGLE DX	671	4.0	22	<1	1	2	5	8	12	25
2. MULTIPLE DX	2991	6.5	48	1	1	4	8	14	18	33
A. NOT OPERATED	2704	4.9	31	<1	1	3	6	10	14	29
B. OPERATED	958	9.3	67	2	2	7	12	18	22	36
TOTAL 0-19 YRS	259	4.3	22	<1	1	3	6	9	12	25
20-34	220	5.2	24	1	1	4	7	12	16	23
35-49	292	5.8	34	1	1	4	8	13	17	28
50-64	621	6.0	46	<1	1	4	8	13	17	31
65+	2270	6.3	50	1	1	4	8	14	19	34
GRAND TOTAL	**3662**	**6.0**	**44**	**1**	**1**	**4**	**8**	**13**	**18**	**31**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	3	<1	<1	2	4	5	5	5
20-34	12	2.7	2	<1	1	2	3	5	6	6
35-49	4	11.8	381	1	1	2	22	41	41	41
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.2	56	1	1	3	4	14	25	32
20-34	23	5.1	9	1	2	4	7	10	12	12
35-49	6	2.3	1	2	2	2	2	4	4	4
50-64	4	6.0	22	3	3	4	9	13	13	13
65+	4	14.0	235	1	1	9	24	36	36	36
B. *Operated*										
0-19 YRS	2	21.0	242	10	10	21	32	32	32	32
20-34	5	5.4	25	2	2	2	9	13	13	13
35-49	1	31.0		31	31	31	31	31	31	31
50-64	2	14.5	145	6	6	14	23	23	23	23
65+	1	26.0		26	26	26	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.4	61	<1	1	2	3	6	18	41
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	58	5.5	43	1	1	4	6	12	17	36
B. *Operated*	11	14.1	139	2	2	10	25	31	32	32
1. SINGLE DX	27	4.4	59	<1	1	3	4	6	16	41
2. MULTIPLE DX	69	6.9	66	1	1	4	7	17	31	35
A. NOT OPERATED	84	5.2	48	1	1	3	5	12	15	39
B. OPERATED	12	13.3	135	2	2	9	24	31	32	32
TOTAL 0-19 YRS	32	5.4	62	1	1	3	5	13	31	32
20-34	40	4.4	10	1	1	3	6	9	12	13
35-49	11	8.4	192	1	1	2	4	35	40	41
50-64	7	9.3	53	3	3	6	13	21	23	23
65+	6	14.3	190	1	1	9	26	35	36	36
GRAND TOTAL	**96**	**6.2**	**65**	**1**	**1**	**3**	**6**	**13**	**29**	**39**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.3	6	1	1	3	4	6	8	12
20-34	35	5.1	58	<1	<1	2	5	10	23	39
35-49	22	4.8	12	1	1	4	9	9	10	12
50-64	37	4.4	18	1	1	2	7	9	13	19
65+	74	4.2	28	<1	<1	2	4	11	15	27
B. *Operated*										
0-19 YRS	94	5.1	19	1	1	4	6	7	13	26
20-34	48	5.3	5	1	2	5	7	8	9	10
35-49	31	11.0	129	2	3	7	13	24	29	58
50-64	33	7.5	19	2	3	6	10	13	16	18
65+	32	9.2	26	3	3	8	12	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.6	29	1	1	3	6	9	11	27
20-34	106	4.9	28	<1	1	4	6	10	13	29
35-49	117	5.5	24	1	1	4	8	11	13	27
50-64	206	6.2	31	1	1	5	8	12	18	25
65+	406	6.5	48	1	1	5	8	14	17	29
B. *Operated*										
0-19 YRS	65	5.8	18	1	2	5	7	11	16	21
20-34	70	9.2	63	2	2	6	12	19	26	40
35-49	61	10.1	153	2	3	7	10	17	28	84
50-64	128	10.9	150	2	3	8	12	19	29	81
65+	232	11.6	84	2	3	9	15	25	33	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	3.9	18	<1	1	3	5	9	11	24
B. *Operated*	238	6.8	36	1	2	6	8	13	18	27
2. MULTIPLE DX										
A. *Not Operated*	956	5.9	37	1	1	4	7	12	16	29
B. *Operated*	556	10.3	99	2	3	7	12	21	29	42
1. SINGLE DX	559	5.1	28	1	1	4	6	10	15	26
2. MULTIPLE DX	1512	7.5	64	1	1	5	9	15	21	38
A. NOT OPERATED	1277	5.4	33	1	1	4	7	11	15	28
B. OPERATED	794	9.2	82	2	2	7	11	19	26	41
TOTAL 0-19 YRS	433	4.4	18	1	1	3	6	8	11	19
20-34	259	6.2	40	1	1	5	7	12	16	39
35-49	231	7.4	76	1	1	5	9	13	22	44
50-64	404	7.6	71	1	1	6	9	14	19	43
65+	744	7.9	63	1	1	6	10	17	24	38
GRAND TOTAL	**2071**	**6.9**	**56**	**1**	**1**	**5**	**8**	**14**	**19**	**37**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	1.8	2	1	1	1	2	3	4	6
20-34	108	2.3	3	1	1	2	3	4	5	11
35-49	15	3.1	3	1	1	3	4	5	7	7
50-64	7	2.0	1	1	1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	385	3.5	2	2	2	3	4	5	6	8
20-34	126	4.0	2	2	3	4	5	6	7	9
35-49	7	4.7	4	3	3	4	5	8	9	9
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	3	19.0	721	3	3	4	38	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	193	2.4	10	1	1	2	2	4	5	22
20-34	52	2.7	4	<1	1	2	3	5	7	11
35-49	11	3.1	2	1	1	3	3	5	6	6
50-64	3	4.0	3	3	3	3	5	6	6	6
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	159	4.4	8	2	3	4	5	6	9	21
20-34	52	5.0	23	2	2	4	5	7	9	35
35-49	4	8.5	36	3	3	7	12	17	17	17
50-64	4	5.8	7	2	2	6	7	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	645	1.9	2	1	1	2	2	3	4	7
B. *Operated*	523	3.7	6	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	262	2.5	8	1	1	2	3	4	5	20
B. *Operated*	219	4.6	12	2	2	4	5	7	9	23
1. SINGLE DX	1168	2.7	5	1	1	2	4	5	6	8
2. MULTIPLE DX	481	3.5	11	1	1	3	4	6	7	22
A. NOT OPERATED	907	2.1	4	1	1	2	2	3	4	8
B. OPERATED	742	4.0	8	2	2	4	4	6	7	11
TOTAL 0-19 YRS	1252	2.7	5	1	1	2	3	5	6	9
20-34	338	3.4	7	1	1	3	4	6	7	11
35-49	37	4.0	8	1	1	3	5	7	8	17
50-64	16	3.6	5	1	1	3	6	7	8	8
65+	6	11.0	368	1	1	3	6	46	50	50
GRAND TOTAL	**1649**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	3.6	4	1	1	3	5	7	7	9
20-34	14	2.6	3	<1	1	2	4	5	6	6
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	93	2.5	5	<1	<1	2	3	5	7	11
20-34	72	2.2	2	<1	<1	2	3	4	4	10
35-49	29	2.6	8	<1	<1	2	3	5	6	16
50-64	21	3.2	5	<1	1	2	4	6	8	11
65+	9	4.1	5	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.8	5	1	1	4	5	7	8	9
20-34	17	4.1	4	1	2	4	5	7	8	8
35-49	6	3.8	3	1	1	4	5	6	6	6
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	7	5.6	8	<1	1	6	8	9	9	9
B. *Operated*										
0-19 YRS	29	3.0	5	<1	<1	2	4	7	7	8
20-34	28	4.6	13	1	1	3	7	9	12	13
35-49	24	3.6	3	<1	1	3	5	6	7	7
50-64	24	8.0	195	1	2	4	8	15	33	70
65+	12	6.8	48	2	2	5	7	14	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.4	4	1	1	3	5	7	7	9
B. *Operated*	224	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	92	4.0	5	1	1	4	6	7	8	9
B. *Operated*	117	4.9	51	<1	1	3	6	9	12	42
1. SINGLE DX	321	2.8	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX	209	4.5	31	1	1	3	6	8	9	21
A. NOT OPERATED	189	3.7	5	1	1	3	5	7	8	9
B. OPERATED	341	3.4	22	<1	<1	2	4	6	9	16
TOTAL 0-19 YRS	256	3.2	5	<1	1	2	5	7	7	9
20-34	131	3.0	6	<1	<1	2	4	6	8	12
35-49	63	3.0	5	<1	1	2	4	6	6	15
50-64	50	5.5	100	1	2	3	5	11	15	70
65+	30	5.8	23	2	2	5	7	9	9	28
GRAND TOTAL	**530**	**3.5**	**16**	**<1**	**1**	**3**	**4**	**7**	**8**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	10.8	324	<1	<1	3	8	40	59	63
20-34	47	5.8	17	1	2	5	7	10	13	23
35-49	15	3.7	8	1	1	4	4	9	10	10
50-64	8	6.0	33	1	1	3	9	15	17	17
65+	7	4.6	10	2	2	3	6	10	11	11
B. *Operated*										
0-19 YRS										
20-34	1	79.0		79	79	79	79	79	79	79
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	10.8	204	<1	1	5	12	38	46	48
20-34	69	8.3	80	1	1	5	10	19	31	43
35-49	32	9.3	156	2	2	6	9	18	38	62
50-64	43	9.3	77	1	2	7	10	21	34	37
65+	102	8.8	36	3	3	7	12	18	23	62
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	2	17.5	25	14	14	17	21	21	21	21
35-49	3	31.0	2524	1	1	3	67	89	89	89
50-64	3	30.3	410	14	14	24	46	53	53	53
65+	3	15.0	48	11	11	11	20	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	6.1	61	1	1	4	7	11	14	51
B. *Operated*	2	46.5	2113	14	14	46	79	79	79	79
2. MULTIPLE DX										
A. *Not Operated*	266	8.9	80	1	2	7	11	19	31	47
B. *Operated*	12	23.4	603	1	2	16	23	64	85	89
1. SINGLE DX	92	7.0	118	1	1	4	7	12	17	72
2. MULTIPLE DX	278	9.6	109	1	2	7	11	21	32	59
A. NOT OPERATED	356	8.2	77	1	2	6	10	17	27	48
B. OPERATED	14	26.7	743	1	3	16	24	80	87	89
TOTAL 0-19 YRS	34	10.9	236	<1	<1	5	12	35	47	63
20-34	119	8.0	99	1	1	5	10	17	23	56
35-49	51	9.1	238	1	1	4	9	13	39	89
50-64	54	9.9	107	1	2	7	11	23	36	52
65+	112	8.7	37	2	3	7	11	18	23	55
GRAND TOTAL	**370**	**8.9**	**112**	**1**	**2**	**6**	**10**	**19**	**31**	**63**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.0	61	1	1	1	2	4	7	44
20-34	115	3.2	8	<1	1	2	4	6	9	15
35-49	37	5.6	49	1	1	3	6	16	24	31
50-64	94	8.3	107	1	1	5	10	17	26	62
65+	473	8.4	64	1	2	6	11	17	22	41
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	6.6	76	2	2	2	9	22	22	22
65+	12	14.8	614	1	2	9	13	39	84	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	7.0	153	1	1	2	5	19	34	62
20-34	190	8.0	133	1	1	4	9	19	29	56
35-49	135	8.9	81	1	2	6	13	21	30	99+
50-64	262	9.9	103	2	2	7	13	20	28	60
65+	1913	9.8	93	2	3	7	12	20	27	62
B. *Operated*										
0-19 YRS	9	19.0	916	<1	<1	8	30	97	99+	99+
20-34	18	27.1	785	1	3	16	46	88	95	99+
35-49	9	[illegible]	617	2	2	8	36	61	74	74
50-64	34	14.5	240	2	4	10	17	44	64	99+
65+	152	18.7	253	3	5	14	23	43	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	6.8	65	1	1	4	9	15	20	40
B. *Operated*	25	9.1	330	<1	1	4	9	16	39	92
2. MULTIPLE DX										
A. *Not Operated*	2615	9.5	99	1	2	7	12	20	28	61
B. *Operated*	222	18.8	333	3	4	13	25	47	69	99+
1. SINGLE DX	856	6.9	73	1	1	4	9	15	21	42
2. MULTIPLE DX	2837	10.2	124	1	2	7	13	22	33	78
A. NOT OPERATED	3446	8.9	93	1	2	6	11	19	27	59
B. OPERATED	247	17.8	340	2	3	12	23	46	68	99+
TOTAL 0-19 YRS	241	5.4	142	1	1	2	4	12	29	79
20-34	325	7.3	150	1	1	3	7	16	29	87
35-49	182	8.8	106	1	1	5	11	21	32	91
50-64	395	9.9	117	1	2	7	12	21	30	64
65+	2550	10.1	104	2	3	7	12	20	29	63
GRAND TOTAL	**3693**	**9.5**	**114**	**1**	**2**	**6**	**12**	**20**	**30**	**67**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	10.0		10	10	10	10	10	10	10
65+	24	9.0	116	1	2	6	12	15	28	54
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	16	8.1	46	2	2	6	9	21	24	25
65+	210	9.8	59	2	3	8	12	20	27	99+
B. *Operated*										
YRS										
20-34										
35-49										
50-64	3	15.0	127	8	8	9	23	28	28	28
65+	9	25.2	635	2	6	19	26	66	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	8.8	104	1	2	6	10	15	23	54
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	227	9.6	58	2	3	8	12	20	27	99+
B. *Operated*	12	22.7	506	3	6	16	26	50	83	88
1. SINGLE DX	29	8.4	98	1	2	6	10	15	19	54
2. MULTIPLE DX	239	10.3	87	2	3	8	12	21	30	99+
A. NOT OPERATED	254	9.5	63	2	3	8	12	18	26	96
B. OPERATED	14	19.9	477	2	2	13	24	39	77	88
TOTAL YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	20	9.2	56	2	2	7	10	23	26	28
65+	245	10.2	91	2	2	8	13	21	32	99+
GRAND TOTAL	**268**	**10.1**	**88**	**2**	**3**	**8**	**12**	**21**	**28**	**97**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	120	3.4	13	<1	1	2	4	7	8	21
35-49	134	4.4	18	1	1	3	5	9	13	40
50-64	120	5.6	34	1	1	4	6	12	19	28
65+	37	7.3	51	1	1	5	9	20	24	25
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.2	117	<1	1	3	6	23	35	42
20-34	348	7.4	93	1	1	4	7	22	30	45
35-49	659	8.2	80	1	2	5	10	23	28	38
50-64	652	8.7	87	1	2	5	10	23	28	39
65+	286	10.2	93	2	3	7	14	21	27	50
B. *Operated*										
0-19 YRS										
20-34	3	11.0	244	<1	<1	3	22	29	29	29
35-49	22	12.6	118	2	3	10	14	24	37	50
50-64	36	19.5	288	4	4	15	22	44	63	67
65+	21	21.4	322	5	7	16	24	43	65	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	4.7	25	1	1	3	5	10	16	26
B. *Operated*	2	11.5	113	4	4	11	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	1963	8.5	88	1	2	5	10	22	28	44
B. *Operated*	82	17.8	254	3	4	13	22	39	53	77
1. SINGLE DX	420	4.7	25	1	1	3	5	10	16	26
2. MULTIPLE DX	2045	8.9	97	1	2	5	11	23	28	49
A. NOT OPERATED	2381	7.8	79	1	1	5	9	21	28	42
B. OPERATED	84	17.7	251	3	4	13	22	38	53	77
TOTAL 0-19 YRS	25	5.6	90	<1	<1	2	5	17	29	42
20-34	472	6.4	76	1	1	4	6	18	28	43
35-49	816	7.7	74	1	2	4	9	21	28	39
50-64	808	8.7	94	1	2	5	10	22	28	44
65+	344	10.6	110	2	2	7	14	22	27	52
GRAND TOTAL	**2465**	**8.2**	**88**	**1**	**2**	**5**	**9**	**21**	**28**	**45**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	6.1	48	<1	<1	3	10	15	17	29
20-34	89	5.1	28	<1	1	3	6	12	15	30
35-49	6	5.7	16	2	2	5	6	12	13	13
50-64	13	6.6	73	1	1	4	8	18	29	31
65+	5	8.4	164	1	1	3	12	31	31	31
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.8	104	1	1	4	8	21	47	99+
20-34	199	6.2	51	1	1	4	7	12	23	37
35-49	47	4.6	12	1	1	4	7	10	11	16
50-64	51	8.6	49	2	2	6	12	17	19	41
65+	74	8.9	62	1	3	7	11	17	28	40
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	5	4.8	15	2	2	3	7	11	11	11
35-49	2	9.0		9	9	9	9	9	9	9
50-64	4	20.8	300	1	1	19	32	43	43	43
65+	3	13.7	57	5	5	17	18	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	5.6	39	<1	1	3	7	14	16	31
B. *Operated*	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	421	6.9	56	1	1	5	8	14	23	41
B. *Operated*	15	12.7	130	1	2	9	19	25	38	43
1. SINGLE DX	142	5.7	41	<1	1	3	7	14	16	31
2. MULTIPLE DX	436	7.1	59	1	1	5	9	15	24	42
A. NOT OPERATED	562	6.6	52	1	1	4	8	14	21	40
B. OPERATED	16	13.4	128	1	2	10	20	25	38	43
TOTAL 0-19 YRS	79	6.8	86	<1	1	3	9	18	27	85
20-34	294	5.9	45	<1	1	4	7	12	19	36
35-49	55	4.9	12	1	1	4	7	10	12	16
50-64	68	8.9	72	1	2	6	12	19	23	43
65+	82	9.0	67	1	2	7	11	19	29	40
GRAND TOTAL	**578**	**6.7**	**55**	**1**	**1**	**4**	**8**	**14**	**23**	**41**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	14.0	295	1	2	9	15	35	61	99+
20-34	1782	10.5	83	1	2	8	14	22	28	45
35-49	698	10.1	90	2	2	8	13	19	27	47
50-64	260	10.9	109	1	2	8	14	23	29	50
65+	41	11.7	107	1	1	10	15	28	35	47
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	1	29.0		29	29	29	29	29	29	29
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	16.3	220	1	3	11	22	43	50	59
20-34	629	11.8	120	1	2	9	15	24	32	59
35-49	293	10.9	62	2	3	9	14	21	28	35
50-64	193	14.9	196	2	4	11	18	27	42	81
65+	57	12.2	81	1	3	11	17	25	29	43
B. *Operated*										
0-19 YRS	5	43.0	1088	13	14	65	97	99+	99+	99+
20-34	21	14.7	83	3	4	15	23	29	59	99+
35-49	7	23.6	179	9	10	20	36	43	43	43
50-64	5	12.2	52	3	3	10	19	20	20	20
65+	5	30.4	551	11	11	20	49	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2976	10.7	102	1	2	8	14	22	29	56
B. *Operated*	6	14.3	75	2	3	14	15	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	1247	12.3	124	2	3	10	16	26	32	58
B. *Operated*	43	21.0	324	3	5	17	28	65	99+	99+
1. SINGLE DX	2982	10.7	102	1	2	8	14	22	29	55
2. MULTIPLE DX	1290	12.6	133	2	3	10	16	27	34	65
A. NOT OPERATED	4223	11.2	109	1	2	8	14	23	30	56
B. OPERATED	49	20.2	296	3	4	16	28	65	99	99+
TOTAL 0-19 YRS	276	15.1	298	1	2	10	17	44	61	99+
20-34	2433	10.9	93	1	2	8	14	23	29	50
35-49	1000	10.5	83	2	2	8	14	21	28	44
50-64	459	12.6	149	2	3	9	16	25	35	75
65+	104	12.9	122	1	2	11	16	27	37	55
GRAND TOTAL	**4272**	**11.3**	**112**	**1**	**2**	**9**	**14**	**23**	**30**	**59**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	12.7	112	2	3	11	18	29	43	95
20-34	193	9.1	60	1	2	7	13	19	23	39
35-49	54	10.3	61	2	2	8	13	19	25	43
50-64	16	10.3	40	1	2	9	14	20	22	23
65+	3	7.3	46	2	2	5	12	15	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	22.8	624	4	7	14	26	61	93	96
20-34	61	12.0	145	2	3	8	16	27	45	96
35-49	21	10.1	123	1	3	7	11	19	38	52
50-64	7	9.0	37	2	2	7	13	18	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	2	23.0	200	13	13	23	33	33	33	33
35-49	2	18.5	265	7	7	18	30	30	30	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	10.0	69	1	2	8	14	20	28	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	114	13.7	251	2	3	9	16	27	55	97
B. *Operated*	5	25.8	249	7	7	30	36	46	46	46
1. SINGLE DX	323	10.0	69	1	2	8	14	20	28	44
2. MULTIPLE DX	119	14.2	254	2	3	9	17	29	54	97
A. NOT OPERATED	437	10.9	119	1	2	8	14	23	29	68
B. OPERATED	5	25.8	249	7	7	30	36	46	46	46
TOTAL 0-19 YRS	82	16.1	287	2	3	12	19	33	50	99
20-34	256	9.9	83	1	2	7	13	20	29	55
35-49	77	10.5	80	2	3	7	13	21	27	50
50-64	23	9.9	38	1	2	9	14	19	22	23
65+	4	7.3	31	2	2	6	11	15	15	15
GRAND TOTAL	**442**	**11.1**	**122**	**1**	**2**	**8**	**14**	**23**	**30**	**67**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	16.4	267	2	3	12	22	40	60	99+
20-34	2225	11.0	93	1	2	9	15	23	29	50
35-49	883	10.1	74	2	2	8	13	20	26	46
50-64	325	11.4	77	2	3	9	16	23	29	49
65+	70	13.9	145	2	3	10	18	31	38	63
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49										
50-64	1	35.0		35	35	35	35	35	35	35
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	18.7	321	2	3	13	27	46	61	98
20-34	965	12.4	127	1	2	9	17	25	33	63
35-49	499	11.5	95	2	3	9	15	24	30	47
50-64	300	13.5	98	2	3	12	19	27	33	88
65+	97	15.3	132	3	4	12	21	34	42	80
B. *Operated*										
0-19 YRS	8	17.1	162	<1	1	23	35	99+	99+	99+
20-34	34	22.9	561	3	4	11	38	70	85	99+
35-49	22	21.0	259	5	6	15	29	52	54	56
50-64	13	23.9	448	5	7	20	26	41	81	90
65+	4	11.8	105	1	1	12	20	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3827	11.3	106	1	2	9	15	23	31	55
B. *Operated*	2	23.0	288	11	11	23	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	2026	13.0	135	2	3	10	17	27	36	71
B. *Operated*	81	21.4	393	3	5	16	29	57	89	99+
1. SINGLE DX	3829	11.4	106	1	2	9	15	23	31	55
2. MULTIPLE DX	2107	13.3	147	2	3	10	18	28	38	76
A. NOT OPERATED	5853	11.9	116	1	2	9	16	25	32	61
B. OPERATED	83	21.4	387	3	5	16	29	56	88	99+
TOTAL 0-19 YRS	498	17.2	283	2	3	12	24	44	61	99+
20-34	3224	11.6	110	1	2	9	15	24	31	56
35-49	1404	10.7	86	2	2	8	14	22	29	49
50-64	639	12.7	98	2	3	11	18	26	32	60
65+	171	14.6	136	2	3	11	20	31	40	67
GRAND TOTAL	**5936**	**12.1**	**121**	**1**	**2**	**9**	**16**	**25**	**33**	**65**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	26.8	448	6	6	26	71	99+	99+	99+
B. *Operated*										
0-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	39.5	54	34	34	39	50	91	99+	99+
B. *Operated*										
0-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	26.8	448	6	6	26	71	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	39.5	54	34	34	39	50	91	99+	99+
B. *Operated*										
1. SINGLE DX	12	26.8	448	6	6	26	71	99+	99+	99+
2. MULTIPLE DX	6	39.5	54	34	34	39	50	91	99+	99+
A. NOT OPERATED	18	31.1	344	6	8	35	53	99+	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	18	31.1	344	6	8	35	53	99+	99+	99+
GRAND TOTAL	**18**	**31.1**	**344**	**6**	**8**	**35**	**53**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	13.4	211	1	2	7	19	29	48	64
20-34	382	10.6	144	1	2	7	13	23	31	68
35-49	329	11.4	144	1	2	8	14	26	34	62
50-64	333	13.1	104	1	3	11	17	26	33	48
65+	240	16.3	218	2	3	12	21	33	49	69
B. *Operated*										
0-19 YRS										
20-34	3	17.7	174	6	6	15	28	32	32	32
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	15.5	352	3	3	8	27	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	9.7	128	1	1	6	14	22	29	66
20-34	394	9.2	78	1	2	7	12	19	26	47
35-49	370	11.6	130	1	2	8	14	27	36	58
50-64	405	13.2	149	2	3	9	17	29	38	58
65+	379	15.4	197	3	3	10	20	33	43	66
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	15	22.9	226	3	6	25	32	58	88	99+
35-49	14	19.0	387	3	4	15	23	29	71	83
50-64	22	23.0	138	9	12	20	29	35	49	59
65+	26	25.3	427	6	8	20	36	46	73	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1315	12.5	153	1	2	9	16	27	36	65
B. *Operated*	9	14.2	196	3	3	8	19	39	43	43
2. MULTIPLE DX										
A. *Not Operated*	1594	12.2	143	1	2	9	16	27	36	60
B. *Operated*	78	23.0	287	5	7	20	29	44	64	97
1. SINGLE DX	1324	12.6	153	1	2	9	16	27	36	65
2. MULTIPLE DX	1672	12.7	154	2	2	9	16	28	37	65
A. NOT OPERATED	2909	12.4	147	1	2	9	16	27	36	64
B. OPERATED	87	22.1	283	4	6	19	29	43	61	97
TOTAL 0-19 YRS	78	11.3	161	1	1	7	15	27	31	65
20-34	794	10.2	116	1	2	7	13	22	29	59
35-49	714	11.6	142	1	2	8	14	27	36	63
50-64	761	13.4	131	2	3	10	17	28	37	55
65+	649	16.1	217	3	3	12	21	34	46	68
GRAND TOTAL	**2996**	**12.7**	**154**	**1**	**2**	**9**	**16**	**28**	**37**	**65**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	12.7	98	2	3	10	17	24	35	47
20-34	675	11.1	83	2	2	9	15	22	28	48
35-49	531	11.1	101	1	2	8	15	24	30	49
50-64	298	11.8	92	2	3	10	16	23	30	50
65+	82	14.3	105	2	3	11	19	29	34	47
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64	2	22.0	450	7	7	22	37	37	37	37
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	14.7	287	2	3	8	19	33	35	98
20-34	313	12.1	133	1	2	9	16	27	34	71
35-49	271	11.8	99	2	3	9	16	24	28	57
50-64	224	12.7	79	2	3	11	17	25	30	46
65+	132	16.1	157	2	3	14	21	30	36	62
B. *Operated*										
0-19 YRS										
20-34	14	17.4	98	6	6	16	26	30	32	33
35-49	15	17.7	140	3	4	17	24	34	44	47
50-64	10	27.0	367	5	7	21	35	58	62	62
65+	4	47.8	254	27	27	50	60	63	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1667	11.4	93	2	2	9	15	23	30	48
B. *Operated*	7	11.6	129	5	5	7	10	32	37	37
2. MULTIPLE DX										
A. *Not Operated*	981	12.8	123	2	3	10	17	26	33	63
B. *Operated*	43	22.6	256	5	6	18	30	49	59	63
1. SINGLE DX	1674	11.4	93	2	2	9	15	23	30	48
2. MULTIPLE DX	1024	13.2	132	2	3	10	18	27	34	63
A. NOT OPERATED	2648	11.9	104	2	2	9	16	25	31	54
B. OPERATED	50	21.0	250	5	6	16	29	45	57	63
TOTAL 0-19 YRS	122	13.3	160	2	3	10	17	30	35	61
20-34	1003	11.5	100	1	2	9	15	24	31	53
35-49	820	11.4	101	2	2	9	15	24	30	52
50-64	534	12.5	96	2	3	10	17	24	31	54
65+	219	16.0	156	2	3	13	21	30	38	61
GRAND TOTAL	**2698**	**12.1**	**108**	**2**	**3**	**9**	**16**	**25**	**31**	**55**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	10.7	102	1	2	8	14	22	35	72
20-34	430	8.8	94	1	2	6	11	20	26	51
35-49	302	10.5	101	1	2	7	14	23	32	54
50-64	241	13.3	124	1	2	10	17	28	36	50
65+	150	11.5	105	1	2	9	15	25	37	49
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	9.5	85	3	3	9	16	16	16	16
50-64										
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	12.9	308	1	2	8	15	26	55	90
20-34	327	10.0	85	1	2	7	13	22	28	49
35-49	217	10.4	82	2	2	8	15	21	27	42
50-64	262	13.5	152	2	3	10	18	31	38	70
65+	476	10.9	117	2	2	7	14	24	35	58
B. *Operated*										
0-19 YRS	2	13.0	288	<1	<1	12	25	25	25	25
20-34	5	15.0	87	2	2	15	20	28	28	28
35-49	19	21.0	223	4	5	16	28	44	52	58
50-64	16	16.9	189	4	5	11	22	39	49	53
65+	44	14.9	94	2	3	14	20	29	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1233	10.6	106	1	2	7	14	23	33	51
B. *Operated*	5	5.2	37	2	2	3	6	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	1347	11.2	121	2	2	8	14	25	34	59
B. *Operated*	86	16.6	142	2	4	14	23	29	43	56
1. SINGLE DX	1238	10.6	106	1	2	7	14	23	33	51
2. MULTIPLE DX	1433	11.5	124	2	2	8	15	26	35	58
A. NOT OPERATED	2580	10.9	114	1	2	8	14	24	34	57
B. OPERATED	91	16.0	142	2	3	14	22	29	42	56
TOTAL 0-19 YRS	177	11.5	178	1	2	8	14	25	37	87
20-34	763	9.4	90	1	2	6	12	21	28	50
35-49	540	10.8	100	1	2	8	15	23	30	53
50-64	519	13.5	140	1	2	10	18	29	38	58
65+	672	11.2	114	2	2	8	14	25	35	53
GRAND TOTAL	**2671**	**11.1**	**115**	**1**	**2**	**8**	**14**	**24**	**34**	**57**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	8.8	185	<1	1	2	10	29	41	60
20-34	219	3.8	14	<1	1	3	5	8	12	20
35-49	220	4.8	42	1	1	3	5	10	16	34
50-64	108	3.6	11	<1	1	2	4	7	12	17
65+	64	4.8	27	1	1	3	5	11	18	24
B. *Operated*										
0-19 YRS										
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	3	4.3	2	3	3	4	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	13.0	404	<1	1	3	9	45	63	76
20-34	399	5.2	31	1	1	3	6	12	16	30
35-49	425	5.1	47	1	1	3	6	11	15	28
50-64	350	4.9	24	1	1	3	6	9	13	27
65+	271	4.5	15	1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	4	12.0	428	1	1	2	23	43	43	43
20-34	15	13.7	115	1	2	10	18	34	36	37
35-49	12	6.1	20	2	2	4	8	13	16	17
50-64	13	6.8	30	2	2	6	8	16	20	21
65+	9	6.4	33	<1	<1	5	7	16	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	4.5	37	<1	1	3	5	9	16	31
B. *Operated*	8	4.5	4	1	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1535	5.4	56	1	1	3	6	11	16	43
B. *Operated*	53	8.9	83	1	2	6	10	20	32	43
1. SINGLE DX	663	4.5	37	<1	1	3	5	9	15	31
2. MULTIPLE DX	1588	5.5	57	1	1	3	6	11	17	43
A. NOT OPERATED	2190	5.2	51	1	1	3	6	10	16	41
B. OPERATED	61	8.3	75	1	2	6	10	19	28	42
TOTAL 0-19 YRS	138	11.6	334	<1	1	3	9	43	52	74
20-34	636	4.9	29	1	1	3	6	11	16	30
35-49	659	5.0	45	1	1	3	6	10	16	29
50-64	474	4.7	22	1	1	3	6	9	13	27
65+	344	4.6	18	1	1	3	6	9	12	23
GRAND TOTAL	**2251**	**5.2**	**52**	**1**	**1**	**3**	**6**	**11**	**17**	**41**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	22.9	492	1	2	13	43	57	66	79
20-34	1017	8.3	93	1	1	5	11	18	25	49
35-49	737	8.7	73	1	2	6	11	21	27	38
50-64	359	10.2	113	1	2	7	13	22	29	54
65+	144	9.6	67	1	2	7	11	21	27	38
B. *Operated*										
0-19 YRS										
20-34	6	16.8	105	4	4	17	22	31	32	32
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	36.0		36	36	36	36	36	36	36
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	258	22.6	523	1	2	13	44	59	75	99+
20-34	1618	9.8	104	1	2	7	13	22	29	52
35-49	1289	9.5	86	1	2	6	12	21	28	48
50-64	733	9.5	77	1	2	7	12	21	27	40
65+	425	10.2	96	2	3	7	13	21	30	53
B. *Operated*										
0-19 YRS	17	35.5	759	1	2	29	58	66	85	94
20-34	71	16.0	181	1	2	13	23	36	51	92
35-49	54	23.0	523	3	4	14	30	51	76	97
50-64	31	19.7	363	3	5	13	26	47	54	88
65+	22	18.8	225	4	6	16	24	32	53	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2449	9.9	134	1	2	6	12	22	33	62
B. *Operated*	8	19.4	120	4	5	19	27	35	36	36
2. MULTIPLE DX										
A. *Not Operated*	4323	10.4	127	1	2	7	13	23	33	61
B. *Operated*	195	20.5	381	2	3	14	27	51	63	96
1. SINGLE DX	2457	10.0	134	1	2	6	12	22	33	62
2. MULTIPLE DX	4518	10.9	142	1	2	7	14	24	35	63
A. NOT OPERATED	6772	10.3	130	1	2	6	13	23	33	61
B. OPERATED	203	20.5	370	2	3	14	27	50	63	96
TOTAL 0-19 YRS	467	23.1	522	1	2	14	44	59	69	99+
20-34	2712	9.4	103	1	2	6	13	21	29	54
35-49	2081	9.6	97	1	2	6	12	22	29	50
50-64	1124	10.0	99	1	2	7	13	22	28	48
65+	591	10.4	96	2	3	7	14	22	30	51
GRAND TOTAL	**6975**	**10.6**	**140**	**1**	**2**	**7**	**13**	**24**	**35**	**63**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	8.4	237	<1	1	3	7	25	51	99+
20-34	533	5.7	50	1	1	3	7	13	21	42
35-49	206	6.4	59	1	1	4	8	15	20	31
50-64	92	4.8	22	1	1	3	7	10	12	27
65+	29	4.5	14	<1	<1	3	6	11	13	14
B. *Operated*										
0-19 YRS	4	3.3	8	<1	<1	2	5	7	7	7
20-34	57	9.4	56	2	3	9	9	12	23	51
35-49	26	6.7	9	2	2	8	9	9	10	11
50-64	10	6.7	104	1	1	3	5	22	35	35
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	12.9	384	<1	1	5	15	48	75	99+
20-34	965	7.2	78	1	1	4	8	17	24	46
35-49	482	7.8	77	1	1	5	10	18	24	42
50-64	248	7.6	74	1	1	5	9	18	26	46
65+	108	8.0	87	1	2	5	10	16	23	89
B. *Operated*										
0-19 YRS	8	19.1	158	3	4	21	28	35	37	37
20-34	83	11.5	142	1	1	9	12	26	46	86
35-49	33	12.3	150	1	2	9	17	42	90	99+
50-64	27	13.1	213	3	3	9	15	31	39	68
65+	16	7.5	28	2	2	7	11	19	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1049	6.2	83	1	1	3	7	14	23	56
B. *Operated*	100	8.0	47	1	2	9	9	10	14	44
2. MULTIPLE DX										
A. *Not Operated*	2014	8.1	112	1	1	5	10	19	27	67
B. *Operated*	167	11.9	146	1	2	9	15	30	52	99+
1. SINGLE DX	1149	6.4	80	1	1	4	8	14	22	55
2. MULTIPLE DX	2181	8.3	116	1	1	5	10	20	29	73
A. NOT OPERATED	3063	7.4	103	1	1	4	9	17	26	60
B. OPERATED	267	10.4	112	1	2	9	11	25	36	99+
TOTAL 0-19 YRS	412	10.9	314	<1	1	4	11	39	60	99+
20-34	1638	7.0	73	1	1	4	9	16	24	51
35-49	747	7.6	74	1	1	5	10	17	24	45
50-64	377	7.3	75	1	1	4	9	16	26	46
65+	156	7.2	68	1	2	5	10	15	20	98
GRAND TOTAL	**3330**	**7.7**	**104**	**1**	**1**	**4**	**9**	**18**	**27**	**66**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	4.1	53	<1	<1	1	2	20	22	28
20-34	497	10.2	116	<1	1	4	21	23	27	36
35-49	704	9.3	78	1	1	4	20	22	24	28
50-64	536	8.4	73	1	1	4	15	22	24	30
65+	128	8.8	62	1	1	5	16	21	22	27
B. *Operated*										
0-19 YRS										
20-34	3	15.0	127	2	2	21	22	22	22	22
35-49	4	17.3	91	3	3	21	22	23	23	23
50-64	4	16.3	90	2	2	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	9.8	123	<1	<1	2	21	28	30	35
20-34	1595	11.1	98	1	1	6	21	24	28	34
35-49	2555	11.4	100	1	2	6	21	24	28	35
50-64	2258	10.9	87	1	2	6	21	24	27	33
65+	1065	11.1	78	2	2	8	21	21	24	37
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	60	14.4	102	<1	1	18	21	24	28	43
35-49	120	16.1	154	1	2	17	22	27	32	67
50-64	137	17.2	164	2	3	14	24	32	42	64
65+	62	17.3	104	3	4	20	23	29	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1969	9.0	85	<1	1	4	20	22	24	30
B. *Operated*	11	16.3	81	2	2	21	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	7602	11.1	93	1	2	7	21	24	28	34
B. *Operated*	383	16.3	142	1	2	17	22	29	35	62
1. SINGLE DX	1980	9.0	86	<1	1	4	20	22	24	30
2. MULTIPLE DX	7985	11.4	97	1	2	7	21	24	28	36
A. NOT OPERATED	9571	10.7	92	1	1	6	21	23	27	33
B. OPERATED	394	16.3	140	1	2	18	22	29	35	61
TOTAL 0-19 YRS	237	7.2	98	<1	<1	1	14	23	28	34
20-34	2155	11.0	103	<1	1	6	21	24	28	34
35-49	3383	11.1	99	1	1	6	21	24	28	34
50-64	2935	10.8	91	1	2	6	21	24	27	34
65+	1255	11.2	80	1	2	8	21	22	25	37
GRAND TOTAL	**9965**	**10.9**	**95**	**1**	**1**	**6**	**21**	**24**	**27**	**35**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.0	75	3	3	4	13	21	21	21
20-34	28	7.6	44	1	2	6	9	21	23	24
35-49	5	9.6	94	1	1	6	14	26	26	26
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	3	9.0	1	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	110	1	1	3	5	26	28	28
20-34	71	10.6	90	1	2	6	15	28	28	39
35-49	38	13.9	108	2	2	11	21	28	32	41
50-64	13	13.2	84	2	3	11	22	27	27	27
65+	19	14.4	102	2	3	11	25	29	32	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	30.0	722	11	11	30	49	49	49	49
65+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	7.8	45	1	2	6	10	21	23	26
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	147	12.0	98	1	2	9	19	28	29	41
B. *Operated*	4	19.8	381	9	9	10	30	49	49	49
1. SINGLE DX	43	7.8	44	1	2	7	9	21	23	26
2. MULTIPLE DX	151	12.2	104	1	2	9	19	28	29	42
A. NOT OPERATED	189	11.1	89	1	2	8	16	27	28	39
B. OPERATED	5	17.4	313	8	8	10	20	49	49	49
TOTAL 0-19 YRS	10	7.3	87	1	1	4	5	24	28	28
20-34	99	9.8	79	1	2	6	14	26	28	36
35-49	44	13.3	104	2	2	10	20	28	31	41
50-64	18	13.8	145	2	2	10	21	27	40	49
65+	23	13.5	88	3	4	10	19	28	31	35
GRAND TOTAL	**194**	**11.3**	**94**	**1**	**2**	**8**	**16**	**27**	**28**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	17.5	164	1	1	23	29	31	31	31
20-34	38	6.6	63	1	1	4	8	14	29	33
35-49	8	11.5	97	<1	1	8	20	26	26	26
50-64	4	9.3	86	1	1	8	17	20	20	20
65+	4	7.3	10	3	3	8	9	10	10	10
B. *Operated*										
0-19 YRS										
20-34	2	15.0	242	4	4	15	26	26	26	26
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	13.2	145	1	1	10	22	34	35	35
20-34	99	11.3	117	1	1	6	21	28	30	41
35-49	55	14.0	145	1	2	10	23	29	36	52
50-64	45	12.6	113	1	3	9	20	31	34	44
65+	16	13.5	92	3	4	10	20	26	34	37
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	20.7	261	2	2	30	30	30	30	30
50-64	1	21.0		21	21	21	21	21	21	21
65+	2	49.0	1152	25	25	49	73	73	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	9.3	94	1	1	5	13	28	30	33
B. *Operated*	3	12.3	142	4	4	7	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	232	12.5	122	1	2	9	21	29	34	43
B. *Operated*	7	26.3	562	2	2	25	30	64	73	73
1. SINGLE DX	68	9.4	95	1	1	5	13	27	30	33
2. MULTIPLE DX	239	12.9	138	1	2	9	21	29	34	45
A. NOT OPERATED	297	11.8	118	1	1	8	20	29	32	41
B. OPERATED	10	22.1	452	2	2	23	30	52	73	73
TOTAL 0-19 YRS	28	14.9	151	1	1	13	26	31	35	35
20-34	140	10.0	106	1	1	5	14	28	30	39
35-49	67	13.9	140	1	2	10	25	30	34	51
50-64	50	12.5	109	1	2	9	20	29	33	44
65+	22	15.6	245	3	4	10	21	30	51	73
GRAND TOTAL	**307**	**12.1**	**130**	**1**	**1**	**8**	**21**	**29**	**32**	**43**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	1.3	3	<1	<1	1	1	2	2	9
20-34	74	1.4	1	<1	<1	1	1	2	3	4
35-49	44	2.0	2	<1	<1	2	2	4	5	7
50-64	25	1.8	2	<1	<1	1	2	3	5	7
65+	14	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	1.9	13	<1	<1	1	1	3	4	23
20-34	177	2.4	10	<1	<1	1	3	5	7	18
35-49	124	4.0	37	<1	<1	2	4	8	19	31
50-64	67	3.7	20	<1	1	2	4	7	11	29
65+	53	3.8	15	<1	1	3	4	7	12	23
B. *Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	3	81	99+	99+
20-34	13	3.2	10	<1	<1	2	4	8	10	11
35-49	6	2.3	5	<1	<1	1	4	6	6	6
50-64	6	3.8	16	1	1	2	6	10	11	11
65+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	1.5	2	<1	<1	1	1	3	3	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	544	3.0	19	<1	<1	1	3	6	10	29
B. *Operated*	32	2.8	8	<1	<1	1	4	8	11	99+
1. SINGLE DX	295	1.5	2	<1	<1	1	1	3	3	7
2. MULTIPLE DX	576	2.9	18	<1	<1	1	3	6	10	29
A. NOT OPERATED	839	2.4	14	<1	<1	1	2	5	7	23
B. OPERATED	32	2.8	8	<1	<1	1	4	8	11	99+
TOTAL 0-19 YRS	267	1.6	8	<1	<1	1	1	2	4	20
20-34	264	2.2	7	<1	<1	1	2	4	6	17
35-49	174	3.4	28	<1	<1	2	4	6	11	30
50-64	98	3.2	16	<1	1	2	4	6	10	24
65+	68	3.3	13	<1	1	2	4	7	10	21
GRAND TOTAL	**871**	**2.4**	**13**	**<1**	**<1**	**1**	**2**	**5**	**7**	**24**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	6	<1	<1	1	3	7	8	9
20-34	43	4.7	40	<1	1	2	5	13	22	28
35-49	6	2.3	2	1	1	2	4	4	4	4
50-64	3	12.7	154	5	5	6	22	27	27	27
65+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	8.5	108	<1	1	3	10	28	29	37
20-34	104	8.3	120	1	1	4	9	28	32	51
35-49	43	9.8	91	1	1	5	16	26	30	33
50-64	27	9.3	88	1	2	7	10	22	31	42
65+	19	8.9	70	1	2	7	11	22	30	32
B. *Operated*										
0-19 YRS										
20-34	4	9.5	28	2	2	11	13	14	14	14
35-49	4	9.0	117	1	1	5	15	25	25	25
50-64	1	14.0		14	14	14	14	14	14	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.1	32	<1	<1	2	5	9	18	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	231	8.8	103	1	1	4	11	28	30	43
B. *Operated*	9	9.8	57	1	1	10	14	21	25	25
1. SINGLE DX	77	4.1	32	<1	<1	2	5	9	18	28
2. MULTIPLE DX	240	8.8	101	1	1	4	11	26	30	42
A. NOT OPERATED	308	7.6	89	1	1	4	9	22	29	41
B. OPERATED	9	9.8	57	1	1	10	14	21	25	25
TOTAL 0-19 YRS	60	6.3	78	<1	<1	3	7	21	29	36
20-34	151	7.3	97	1	1	3	8	22	29	47
35-49	53	8.9	86	1	1	5	13	25	29	33
50-64	31	9.8	89	1	2	7	11	24	29	42
65+	22	8.2	65	1	1	7	10	18	30	32
GRAND TOTAL	**317**	**7.7**	**88**	**1**	**1**	**4**	**9**	**22**	**29**	**41**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.0	5	1	1	3	4	6	7	11
20-34	92	3.8	31	<1	1	2	4	8	10	35
35-49	78	4.4	22	1	1	3	5	9	15	26
50-64	42	3.8	31	<1	<1	2	4	8	18	28
65+	30	4.7	18	1	1	3	6	10	15	18
B. *Operated*										
0-19 YRS	5	5.0	22	1	1	4	6	13	13	13
20-34	7	3.9	11	1	1	2	7	9	9	9
35-49	8	3.9	14	1	1	2	6	10	10	10
50-64	6	7.7	17	2	2	7	10	14	14	14
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.5	36	<1	<1	2	4	5	7	44
20-34	160	5.5	26	1	1	4	6	10	19	26
35-49	155	5.1	29	1	1	3	6	11	17	29
50-64	151	4.9	18	1	1	4	6	11	14	23
65+	159	5.5	24	1	2	4	7	10	14	26
B. *Operated*										
0-19 YRS	4	3.3	8	1	1	3	5	7	7	7
20-34	22	6.7	29	1	2	5	9	13	18	25
35-49	17	6.5	14	2	2	5	9	11	13	14
50-64	16	9.0	90	2	3	6	9	15	34	42
65+	10	13.4	254	2	2	7	14	41	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	3.9	23	<1	1	3	4	8	11	25
B. *Operated*	29	4.7	15	1	1	2	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	676	5.1	25	1	1	4	6	10	16	26
B. *Operated*	69	7.9	73	1	2	6	9	14	25	51
1. SINGLE DX	323	4.0	22	<1	1	3	4	9	12	24
2. MULTIPLE DX	745	5.4	30	1	1	4	6	11	16	27
A. NOT OPERATED	970	4.7	25	1	1	3	6	10	14	26
B. OPERATED	98	7.0	58	1	2	5	9	13	15	48
TOTAL 0-19 YRS	112	3.3	20	<1	1	3	4	6	7	25
20-34	281	5.0	28	1	1	4	6	9	14	26
35-49	258	4.9	25	1	1	3	6	11	15	29
50-64	215	5.0	27	1	1	4	6	11	15	27
65+	202	5.7	36	1	2	4	7	10	16	33
GRAND TOTAL	**1068**	**4.9**	**28**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	8.7	154	<1	1	4	12	26	45	99+
20-34	519	3.9	25	<1	1	2	4	9	13	23
35-49	250	4.7	63	<1	1	3	5	9	13	30
50-64	98	6.2	55	1	1	4	8	13	17	76
65+	53	5.3	31	1	1	3	6	11	19	29
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.3	8	<1	<1	2	5	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	419	9.4	194	1	1	4	12	27	47	99+
20-34	909	5.3	46	<1	1	3	6	12	17	35
35-49	492	5.3	49	1	1	4	6	10	15	37
50-64	238	6.1	40	1	1	4	7	14	20	28
65+	165	7.6	88	1	1	5	9	15	23	49
B. *Operated*										
0-19 YRS	4	4.0	7	1	1	4	6	7	7	7
20-34	24	6.8	65	<1	1	4	8	15	28	34
35-49	18	8.8	68	1	1	6	13	21	27	31
50-64	8	8.0	8	4	5	7	10	12	12	12
65+	6	11.8	23	6	6	10	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1251	5.6	73	<1	1	3	6	14	21	69
B. *Operated*	5	3.6	7	<1	<1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2223	6.3	79	1	1	4	7	14	22	56
B. *Operated*	60	7.9	51	1	1	6	10	17	24	34
1. SINGLE DX	1256	5.6	73	<1	1	3	6	14	21	69
2. MULTIPLE DX	2283	6.4	79	1	1	4	7	14	22	55
A. NOT OPERATED	3474	6.1	77	<1	1	3	7	14	21	59
B. OPERATED	65	7.5	49	<1	1	6	10	16	23	34
TOTAL 0-19 YRS	755	9.1	175	<1	1	4	12	26	46	99+
20-34	1456	4.8	39	<1	1	3	6	11	16	34
35-49	760	5.2	54	1	1	3	6	10	15	35
50-64	344	6.2	44	1	1	4	7	13	19	42
65+	224	7.1	74	1	1	5	9	15	21	49
GRAND TOTAL	**3539**	**6.1**	**77**	**<1**	**1**	**3**	**7**	**14**	**21**	**59**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	10.9	258	1	1	4	13	39	65	99+
20-34	477	6.6	76	<1	1	4	7	15	22	52
35-49	289	7.3	62	1	1	5	10	16	22	33
50-64	158	8.2	82	<1	2	5	10	19	24	49
65+	80	8.1	113	1	2	5	9	17	26	66
B. *Operated*										
0-19 YRS	5	8.6	133	1	1	5	11	29	29	29
20-34	13	3.2	8	1	1	2	3	8	10	11
35-49	5	13.6	517	1	1	3	19	54	54	54
50-64	6	6.7	44	2	2	3	13	17	17	17
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	286	14.5	391	1	1	6	20	59	77	99+
20-34	831	7.3	76	1	1	4	9	16	24	51
35-49	590	7.1	63	1	1	5	9	15	21	37
50-64	375	7.2	43	1	2	5	9	15	20	28
65+	370	8.9	73	2	2	6	10	21	26	41
B. *Operated*										
0-19 YRS	15	14.4	402	<1	1	7	29	93	99+	99+
20-34	33	13.8	332	1	1	6	15	40	52	82
35-49	27	14.3	106	2	3	11	20	28	32	47
50-64	29	10.9	90	2	2	7	15	26	32	37
65+	27	12.8	107	3	4	9	17	30	36	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1263	7.9	115	1	1	4	9	19	29	88
B. *Operated*	31	6.4	112	1	1	2	5	15	28	54
2. MULTIPLE DX										
A. *Not Operated*	2452	8.3	110	1	2	5	9	19	28	67
B. *Operated*	131	13.1	189	2	2	9	18	32	47	99+
1. SINGLE DX	1294	7.9	115	1	1	4	9	19	29	87
2. MULTIPLE DX	2583	8.6	115	1	2	5	10	20	29	69
A. NOT OPERATED	3715	8.2	112	1	1	5	9	19	28	74
B. OPERATED	162	11.8	181	1	2	7	15	30	46	97
TOTAL 0-19 YRS	565	12.8	330	1	1	5	16	52	77	99+
20-34	1354	7.2	83	1	1	4	8	16	24	53
35-49	911	7.4	67	1	1	5	9	16	22	37
50-64	568	7.6	57	1	2	5	10	17	22	34
65+	479	9.0	82	2	2	6	10	21	26	43
GRAND TOTAL	**3877**	**8.3**	**115**	**1**	**1**	**5**	**10**	**20**	**29**	**76**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	18	4	4	10	12	14	14	14
20-34	10	4.5	11	1	1	4	6	9	12	12
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	9.4	214	1	1	5	12	14	26	85
20-34	63	10.0	67	1	2	8	14	22	24	39
35-49	20	9.8	75	1	2	7	11	26	28	29
50-64	10	9.0	43	2	3	7	15	54	96	99+
65+	4	6.0	9	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	11	7.2	36	1	2	6	11	45	92	99+
20-34	3	5.7	2	4	4	6	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	9.5	25	6	6	9	13	13	13	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.3	15	1	1	4	7	12	13	14
B. *Operated*	3	4.7	10	<1	<1	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	131	9.6	101	1	2	7	13	22	26	88
B. *Operated*	17	6.9	27	1	2	6	11	19	69	99+
1. SINGLE DX	22	5.2	14	<1	1	5	7	11	13	14
2. MULTIPLE DX	148	9.3	93	1	2	7	13	22	26	99+
A. NOT OPERATED	150	9.1	92	1	2	6	12	21	26	85
B. OPERATED	20	6.6	24	1	2	6	8	17	57	99+
TOTAL 0-19 YRS	51	8.8	152	1	1	6	12	15	28	99+
20-34	77	9.0	60	1	1	7	13	20	23	38
35-49	24	8.7	69	1	2	6	10	26	27	29
50-64	13	8.5	38	2	2	7	13	31	85	99+
65+	5	5.6	7	3	3	5	7	10	10	10
GRAND TOTAL	**170**	**8.8**	**85**	**1**	**2**	**6**	**12**	**21**	**26**	**96**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	10.1	36	1	2	11	13	15	17	29
20-34	69	5.7	18	1	1	4	7	12	15	19
35-49	35	6.7	14	1	2	6	9	12	13	16
50-64	32	8.8	76	1	2	7	11	17	35	37
65+	11	10.5	149	2	3	6	11	28	44	45
B. *Operated*										
0-19 YRS	63	12.6	40	2	5	12	15	20	21	40
20-34	32	10.3	157	1	1	5	11	25	39	58
35-49	34	6.2	62	<1	1	3	8	18	26	34
50-64	36	11.2	298	1	1	4	16	29	47	83
65+	14	9.0	31	1	2	9	12	17	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	11.5	40	2	3	11	14	18	23	31
20-34	53	9.5	129	1	2	7	10	16	34	61
35-49	63	10.6	93	2	3	9	12	18	31	52
50-64	66	12.9	91	2	2	12	19	24	28	52
65+	46	14.5	176	1	3	11	19	36	46	57
B. *Operated*										
0-19 YRS	104	16.9	112	4	7	15	20	33	37	60
20-34	47	16.2	259	1	2	11	20	40	48	72
35-49	74	16.3	360	1	2	11	20	47	59	97
50-64	66	19.5	334	2	2	15	33	59	76	99+
65+	29	25.0	268	2	2	24	34	55	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	478	9.1	39	1	2	10	12	15	17	34
B. *Operated*	179	10.4	119	1	1	9	14	21	28	55
2. MULTIPLE DX										
A. *Not Operated*	501	11.6	76	2	3	11	14	20	27	50
B. *Operated*	320	17.9	254	2	2	14	23	40	57	99+
1. SINGLE DX	657	9.5	61	1	2	10	12	16	21	43
2. MULTIPLE DX	821	14.1	155	2	2	11	17	30	41	73
A. NOT OPERATED	979	10.4	60	1	2	10	13	17	23	45
B. OPERATED	499	15.2	218	1	2	12	20	36	49	93
TOTAL 0-19 YRS	771	11.7	53	2	3	11	14	19	23	38
20-34	201	9.9	139	1	2	6	11	21	38	59
35-49	206	11.3	186	1	2	8	13	26	47	87
50-64	200	14.1	219	1	2	10	20	35	50	99+
65+	100	16.4	210	2	2	12	23	38	53	79
GRAND TOTAL	**1478**	**12.0**	**118**	**1**	**2**	**11**	**15**	**23**	**34**	**61**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	8.7	65	1	1	4	16	20	21	21
50-64	21	7.6	21	3	3	7	9	13	18	22
65+	108	9.2	81	2	3	7	10	19	24	56
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	12	11.8	297	1	2	8	10	29	60	65
50-64	98	8.6	36	2	3	7	12	17	22	29
65+	651	10.5	93	3	3	8	12	20	29	69
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	9.8	8	7	7	9	12	13	13	13
50-64	18	10.8	68	1	2	10	13	25	29	30
65+	67	16.7	262	2	3	13	19	37	72	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	8.9	70	2	3	7	10	18	22	55
B. *Operated*	5	7.8	73	3	3	4	9	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	765	10.2	88	3	3	8	12	20	28	64
B. *Operated*	89	15.2	217	2	3	12	18	29	53	91
1. SINGLE DX	143	8.9	69	2	3	7	10	18	23	55
2. MULTIPLE DX	854	10.7	104	2	3	8	13	20	29	72
A. NOT OPERATED	903	10.0	86	2	3	7	12	19	27	57
B. OPERATED	94	14.8	211	2	3	12	18	28	53	90
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	24	10.2	164	1	2	8	11	18	34	65
50-64	140	8.7	38	2	3	7	11	17	22	30
65+	827	10.8	108	2	3	8	13	21	30	72
GRAND TOTAL	**997**	**10.5**	**99**	**2**	**3**	**8**	**12**	**20**	**28**	**70**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	19	1	1	3	5	12	13	13
20-34	130	7.2	71	1	1	5	10	14	19	84
35-49	125	8.8	55	1	2	7	12	20	23	33
50-64	57	9.8	144	1	1	6	11	21	28	70
65+	9	11.6	55	3	3	9	17	22	25	25
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	36	2.8	4	1	1	2	4	6	7	7
35-49	35	5.8	43	1	1	3	6	16	21	28
50-64	11	3.2	2	1	1	3	4	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	3	5	5	7	8	9	9	9
20-34	120	10.2	110	2	2	7	13	25	38	99+
35-49	175	10.5	109	1	2	7	13	24	29	67
50-64	124	10.7	104	2	2	8	14	24	33	53
65+	29	8.3	40	2	2	6	13	20	27	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	22	13.4	448	1	1	6	23	48	98	99+
35-49	55	14.8	165	2	2	11	24	35	53	99+
50-64	41	12.5	174	2	2	8	16	27	39	69
65+	13	21.5	479	4	6	12	26	45	79	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	8.3	77	1	1	6	11	18	23	52
B. *Operated*	85	4.1	21	1	1	3	4	7	14	26
2. MULTIPLE DX										
A. *Not Operated*	452	10.3	102	2	2	7	13	24	33	68
B. *Operated*	132	14.4	244	2	2	9	22	35	53	99+
1. SINGLE DX	412	7.5	68	1	1	5	10	16	22	46
2. MULTIPLE DX	584	11.2	137	2	2	8	14	26	36	99+
A. NOT OPERATED	779	9.5	93	1	2	7	12	20	28	66
B. OPERATED	217	10.4	182	1	1	5	14	27	36	99+
TOTAL 0-19 YRS	14	4.9	11	1	1	5	6	9	12	13
20-34	308	8.3	111	1	1	5	10	19	30	99+
35-49	390	10.1	98	1	2	7	14	24	29	66
50-64	233	10.5	123	1	2	7	14	24	33	58
65+	51	12.2	177	2	3	9	16	26	34	99+
GRAND TOTAL	**996**	**9.7**	**112**	**1**	**2**	**6**	**12**	**23**	**30**	**83**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	378	2.6	5	1	1	2	3	5	7	12
20-34	295	2.9	7	1	1	2	4	5	9	13
35-49	154	3.0	13	<1	1	2	4	6	7	12
50-64	91	3.8	54	1	1	2	4	6	7	47
65+	62	4.4	13	1	1	3	6	9	14	16
B. *Operated*										
0-19 YRS	12	7.3	248	1	1	3	4	21	52	57
20-34	15	4.7	14	1	2	4	5	7	14	17
35-49	8	2.8	1	1	1	3	4	4	4	4
50-64	15	3.1	5	<1	1	2	5	7	7	7
65+	7	5.4	16	2	2	5	6	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	3.8	21	1	1	3	4	8	10	20
20-34	429	4.6	36	1	1	3	5	10	14	23
35-49	340	4.9	29	1	1	3	6	10	14	27
50-64	413	5.6	35	1	1	4	6	11	15	32
65+	432	7.3	47	1	2	5	9	15	22	32
B. *Operated*										
0-19 YRS	18	9.5	231	1	2	4	8	21	48	66
20-34	35	8.5	92	1	1	5	10	20	34	44
35-49	28	8.5	46	2	2	7	10	17	22	32
50-64	43	10.0	125	2	3	6	10	24	39	55
65+	39	13.5	156	2	3	10	17	30	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	3.0	12	1	1	2	4	5	8	14
B. *Operated*	57	4.6	58	1	1	3	5	7	12	54
2. MULTIPLE DX										
A. *Not Operated*	1941	5.3	36	1	1	4	6	11	15	28
B. *Operated*	163	10.2	124	2	2	7	12	23	33	65
1. SINGLE DX	1037	3.0	15	1	1	2	4	6	8	15
2. MULTIPLE DX	2104	5.7	44	1	1	4	7	12	17	33
A. NOT OPERATED	2921	4.5	29	1	1	3	5	9	13	26
B. OPERATED	220	8.8	113	1	2	5	10	20	32	60
TOTAL 0-19 YRS	735	3.3	23	1	1	2	4	6	9	19
20-34	774	4.1	29	1	1	3	5	9	13	21
35-49	530	4.5	26	1	1	3	5	9	12	27
50-64	562	5.6	46	1	1	4	6	11	15	38
65+	540	7.4	54	1	2	5	9	16	22	33
GRAND TOTAL	**3141**	**4.8**	**36**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	4.2	76	1	1	2	4	8	13	34
20-34	260	4.3	28	1	1	3	5	8	11	25
35-49	174	4.8	41	1	1	3	5	9	12	23
50-64	173	5.9	45	1	1	4	7	11	22	37
65+	230	7.4	91	1	1	5	9	14	21	70
B. *Operated*										
0-19 YRS	161	5.4	25	1	1	4	7	12	16	24
20-34	200	5.0	32	1	1	3	7	11	14	29
35-49	184	4.9	36	1	1	3	6	12	14	21
50-64	237	5.8	35	1	1	4	8	12	15	27
65+	224	7.9	56	1	2	5	10	17	24	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	6.0	62	1	1	4	8	12	19	99+
20-34	338	7.4	104	1	2	5	8	16	39	99+
35-49	332	7.2	56	1	1	5	9	16	24	99+
50-64	487	8.6	92	2	2	6	10	17	29	99+
65+	1242	10.4	98	2	3	7	13	22	31	63
B. *Operated*										
0-19 YRS	270	8.1	112	1	2	5	9	20	33	99+
20-34	284	12.2	272	1	2	7	14	32	54	99+
35-49	306	10.4	170	1	2	6	13	26	40	99+
50-64	411	11.4	147	2	2	8	15	25	36	88
65+	523	15.9	225	2	3	11	21	36	48	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1002	5.4	57	1	1	3	6	11	14	37
B. *Operated*	1006	5.9	39	1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	2678	8.8	91	1	2	6	11	19	30	99+
B. *Operated*	1794	12.2	195	1	2	8	16	30	42	99
1. SINGLE DX	2008	5.6	48	1	1	4	7	12	16	34
2. MULTIPLE DX	4472	10.2	135	1	2	7	12	23	36	99+
A. NOT OPERATED	3680	7.9	84	1	2	5	10	17	27	74
B. OPERATED	2800	9.9	148	1	2	6	12	23	35	86
TOTAL 0-19 YRS	875	6.2	75	1	1	4	7	13	21	99
20-34	1082	7.4	126	1	1	4	8	16	30	99+
35-49	996	7.3	89	1	1	4	9	16	25	77
50-64	1308	8.6	97	1	2	6	10	19	29	72
65+	2219	11.1	131	2	2	8	14	25	34	74
GRAND TOTAL	**6480**	**8.8**	**113**	**1**	**2**	**5**	**11**	**20**	**30**	**83**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.4	5	1	1	2	3	4	6	12
20-34	385	3.2	6	1	1	3	4	6	8	15
35-49	247	3.3	5	1	1	3	4	7	8	11
50-64	105	3.2	4	1	1	3	4	6	7	10
65+	33	3.3	4	1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	10	3.3	2	1	1	3	5	5	5	5
20-34	34	3.7	16	1	1	3	4	6	13	22
35-49	29	3.0	3	1	1	2	4	6	7	8
50-64	20	3.6	5	1	1	3	4	8	9	10
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.9	7	1	1	2	3	5	6	16
20-34	338	4.1	11	1	1	3	5	8	10	20
35-49	308	5.3	22	1	2	4	6	10	15	25
50-64	191	4.7	21	1	1	4	6	8	10	20
65+	68	4.3	12	2	2	3	5	8	10	20
B. *Operated*										
0-19 YRS	6	5.2	5	2	2	5	7	8	8	8
20-34	28	6.2	27	2	2	5	6	13	17	26
35-49	43	6.5	46	1	1	4	8	14	22	33
50-64	31	7.4	40	2	2	6	10	14	20	31
65+	8	7.4	9	2	3	8	9	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	924	3.1	5	1	1	2	4	6	8	13
B. *Operated*	96	3.4	8	1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	970	4.5	17	1	1	3	6	8	11	22
B. *Operated*	116	6.7	35	2	2	5	8	13	17	32
1. SINGLE DX	1020	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX	1086	4.8	19	1	1	4	6	9	12	24
A. NOT OPERATED	1894	3.8	12	1	1	3	5	7	9	19
B. OPERATED	212	5.2	25	1	2	4	6	10	14	30
TOTAL 0-19 YRS	235	2.7	5	1	1	2	3	5	7	13
20-34	785	3.7	10	1	1	3	5	7	9	18
35-49	627	4.5	17	1	1	3	6	9	11	24
50-64	347	4.4	18	1	1	3	5	8	10	20
65+	112	4.2	10	1	1	3	6	8	10	19
GRAND TOTAL	**2106**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	2.1	2	<1	<1	2	2	4	6	6
35-49	20	2.2	3	1	1	2	2	5	6	7
50-64	10	2.1	5	<1	<1	1	3	6	8	8
65+	7	3.0	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	49	1.9	2	<1	1	2	2	3	3	9
20-34	765	1.9	1	<1	<1	2	2	3	4	5
35-49	1016	2.1	3	<1	<1	2	2	3	4	8
50-64	1169	2.2	2	<1	1	2	2	3	4	8
65+	599	2.2	2	<1	1	2	3	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	<1	<1	2	6	8	8	8
20-34	11	3.9	12	<1	<1	3	6	10	11	11
35-49	20	3.6	5	<1	1	3	5	7	7	7
50-64	27	3.3	10	<1	<1	3	4	5	9	17
65+	23	5.8	41	<1	1	4	7	11	19	31
B. *Operated*										
0-19 YRS	18	2.3	2	1	1	2	3	4	6	7
20-34	221	2.7	5	1	1	2	3	5	7	13
35-49	384	2.8	4	1	1	2	3	5	6	12
50-64	533	3.2	10	1	1	2	3	5	8	18
65+	382	3.4	10	1	1	2	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.2	3	<1	1	2	3	5	6	8
B. *Operated*	3598	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	84	4.1	18	<1	1	3	5	8	11	26
B. *Operated*	1538	3.1	8	1	1	2	3	5	8	15
1. SINGLE DX	3649	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1622	3.1	8	1	1	2	3	5	8	16
A. NOT OPERATED	135	3.4	13	<1	1	2	4	7	9	19
B. OPERATED	5136	2.4	4	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	71	2.1	2	<1	1	2	2	3	4	9
20-34	1010	2.1	2	<1	<1	2	2	3	4	8
35-49	1440	2.3	3	<1	1	2	3	4	5	9
50-64	1739	2.5	5	<1	1	2	3	4	5	12
65+	1011	2.8	7	<1	1	2	3	4	7	14
GRAND TOTAL	**5271**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	7.1	52	1	1	4	9	23	30	91
20-34	158	6.0	55	1	1	4	7	12	17	43
35-49	200	6.0	43	1	2	4	7	12	18	36
50-64	180	6.0	61	1	1	3	7	15	26	88
65+	140	7.0	43	1	2	5	9	16	22	44
B. *Operated*										
0-19 YRS	130	3.6	29	<1	1	2	4	6	9	58
20-34	894	3.6	9	1	1	3	4	7	8	15
35-49	988	3.7	13	1	1	3	4	7	9	17
50-64	883	3.4	16	1	1	2	4	6	8	15
65+	387	4.2	19	1	1	3	5	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	6.7	56	<1	1	4	8	19	26	31
20-34	166	8.3	108	1	1	5	10	18	25	63
35-49	229	6.3	22	1	2	5	8	13	16	20
50-64	342	6.7	43	1	2	5	8	14	21	31
65+	513	9.0	92	2	2	6	11	20	26	51
B. *Operated*										
0-19 YRS	74	6.0	124	1	2	3	5	11	42	99+
20-34	401	5.6	65	1	1	3	6	9	15	48
35-49	520	5.8	56	1	2	4	7	11	15	65
50-64	648	6.1	78	1	1	4	6	13	21	54
65+	371	9.1	114	2	2	5	11	22	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	6.3	51	1	1	4	7	14	23	43
B. *Operated*	3282	3.7	14	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1290	7.7	68	1	2	5	9	17	22	39
B. *Operated*	2014	6.5	80	1	2	4	7	14	22	67
1. SINGLE DX	4023	4.1	22	1	1	3	5	8	11	26
2. MULTIPLE DX	3304	7.0	76	1	2	4	8	15	22	58
A. NOT OPERATED	2031	7.2	63	1	2	5	9	16	22	41
B. OPERATED	5296	4.7	41	1	1	3	5	9	13	41
TOTAL 0-19 YRS	307	5.3	64	<1	1	3	5	10	26	99+
20-34	1619	4.8	40	1	1	3	5	8	13	37
35-49	1937	4.8	30	1	1	3	6	9	13	27
50-64	2053	5.0	46	1	1	3	5	10	16	37
65+	1411	7.5	77	1	2	4	9	17	24	57
GRAND TOTAL	**7327**	**5.4**	**48**	**1**	**1**	**3**	**6**	**11**	**17**	**41**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	5	3.0	12	<1	<1	2	4	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	2.8	9	<1	<1	1	4	8	8	8
65+	5	5.8	22	1	1	5	10	12	12	12
B. *Operated*										
0-19 YRS	68	4.7	5	2	2	4	6	8	9	11
20-34	136	4.9	6	2	2	4	6	8	9	14
35-49	147	5.0	10	2	2	4	6	8	10	15
50-64	552	4.6	5	1	2	4	6	7	8	12
65+	503	5.2	8	2	3	5	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	5	2.8	3	1	1	2	4	5	5	5
35-49	5	7.4	63	1	1	5	10	21	21	21
50-64	9	3.4	10	<1	<1	2	4	9	11	11
65+	17	3.3	7	1	1	2	5	7	9	10
B. *Operated*										
0-19 YRS	51	4.7	7	2	2	4	6	8	9	16
20-34	138	5.2	8	2	2	5	6	8	10	16
35-49	128	6.2	20	2	3	5	7	10	13	25
50-64	474	5.6	8	2	3	5	7	9	11	15
65+	545	5.9	10	2	3	5	7	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.5	12	<1	<1	2	5	9	11	12
B. *Operated*	1406	4.9	6	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	41	3.5	14	<1	1	2	5	7	10	21
B. *Operated*	1336	5.7	10	2	3	5	7	9	11	17
1. SINGLE DX	1426	4.9	7	1	2	4	6	8	9	14
2. MULTIPLE DX	1377	5.6	11	2	3	5	7	9	11	18
A. NOT OPERATED	61	3.5	13	<1	1	2	5	8	10	20
B. OPERATED	2742	5.3	9	2	2	5	6	9	10	16
TOTAL 0-19 YRS	128	4.5	7	1	2	4	6	8	9	14
20-34	284	5.0	7	2	2	5	6	8	10	15
35-49	281	5.6	15	2	2	5	7	9	12	21
50-64	1040	5.0	7	2	2	5	6	8	10	14
65+	1070	5.5	9	2	3	5	7	9	11	17
GRAND TOTAL	**2803**	**5.2**	**9**	**2**	**2**	**5**	**6**	**9**	**10**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	2.8	4	1	1	2	4	6	6	6
65+	23	2.7	5	1	1	2	3	5	8	11
B. *Operated*										
0-19 YRS	8	1.8	1	<1	<1	2	2	3	3	3
20-34	19	3.4	6	<1	1	3	4	7	9	10
35-49	41	3.0	4	1	1	3	3	5	6	12
50-64	228	2.6	2	1	1	2	3	4	5	9
65+	337	3.0	6	1	2	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	2.3	3	1	1	2	4	5	5	5
65+	26	4.0	15	1	1	3	4	7	14	18
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	7.7	25	2	2	7	9	16	17	17
35-49	18	3.3	6	1	1	2	5	8	9	9
50-64	105	3.5	5	1	2	3	4	5	8	13
65+	319	4.1	14	1	2	3	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.9	5	1	1	2	3	6	7	11
B. *Operated*	633	2.9	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	37	3.5	12	1	1	3	4	7	11	18
B. *Operated*	451	4.0	12	1	2	3	5	7	10	17
1. SINGLE DX	664	2.9	4	1	1	2	3	5	7	10
2. MULTIPLE DX	488	4.0	12	1	2	3	5	7	10	18
A. NOT OPERATED	68	3.3	9	1	1	2	4	7	8	17
B. OPERATED	1084	3.3	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	12	2.0	1	<1	<1	2	2	4	5	5
20-34	29	4.5	13	1	1	3	7	9	11	17
35-49	61	3.1	4	1	1	2	4	6	7	12
50-64	345	2.8	3	1	1	2	3	5	6	10
65+	705	3.6	10	1	2	3	4	6	8	17
GRAND TOTAL	**1152**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	2	4	4	4
20-34	3	6.7	66	1	1	3	13	16	16	16
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	7	2.9	2	2	2	2	3	5	6	6
B. *Operated*										
0-19 YRS	11	2.5	3	1	1	2	3	5	7	7
20-34	22	3.7	14	1	1	3	4	7	14	17
35-49	23	2.5	2	1	1	2	3	4	6	7
50-64	58	3.6	15	1	1	3	4	6	10	24
65+	116	3.6	11	1	2	3	4	6	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	1.8	2	<1	<1	1	2	4	4	4
65+	25	4.3	5	1	2	4	6	8	9	10
B. *Operated*										
0-19 YRS	10	2.7	4	1	1	2	3	6	8	8
20-34	18	2.9	3	1	1	2	4	5	6	7
35-49	23	4.0	14	1	1	3	4	9	13	18
50-64	74	4.0	12	1	1	3	5	7	11	19
65+	159	4.5	16	1	2	3	5	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.8	11	<1	<1	2	3	5	10	16
B. *Operated*	230	3.4	11	1	1	3	4	6	12	18
2. MULTIPLE DX										
A. *Not Operated*	39	3.6	6	<1	<1	3	5	7	8	10
B. *Operated*	284	4.2	14	1	2	3	5	8	10	20
1. SINGLE DX	251	3.4	11	1	1	2	4	6	12	18
2. MULTIPLE DX	323	4.1	13	1	1	3	5	8	10	19
A. NOT OPERATED	60	3.3	7	<1	<1	3	4	7	8	15
B. OPERATED	514	3.8	13	1	1	3	4	7	10	19
TOTAL 0-19 YRS	32	2.3	3	<1	<1	2	2	4	7	8
20-34	46	3.6	12	1	1	3	4	7	13	17
35-49	49	3.2	8	1	1	2	4	5	9	18
50-64	140	3.7	12	1	1	3	4	6	11	20
65+	307	4.1	13	1	2	3	5	7	10	20
GRAND TOTAL	**574**	**3.8**	**12**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	5	1.8	1	<1	<1	1	3	3	3	3
50-64	19	2.5	2	<1	<1	2	3	5	6	7
65+	65	2.3	1	<1	<1	2	3	4	4	7
B. *Operated*										
YRS										
35-49	494	2.5	1	1	2	2	3	4	4	7
50-64	2952	2.7	5	1	2	2	3	4	4	7
65+	9279	2.9	5	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	9	4.0	47	1	1	1	3	15	22	22
50-64	58	2.0	3	<1	1	1	2	5	5	8
65+	242	2.4	6	<1	1	2	3	4	7	20
B. *Operated*										
YRS										
35-49	261	3.3	10	2	2	3	3	5	7	20
50-64	2115	3.1	4	2	2	3	3	4	6	11
65+	8033	3.6	10	2	2	3	4	5	8	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.3	2	<1	<1	2	3	4	4	8
B. *Operated*	12725	2.9	5	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	309	2.4	6	<1	1	2	3	4	7	20
B. *Operated*	10409	3.5	9	2	2	3	4	5	7	15
1. SINGLE DX	12814	2.9	5	1	2	3	3	4	5	8
2. MULTIPLE DX	10718	3.5	9	2	2	3	4	5	7	16
A. NOT OPERATED	398	2.3	5	<1	1	2	3	4	7	15
B. OPERATED	23134	3.2	7	2	2	3	3	4	6	12
TOTAL YRS										
35-49	769	2.8	5	1	2	2	3	4	5	10
50-64	5144	2.8	5	1	2	3	3	4	5	9
65+	17619	3.3	8	2	2	3	4	5	6	13
GRAND TOTAL	**23532**	**3.1**	**7**	**2**	**2**	**3**	**3**	**4**	**6**	**12**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	107	2.2	1	1	1	2	2	3	4	7
20-34	72	2.4	1	1	1	2	3	4	4	7
35-49	76	2.9	4	1	2	3	3	4	5	15
50-64	125	2.6	4	1	1	2	3	4	4	9
65+	121	2.4	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.3	2	1	1	2	4	4	4	4
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	57	3.3	16	<1	1	2	3	5	6	28
20-34	66	3.8	15	1	2	3	4	7	9	25
35-49	69	2.8	3	1	1	3	3	4	5	12
50-64	145	3.6	14	1	2	3	4	6	7	13
65+	161	3.3	4	1	2	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	4	<1	<1	2	4	5	5	5
B. *Operated*	501	2.5	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	14	2.0	2	<1	1	2	3	4	4	4
B. *Operated*	498	3.4	10	1	2	3	4	6	7	14
1. SINGLE DX	505	2.5	2	1	1	2	3	4	4	7
2. MULTIPLE DX	512	3.4	9	1	1	3	4	5	7	14
A. NOT OPERATED	18	2.2	2	<1	<1	2	4	4	5	5
B. OPERATED	999	2.9	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	168	2.6	6	1	1	2	3	4	5	13
20-34	139	3.1	8	1	1	2	3	5	7	21
35-49	147	2.9	4	1	1	2	3	4	5	12
50-64	277	3.1	9	1	1	3	3	5	6	12
65+	286	2.9	3	1	1	3	3	5	6	10
GRAND TOTAL	**1017**	**2.9**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.5	1	<1	<1	1	2	3	3	3
20-34	12	3.4	23	<1	<1	2	3	10	17	18
35-49	12	3.2	4	1	1	3	4	7	7	7
50-64	9	2.7	1	1	1	2	4	4	4	4
65+	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	1737	1.7	7	<1	<1	2	2	2	2	7
20-34	332	1.9	1	<1	1	2	2	2	3	6
35-49	131	2.0	4	1	1	2	2	3	3	36
50-64	80	2.0	1	1	1	2	2	3	3	6
65+	61	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	1.9	12	<1	<1	1	1	2	6	21
20-34	13	3.6	9	1	1	3	4	9	10	10
35-49	12	7.3	238	1	1	3	5	21	51	56
50-64	21	5.0	9	1	2	4	6	10	11	12
65+	31	6.2	24	2	2	5	7	12	14	26
B. *Operated*										
0-19 YRS	376	1.8	3	<1	<1	2	2	2	3	11
20-34	111	2.2	2	1	1	2	2	3	4	9
35-49	64	2.5	5	1	1	2	2	4	8	13
50-64	58	2.8	6	1	1	2	3	5	9	14
65+	49	3.2	26	1	1	2	3	3	5	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.3	5	<1	<1	2	3	4	6	15
B. *Operated*	2341	1.8	5	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	114	4.4	40	<1	1	2	5	9	12	37
B. *Operated*	658	2.1	5	<1	1	2	2	3	4	13
1. SINGLE DX	2415	1.8	5	<1	<1	2	2	2	3	7
2. MULTIPLE DX	772	2.5	11	<1	1	2	2	4	7	19
A. NOT OPERATED	188	3.6	27	<1	<1	2	4	7	10	24
B. OPERATED	2999	1.9	5	<1	1	2	2	2	3	8
TOTAL 0-19 YRS	2188	1.7	6	<1	<1	2	2	2	2	7
20-34	468	2.1	2	1	1	2	2	3	4	9
35-49	219	2.5	17	1	1	2	2	4	5	32
50-64	168	2.7	4	1	1	2	3	5	7	12
65+	144	3.3	17	1	1	2	3	6	9	26
GRAND TOTAL	**3187**	**2.0**	**7**	**<1**	**1**	**2**	**2**	**2**	**3**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	1.8	2	<1	<1	1	2	4	5	8
20-34	37	3.8	11	1	1	3	5	9	11	15
35-49	27	4.7	43	<1	<1	2	5	9	25	28
50-64	39	4.0	29	<1	<1	3	4	8	16	28
65+	41	4.5	17	<1	<1	3	6	9	11	22
B. *Operated*										
0-19 YRS	183	2.2	4	<1	<1	2	2	5	6	11
20-34	234	2.7	8	<1	<1	2	3	5	7	11
35-49	304	2.2	6	<1	<1	2	2	4	5	10
50-64	389	2.2	2	<1	<1	2	2	4	5	7
65+	590	2.1	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.3	8	<1	<1	3	4	6	8	17
20-34	34	5.2	40	<1	1	3	6	9	13	37
35-49	26	4.5	8	1	1	4	6	9	10	11
50-64	51	4.5	16	1	1	3	6	10	12	20
65+	116	6.2	69	<1	1	4	8	13	18	84
B. *Operated*										
0-19 YRS	109	3.7	19	<1	<1	2	5	8	12	55
20-34	132	3.4	9	1	1	2	4	7	9	34
35-49	198	2.9	12	<1	<1	2	3	6	8	21
50-64	419	2.8	8	<1	1	2	3	5	7	12
65+	705	3.4	9	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	3.0	14	<1	<1	2	3	7	8	23
B. *Operated*	1700	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	342	4.7	34	<1	1	3	6	9	13	28
B. *Operated*	1563	3.2	10	<1	1	2	4	6	8	17
1. SINGLE DX	1986	2.3	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX	1905	3.5	15	<1	1	2	4	7	9	20
A. NOT OPERATED	628	4.0	26	<1	<1	3	5	8	11	25
B. OPERATED	3263	2.7	7	<1	<1	2	3	5	7	14
TOTAL 0-19 YRS	549	2.6	8	<1	<1	2	3	5	8	18
20-34	437	3.2	12	<1	<1	2	4	6	8	20
35-49	555	2.7	10	<1	<1	2	3	5	7	21
50-64	898	2.7	7	<1	<1	2	3	5	7	12
65+	1452	3.1	13	<1	1	2	4	6	8	17
GRAND TOTAL	**3891**	**2.9**	**10**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	3.6	6	1	1	3	4	6	7	14
20-34	80	3.9	14	1	1	3	4	8	10	23
35-49	39	4.2	12	1	1	3	6	8	10	18
50-64	47	4.3	9	1	1	4	5	9	11	13
65+	61	4.0	8	1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	69	3.2	7	<1	1	2	4	7	9	15
20-34	68	3.2	4	1	1	2	4	6	7	10
35-49	66	3.1	11	1	1	2	3	6	8	23
50-64	209	2.7	5	1	1	2	3	5	6	9
65+	454	2.7	4	1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.1	7	1	2	4	5	7	8	16
20-34	63	3.8	9	<1	1	3	4	6	12	16
35-49	49	5.0	8	2	2	5	6	9	11	12
50-64	75	5.1	14	1	1	4	7	10	13	80
65+	163	6.0	33	1	2	4	8	13	18	32
B. *Operated*										
0-19 YRS	74	4.3	20	1	1	3	4	8	11	29
20-34	147	4.3	9	1	1	4	6	8	10	21
35-49	127	4.8	17	1	2	4	5	10	11	22
50-64	309	4.0	15	1	1	3	5	8	10	20
65+	669	4.0	15	1	2	3	5	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	3.8	8	1	1	3	5	7	9	14
B. *Operated*	866	2.8	5	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	548	4.8	17	1	2	4	6	9	12	23
B. *Operated*	1326	4.1	15	1	1	3	5	8	10	19
1. SINGLE DX	1332	3.2	6	1	1	2	4	6	7	14
2. MULTIPLE DX	1874	4.3	15	1	2	3	5	8	11	20
A. NOT OPERATED	1014	4.4	13	1	1	3	5	8	11	20
B. OPERATED	2192	3.6	11	1	1	3	4	7	9	18
TOTAL 0-19 YRS	580	3.8	8	1	1	3	5	6	9	15
20-34	358	3.9	9	1	1	3	5	7	10	18
35-49	281	4.3	14	1	1	3	5	9	11	18
50-64	640	3.7	12	1	1	3	5	7	9	18
65+	1347	3.8	14	1	1	3	4	7	10	19
GRAND TOTAL	**3206**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3	1	<1	<1	1	2	4	4	4
20-34	11	2.9	5	1	1	2	5	7	7	7
35-49	12	2.2	1	<1	<1	2	3	4	4	4
50-64	7	1.6	1	<1	<1	1	2	3	3	3
65+	9	3.1	3	<1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	18	1.7	1	<1	1	2	2	3	3	3
20-34	14	2.4	1	<1	1	2	3	4	4	4
35-49	14	2.6	3	1	1	2	3	5	6	7
50-64	31	2.1	1	1	1	2	3	3	4	6
65+	22	3.3	11	1	1	3	4	5	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	24	2.7	3	<1	1	2	4	5	7	7
35-49	20	3.9	11	1	1	3	5	10	12	12
50-64	39	4.7	26	1	2	3	5	8	9	33
65+	45	5.1	7	2	2	5	7	10	11	99+
B. *Operated*										
0-19 YRS	26	2.0	1	<1	1	2	2	3	4	4
20-34	18	4.3	31	1	1	2	4	8	19	25
35-49	26	3.7	6	1	1	3	4	8	9	10
50-64	34	4.3	10	1	2	3	6	9	11	14
65+	43	3.6	7	1	1	3	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.3	3	<1	1	2	3	5	6	7
B. *Operated*	99	2.4	4	1	1	2	3	4	4	12
2. MULTIPLE DX										
A. *Not Operated*	136	4.2	13	1	1	3	5	9	10	42
B. *Operated*	147	3.6	9	1	1	3	4	8	9	15
1. SINGLE DX	149	2.4	3	1	1	2	3	4	6	7
2. MULTIPLE DX	283	3.9	11	1	1	3	5	8	9	22
A. NOT OPERATED	186	3.7	11	1	1	3	5	7	9	25
B. OPERATED	246	3.1	7	1	1	2	4	6	8	15
TOTAL 0-19 YRS	63	1.8	1	<1	1	2	2	3	4	4
20-34	67	3.1	11	1	1	2	4	6	7	22
35-49	72	3.3	6	1	1	3	4	7	9	12
50-64	111	3.6	14	1	1	3	4	7	9	21
65+	119	4.1	8	1	2	3	5	8	10	42
GRAND TOTAL	**432**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**9**	**15**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	332	2.5	7	<1	1	2	3	4	5	11
20-34	10	2.7	2	1	1	3	4	5	5	5
35-49	5	3.2	9	<1	<1	2	5	8	8	8
50-64	5	2.6	7	1	1	1	4	7	7	7
65+	7	8.4	153	1	1	5	7	30	36	36
B. *Operated*										
0-19 YRS	3238	1.2	1	<1	<1	<1	1	2	2	4
20-34	376	2.1	2	<1	1	2	2	3	4	9
35-49	336	2.0	1	<1	1	2	2	3	3	5
50-64	365	2.0	1	1	1	2	2	3	4	7
65+	106	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1206	3.0	5	1	1	2	4	5	7	12
20-34	45	3.8	9	1	1	3	4	7	10	16
35-49	32	3.9	7	<1	1	4	5	7	8	12
50-64	45	3.7	8	1	1	3	5	8	9	15
65+	44	5.8	13	1	2	5	9	11	12	99+
B. *Operated*										
0-19 YRS	3019	1.6	5	<1	<1	1	2	2	3	8
20-34	329	2.3	2	1	1	2	3	4	4	7
35-49	291	2.7	7	1	1	2	3	4	5	15
50-64	264	2.6	6	1	1	2	3	4	5	8
65+	130	2.6	3	<1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	2.6	10	<1	1	2	3	4	6	13
B. *Operated*	4421	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	1372	3.1	5	1	1	3	4	6	8	12
B. *Operated*	4033	1.9	5	<1	<1	1	2	3	4	8
1. SINGLE DX	4780	1.5	2	<1	<1	1	2	2	3	6
2. MULTIPLE DX	5405	2.2	6	<1	<1	2	2	4	5	11
A. NOT OPERATED	1731	3.0	7	1	1	2	4	6	7	12
B. OPERATED	8454	1.6	3	<1	<1	1	2	3	3	7
TOTAL 0-19 YRS	7795	1.7	4	<1	<1	1	2	3	4	8
20-34	760	2.3	2	1	1	2	3	4	4	10
35-49	664	2.4	4	1	1	2	3	4	5	8
50-64	679	2.4	4	1	1	2	3	4	5	9
65+	287	3.0	9	<1	1	2	3	6	9	15
GRAND TOTAL	**10185**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.8	17	1	1	3	4	6	8	27
20-34	32	4.1	10	1	1	3	5	9	12	13
35-49	30	4.1	7	1	2	4	5	7	9	14
50-64	9	2.9	1	1	1	3	4	4	4	4
65+	8	5.3	10	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	317	1.8	29	<1	<1	1	1	2	4	15
20-34	46	2.5	6	<1	1	2	3	4	4	17
35-49	41	2.6	5	<1	<1	2	3	5	7	12
50-64	39	2.5	1	<1	1	2	3	4	5	7
65+	21	3.7	7	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	3.3	7	<1	1	3	4	7	10	16
20-34	43	4.2	11	1	1	3	5	9	11	18
35-49	31	6.0	13	2	3	5	8	10	13	19
50-64	24	6.6	67	1	2	4	7	13	22	41
65+	40	7.9	129	1	2	5	9	12	27	67
B. *Operated*										
0-19 YRS	395	2.0	4	<1	<1	1	2	4	5	12
20-34	72	2.7	3	1	1	2	3	4	7	11
35-49	69	3.5	12	1	2	2	3	7	11	22
50-64	75	3.9	10	1	1	3	4	9	11	17
65+	54	6.8	122	2	2	3	6	12	32	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	3.9	12	1	1	3	5	7	10	22
B. *Operated*	464	2.1	22	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	305	4.6	31	1	1	3	5	9	12	39
B. *Operated*	665	2.8	17	<1	<1	2	3	5	9	18
1. SINGLE DX	616	2.5	20	<1	<1	2	3	5	7	15
2. MULTIPLE DX	970	3.4	22	<1	<1	2	4	7	10	19
A. NOT OPERATED	457	4.4	25	1	1	3	5	8	12	28
B. OPERATED	1129	2.5	19	<1	<1	2	3	4	7	16
TOTAL 0-19 YRS	952	2.3	14	<1	<1	1	2	4	6	13
20-34	193	3.2	7	1	1	2	3	6	8	15
35-49	171	3.9	11	1	1	3	5	8	11	18
50-64	147	3.9	18	1	1	3	4	7	11	19
65+	123	6.5	98	1	2	4	7	11	19	67
GRAND TOTAL	**1586**	**3.1**	**21**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	4	1	1	2	3	6	8	9
20-34	100	2.6	2	1	1	2	3	4	5	9
35-49	145	3.1	5	1	1	2	4	6	7	12
50-64	283	2.8	3	1	1	2	4	5	6	10
65+	276	3.4	4	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	16	3.3	3	1	1	3	4	7	7	7
20-34	62	3.4	3	1	1	3	4	5	7	10
35-49	86	3.7	5	1	1	3	4	6	7	14
50-64	144	4.3	7	1	2	4	5	8	9	14
65+	37	4.1	6	1	1	4	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	8	1	1	3	7	9	10	10
20-34	114	3.9	6	1	2	4	5	6	9	13
35-49	210	4.5	26	1	2	3	5	7	11	29
50-64	437	4.0	11	1	1	3	5	8	9	15
65+	850	5.0	24	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	20	5.5	19	<1	1	4	7	13	14	15
35-49	30	6.2	24	1	2	5	7	14	15	22
50-64	58	5.7	22	1	2	4	6	11	18	22
65+	51	8.7	53	2	2	7	11	17	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	3.0	4	1	1	3	4	5	7	10
B. *Operated*	345	3.9	5	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	1628	4.6	19	1	2	4	6	8	11	18
B. *Operated*	163	6.6	33	1	2	5	8	14	19	30
1. SINGLE DX	1169	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	1791	4.8	21	1	2	4	6	9	11	20
A. NOT OPERATED	2452	4.1	15	1	1	3	5	8	10	16
B. OPERATED	508	4.8	16	1	2	4	6	9	12	21
TOTAL 0-19 YRS	57	3.4	5	1	1	3	5	7	8	10
20-34	296	3.5	5	1	1	3	4	6	8	13
35-49	471	4.0	16	1	1	3	5	7	10	20
50-64	922	3.8	9	1	1	3	5	7	9	15
65+	1214	4.8	21	1	2	4	6	9	11	19
GRAND TOTAL	**2960**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	23	2.0	1	1	1	2	3	3	4	4
20-34	192	1.9	1	1	1	2	2	3	3	6
35-49	349	2.0	2	1	1	2	2	3	4	5
50-64	347	2.4	36	1	1	2	2	3	4	10
65+	146	2.0	1	1	1	2	3	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	8	3.0	1	2	2	3	4	4	4	4
20-34	57	2.3	1	1	1	2	3	4	4	5
35-49	79	2.3	1	1	1	2	3	3	5	6
50-64	104	2.5	2	1	1	2	3	4	4	10
65+	42	2.5	2	1	1	2	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	1	2	2	2	4	4	4	4
B. *Operated*	1057	2.1	13	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.1	1	<1	<1	2	3	3	4	4
B. *Operated*	290	2.4	1	1	1	2	3	4	4	7
1. SINGLE DX	1063	2.1	13	1	1	2	2	3	4	6
2. MULTIPLE DX	304	2.4	1	1	1	2	3	4	4	7
A. NOT OPERATED	20	2.3	1	<1	<1	2	3	4	4	4
B. OPERATED	1347	2.2	10	1	1	2	3	3	4	6
TOTAL 0-19 YRS	34	2.2	1	1	1	2	3	3	4	4
20-34	252	2.0	1	1	1	2	2	3	4	5
35-49	434	2.0	2	1	1	2	2	3	4	6
50-64	454	2.4	28	1	1	2	3	3	4	10
65+	193	2.1	1	1	1	2	3	3	4	6
GRAND TOTAL	**1367**	**2.2**	**10**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.5	1	<1	<1	1	2	3	4	5
20-34	23	3.0	5	<1	1	2	4	7	8	9
35-49	26	3.2	3	1	1	3	4	5	7	8
50-64	34	3.3	5	1	1	3	4	6	9	11
65+	25	2.6	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	614	1.7	1	<1	<1	2	2	3	3	4
20-34	484	1.9	2	<1	1	2	2	3	3	6
35-49	357	2.1	1	1	1	2	2	3	4	5
50-64	300	2.4	31	1	1	2	2	3	4	8
65+	114	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	7	<1	<1	2	3	8	8	10
20-34	26	3.3	14	<1	<1	3	4	5	10	20
35-49	32	3.1	10	<1	1	2	4	7	12	15
50-64	38	4.4	9	1	1	4	6	9	11	12
65+	59	4.7	36	1	1	4	5	7	9	44
B. *Operated*										
0-19 YRS	447	1.9	4	<1	1	2	2	3	3	6
20-34	320	2.2	2	1	1	2	3	4	5	7
35-49	259	2.4	3	1	1	2	3	4	5	12
50-64	285	2.7	5	1	1	2	3	4	6	11
65+	112	2.9	11	1	1	2	3	5	6	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	2.8	4	<1	<1	2	3	5	7	10
B. *Operated*	1869	2.0	5	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	185	3.9	18	<1	1	3	5	8	9	18
B. *Operated*	1423	2.3	4	1	1	2	3	4	5	9
1. SINGLE DX	2000	2.1	6	<1	1	2	2	3	4	7
2. MULTIPLE DX	1608	2.5	6	1	1	2	3	4	6	11
A. NOT OPERATED	316	3.4	13	<1	1	3	4	7	8	13
B. OPERATED	3292	2.1	5	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	1114	1.8	2	<1	<1	2	2	3	3	6
20-34	853	2.1	2	<1	1	2	2	3	4	8
35-49	674	2.3	3	1	1	2	3	4	4	10
50-64	657	2.7	17	1	1	2	3	4	6	12
65+	310	3.1	13	1	1	2	3	5	7	21
GRAND TOTAL	**3608**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	8.3	88	2	2	6	9	19	24	56
20-34	22	7.6	30	2	3	6	9	14	20	26
35-49	7	4.1	6	2	2	4	5	8	9	9
50-64	4	2.8	2	<1	<1	3	4	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	4	16.0	211	3	3	12	26	36	36	36
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	17.0	32	13	13	17	21	21	21	21
65+	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.9	19	2	2	5	7	12	15	22
20-34	28	8.3	44	2	3	6	11	16	19	33
35-49	17	7.6	35	1	1	9	13	15	16	16
50-64	40	6.7	42	1	1	5	7	18	23	26
65+	63	8.9	131	2	3	6	9	15	21	77
B. *Operated*										
0-19 YRS	6	5.0	13	1	1	4	8	10	10	10
20-34	4	12.5	102	2	2	11	19	26	26	26
35-49	11	8.0	36	2	2	7	12	16	21	21
50-64	17	12.9	521	1	1	6	11	22	72	98
65+	11	9.2	77	2	2	7	9	24	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	7.4	62	2	2	5	8	15	23	47
B. *Operated*	9	13.4	115	3	3	13	18	30	36	36
2. MULTIPLE DX										
A. *Not Operated*	188	7.6	67	2	2	6	9	15	21	41
B. *Operated*	49	10.0	213	1	2	7	11	21	26	98
1. SINGLE DX	93	8.0	69	2	2	5	9	17	24	47
2. MULTIPLE DX	237	8.1	97	1	2	6	9	15	22	51
A. NOT OPERATED	272	7.5	65	2	2	5	9	15	22	43
B. OPERATED	58	10.5	197	1	2	7	12	21	29	93
TOTAL 0-19 YRS	95	7.1	55	2	2	5	8	15	21	44
20-34	58	8.8	54	2	3	6	12	17	26	36
35-49	36	7.0	30	1	2	5	12	15	16	21
50-64	63	8.4	173	1	1	5	9	21	23	89
65+	78	8.8	118	2	2	6	9	16	22	72
GRAND TOTAL	**330**	**8.0**	**89**	**2**	**2**	**6**	**9**	**16**	**22**	**48**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	12	3.6	4	1	1	3	5	7	7	7
35-49	17	3.1	2	1	2	3	4	4	6	7
50-64	21	3.1	3	<1	1	3	4	5	7	8
65+	20	5.4	20	1	1	5	7	10	16	19
B. *Operated*										
0-19 YRS	9	8.3	79	1	1	2	14	22	26	26
20-34	57	6.2	32	1	1	3	10	13	18	26
35-49	107	6.2	30	1	2	2	11	14	16	22
50-64	117	7.4	44	1	2	3	13	17	21	26
65+	48	7.0	50	1	2	3	12	20	21	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	12	1	1	3	4	11	12	13
20-34	53	4.3	10	1	1	3	7	9	12	14
35-49	133	4.0	13	<1	1	3	5	7	9	19
50-64	344	5.7	25	1	1	4	7	11	13	26
65+	447	8.1	35	2	2	7	11	16	19	27
B. *Operated*										
0-19 YRS	18	7.1	31	1	1	7	11	15	16	16
20-34	78	7.8	56	1	2	4	12	19	27	81
35-49	218	9.4	67	2	2	9	13	21	26	37
50-64	481	9.9	102	1	2	8	14	21	26	52
65+	287	14.1	177	2	2	11	19	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	4.1	10	1	1	3	5	7	11	18
B. *Operated*	338	6.8	39	1	2	3	11	15	20	27
2. MULTIPLE DX										
A. *Not Operated*	995	6.5	30	1	2	5	8	13	17	26
B. *Operated*	1082	10.7	115	2	2	9	15	23	31	53
1. SINGLE DX	410	6.3	35	1	2	3	11	15	18	26
2. MULTIPLE DX	2077	8.7	78	1	2	6	12	18	25	46
A. NOT OPERATED	1067	6.3	29	1	2	5	8	13	17	26
B. OPERATED	1420	9.8	100	1	2	8	14	21	28	51
TOTAL 0-19 YRS	47	6.4	34	1	1	3	11	15	16	26
20-34	200	6.2	36	1	1	4	9	13	19	33
35-49	475	6.9	47	1	2	4	11	16	21	31
50-64	963	7.9	70	1	2	5	12	18	22	45
65+	802	10.1	95	2	2	7	14	21	29	50
GRAND TOTAL	**2487**	**8.3**	**72**	**1**	**2**	**5**	**12**	**18**	**24**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.3	9	<1	1	2	4	8	9	13
20-34	97	3.3	3	1	1	3	4	5	7	9
35-49	211	3.5	5	1	1	3	4	6	9	11
50-64	270	4.3	42	1	2	3	5	7	9	23
65+	164	4.3	9	1	1	4	6	8	10	16
B. *Operated*										
0-19 YRS	13	2.1	1	1	1	2	2	4	5	5
20-34	41	3.2	13	<1	1	2	3	7	9	22
35-49	29	2.4	2	1	1	2	3	5	8	99+
50-64	30	2.6	4	<1	1	2	3	7	9	99+
65+	13	4.6	16	1	1	3	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.1	6	1	2	4	5	8	11	99+
20-34	247	4.5	18	1	2	3	5	8	12	16
35-49	748	4.7	15	1	2	4	6	8	11	22
50-64	1312	5.1	17	1	2	4	6	9	12	22
65+	1680	6.2	39	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	9	8.0	43	1	1	7	11	19	21	21
20-34	52	4.8	15	1	1	3	7	10	11	20
35-49	121	5.4	16	1	2	4	8	11	13	21
50-64	255	7.4	72	1	2	5	9	17	20	46
65+	182	9.6	75	2	2	8	12	20	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	3.9	19	1	1	3	5	7	9	18
B. *Operated*	126	2.9	8	1	1	2	3	6	9	99+
2. MULTIPLE DX										
A. *Not Operated*	4019	5.4	26	1	2	4	7	10	13	24
B. *Operated*	619	7.5	59	1	2	5	10	15	20	45
1. SINGLE DX	896	3.8	17	1	1	3	5	7	9	20
2. MULTIPLE DX	4638	5.7	31	1	2	4	7	11	14	26
A. NOT OPERATED	4789	5.2	25	1	2	4	6	9	13	23
B. OPERATED	745	6.7	53	1	2	5	9	14	20	46
TOTAL 0-19 YRS	82	3.9	12	1	1	3	5	8	12	74
20-34	437	4.1	14	1	1	3	5	8	10	17
35-49	1109	4.5	14	1	2	4	5	8	11	20
50-64	1867	5.3	29	1	2	4	6	10	14	25
65+	2039	6.3	41	1	2	5	8	12	16	32
GRAND TOTAL	**5534**	**5.4**	**29**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.8	6	2	2	3	5	7	7	7
35-49	36	3.7	8	1	1	3	4	7	9	15
50-64	65	5.0	15	1	2	4	6	11	13	20
65+	118	6.3	24	2	2	5	8	12	14	27
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	4	2.8	2	2	2	2	4	5	5	5
50-64	15	4.2	19	2	2	2	4	11	15	17
65+	7	6.4	13	3	3	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	18	4.1	4	1	2	4	5	7	8	9
35-49	170	5.2	17	1	2	4	6	9	13	20
50-64	597	6.1	16	2	2	5	8	11	14	21
65+	1987	7.9	41	2	3	6	10	15	19	38
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	12	5.6	36	1	1	4	6	14	22	23
35-49	35	7.6	34	1	1	6	12	15	18	22
50-64	149	7.4	44	1	2	5	11	16	21	29
65+	203	12.4	92	2	2	11	16	24	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	5.4	19	1	2	4	7	11	14	21
B. *Operated*	27	4.6	15	2	2	3	5	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2775	7.3	35	2	2	6	9	14	18	34
B. *Operated*	402	9.8	73	2	2	8	13	21	26	46
1. SINGLE DX	250	5.3	19	2	2	4	7	11	14	20
2. MULTIPLE DX	3177	7.6	40	2	2	6	10	15	19	36
A. NOT OPERATED	2998	7.2	34	2	2	6	9	14	17	32
B. OPERATED	429	9.5	71	2	2	7	13	21	25	46
TOTAL 0-19 YRS	7	3.4	5	1	1	3	4	7	8	8
20-34	34	4.6	15	1	2	4	5	7	10	23
35-49	245	5.3	19	1	2	4	6	10	15	21
50-64	826	6.2	22	2	2	5	8	12	15	24
65+	2315	8.2	46	2	3	6	10	16	20	39
GRAND TOTAL	**3427**	**7.5**	**39**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	2.8	2	1	1	3	4	5	5	5
35-49	11	4.1	4	1	2	4	6	7	7	7
50-64	19	8.2	137	2	2	4	9	14	36	54
65+	19	4.9	6	1	2	5	6	8	10	11
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	25	3.9	18	1	1	2	4	8	16	18
35-49	18	4.6	18	<1	1	3	6	10	14	17
50-64	31	5.4	40	1	1	3	7	12	14	33
65+	14	6.7	59	<1	<1	3	9	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.3	21	1	1	4	7	14	15	16
20-34	21	4.4	13	2	2	4	5	6	12	19
35-49	47	6.1	22	1	1	5	9	10	13	26
50-64	97	5.8	17	1	1	5	8	11	16	18
65+	231	9.6	58	2	3	7	13	18	24	40
B. *Operated*										
0-19 YRS	11	7.0	40	1	1	6	7	18	22	22
20-34	49	8.8	105	1	2	5	12	21	27	59
35-49	76	10.0	102	1	2	7	13	19	37	47
50-64	135	9.8	73	2	2	8	13	19	26	41
65+	130	13.9	127	2	3	11	19	27	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	5.5	51	1	2	4	6	9	12	51
B. *Operated*	90	4.9	32	1	1	3	6	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	415	7.9	44	1	2	6	10	17	19	32
B. *Operated*	401	11.0	102	2	2	8	15	23	31	49
1. SINGLE DX	147	5.1	39	1	1	3	6	10	16	34
2. MULTIPLE DX	816	9.4	75	1	2	7	12	19	26	45
A. NOT OPERATED	472	7.6	46	1	2	6	9	16	19	32
B. OPERATED	491	9.9	95	1	2	7	13	22	28	49
TOTAL 0-19 YRS	35	5.3	26	1	1	3	7	14	16	22
20-34	100	6.4	64	1	2	3	7	14	21	45
35-49	152	7.7	65	1	1	6	10	16	21	44
50-64	282	7.9	58	1	2	6	10	17	20	39
65+	394	10.7	84	2	3	8	14	22	27	51
GRAND TOTAL	**963**	**8.7**	**72**	**1**	**2**	**6**	**11**	**18**	**24**	**44**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.0	28	1	1	9	11	15	16	16
20-34	61	9.5	15	3	4	9	12	14	15	22
35-49	634	9.9	15	4	5	10	12	14	16	22
50-64	1346	10.6	19	4	6	10	13	16	18	22
65+	1240	11.1	21	4	6	11	14	16	19	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	10.1	82	2	2	8	16	23	25	25
35-49	62	8.7	35	1	2	9	11	16	20	27
50-64	111	11.5	42	2	3	11	14	19	22	36
65+	65	11.6	44	2	2	12	15	18	20	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.2	22	5	6	11	14	17	21	22
20-34	111	9.4	23	1	2	10	12	16	18	21
35-49	1300	10.8	22	4	5	10	13	16	19	27
50-64	4394	11.6	30	4	6	11	14	17	20	31
65+	6646	12.8	40	5	7	12	15	20	24	36
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	23	7.8	23	2	2	8	12	14	15	15
35-49	278	11.3	77	2	2	11	14	20	24	42
50-64	843	14.6	103	2	2	13	18	26	32	54
65+	831	18.8	126	6	9	16	22	32	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3288	10.6	19	4	6	10	13	16	18	23
B. *Operated*	246	10.7	43	2	2	11	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	12463	12.1	35	4	6	11	14	18	22	33
B. *Operated*	1976	15.8	116	2	3	14	20	28	35	59
1. SINGLE DX	3534	10.6	21	4	6	10	13	16	18	24
2. MULTIPLE DX	14439	12.6	48	4	6	12	15	20	25	40
A. NOT OPERATED	15751	11.8	32	4	6	11	14	18	21	32
B. OPERATED	2222	15.3	110	2	3	14	19	27	33	59
TOTAL 0-19 YRS	21	9.9	27	2	3	10	14	15	19	22
20-34	202	9.3	22	2	2	9	12	15	17	22
35-49	2274	10.6	27	3	5	10	13	16	19	27
50-64	6694	11.7	39	3	6	11	14	18	21	34
65+	8782	13.1	50	5	7	12	15	21	26	41
GRAND TOTAL	**17973**	**12.2**	**43**	**4**	**6**	**11**	**14**	**19**	**23**	**37**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	29	3.0	4	1	1	3	4	6	7	10
35-49	235	2.9	14	1	1	2	4	5	6	10
50-64	505	3.2	20	1	1	3	4	5	7	11
65+	427	3.5	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	7	3.7	17	1	1	2	3	11	13	13
35-49	84	3.4	10	1	1	2	4	8	12	71
50-64	147	3.6	11	1	1	2	4	8	11	16
65+	42	4.3	25	1	1	2	5	9	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	30	1	1	4	6	15	17	17
20-34	81	3.9	10	1	1	3	5	8	10	18
35-49	763	3.7	9	1	1	3	5	7	9	14
50-64	2537	4.3	11	1	2	3	5	8	10	16
65+	4128	5.3	16	1	2	4	7	10	12	22
B. *Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	26	5.2	22	2	2	2	9	12	16	17
35-49	645	6.4	34	1	2	4	10	13	15	26
50-64	2169	7.0	39	2	2	5	11	15	18	28
65+	1053	9.3	65	2	2	8	13	20	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1197	3.2	13	1	1	3	4	6	7	11
B. *Operated*	282	3.6	13	1	1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	7516	4.8	14	1	2	4	6	9	11	20
B. *Operated*	3897	7.5	46	2	2	5	11	15	20	32
1. SINGLE DX	1479	3.3	13	1	1	2	4	6	8	13
2. MULTIPLE DX	11413	5.7	27	1	2	4	7	12	15	26
A. NOT OPERATED	8713	4.5	14	1	2	4	6	8	11	19
B. OPERATED	4179	7.2	45	1	2	5	11	15	20	31
TOTAL 0-19 YRS	14	4.6	16	1	1	4	5	8	15	17
20-34	143	4.0	11	1	1	3	5	9	11	17
35-49	1727	4.6	21	1	1	3	6	10	13	20
50-64	5358	5.2	25	1	2	3	7	11	14	22
65+	5650	5.9	28	1	2	4	7	12	16	27
GRAND TOTAL	**12892**	**5.4**	**26**	**1**	**2**	**4**	**7**	**11**	**15**	**25**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	17	3	3	5	9	11	11	11
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	109	4.0	7	1	1	3	5	7	9	17
50-64	265	4.2	8	1	2	4	5	8	10	15
65+	258	4.8	9	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	30	6.4	23	2	2	5	9	13	14	18
50-64	74	6.7	27	1	2	6	10	14	16	23
65+	29	6.7	32	1	1	5	10	15	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	19	5.1	13	1	1	4	7	9	13	16
35-49	339	5.0	36	2	2	4	6	9	11	20
50-64	1311	5.0	11	2	2	4	6	9	11	18
65+	2071	6.2	17	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS										
20-34	14	7.5	29	1	2	7	12	14	16	16
35-49	202	9.7	60	2	2	10	13	16	19	32
50-64	758	10.6	49	2	2	10	14	18	22	32
65+	466	12.9	80	2	3	11	17	24	31	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	639	4.4	9	1	2	4	5	8	10	15
B. *Operated*	134	6.6	27	1	2	5	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	3743	5.7	17	2	2	5	7	10	13	21
B. *Operated*	1440	11.2	62	2	2	10	15	20	24	39
1. SINGLE DX	773	4.8	12	1	2	4	6	10	12	17
2. MULTIPLE DX	5183	7.2	36	2	2	5	9	14	18	29
A. NOT OPERATED	4382	5.5	16	2	2	5	7	10	13	20
B. OPERATED	1574	10.8	60	2	2	10	14	19	24	37
TOTAL 0-19 YRS	6	5.0	11	2	2	4	6	10	11	11
20-34	38	5.8	20	1	1	4	9	13	15	16
35-49	680	6.3	43	2	2	4	8	13	15	25
50-64	2408	6.7	30	2	2	5	9	14	17	25
65+	2824	7.2	33	2	2	6	9	14	18	30
GRAND TOTAL	**5956**	**6.9**	**33**	**2**	**2**	**5**	**9**	**14**	**17**	**28**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	5	5.2	8	3	3	4	6	10	10	10
35-49	86	3.9	15	1	1	3	5	7	10	25
50-64	234	3.6	9	1	1	3	4	7	10	18
65+	270	5.1	22	1	2	4	6	10	13	24
B. *Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	39	3.9	11	1	1	2	6	10	11	12
35-49	608	5.0	20	1	1	2	9	11	14	18
50-64	1531	5.6	27	1	2	2	9	12	14	22
65+	503	6.8	55	1	2	3	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.5	32	<1	1	6	9	12	20	22
20-34	37	5.2	31	1	1	4	6	8	18	30
35-49	648	4.9	28	1	1	4	6	9	12	20
50-64	2672	5.5	21	1	2	4	7	11	14	23
65+	6709	7.3	40	2	2	6	9	14	19	33
B. *Operated*										
0-19 YRS	10	7.4	38	2	2	6	9	18	19	19
20-34	98	6.1	37	1	2	2	9	16	19	28
35-49	1417	6.4	34	1	2	3	10	13	16	27
50-64	4459	7.9	52	1	2	7	12	16	19	33
65+	2493	10.5	90	2	2	9	14	21	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	597	4.3	16	1	1	3	5	9	12	24
B. *Operated*	2686	5.6	31	1	1	2	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	10081	6.7	35	1	2	5	8	13	17	30
B. *Operated*	8477	8.4	62	1	2	7	12	17	22	37
1. SINGLE DX	3283	5.4	28	1	1	2	9	12	14	22
2. MULTIPLE DX	18558	7.5	48	1	2	5	10	15	19	34
A. NOT OPERATED	10678	6.6	34	1	2	5	8	13	17	30
B. OPERATED	11163	7.7	56	1	2	6	11	16	20	35
TOTAL 0-19 YRS	32	5.9	29	1	1	4	7	14	19	22
20-34	179	5.4	30	1	1	2	8	12	16	29
35-49	2759	5.7	30	1	2	3	9	12	14	24
50-64	8896	6.7	39	1	2	4	10	14	17	29
65+	9975	8.1	55	2	2	6	11	16	21	37
GRAND TOTAL	**21841**	**7.2**	**46**	**1**	**2**	**5**	**10**	**15**	**19**	**33**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.3	11	1	2	7	8	11	12	12
20-34	147	8.3	11	3	4	8	10	12	15	18
35-49	143	8.4	13	3	4	8	10	13	15	19
50-64	177	9.0	13	3	5	9	11	13	16	18
65+	168	10.4	18	5	6	10	13	15	18	24
B. *Operated*										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	20	10.0	14	6	7	9	12	16	19	20
35-49	30	10.0	19	3	6	10	12	15	16	24
50-64	25	10.2	29	1	3	10	13	17	21	22
65+	22	13.1	40	4	7	11	18	24	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	9.6	26	3	4	9	12	17	21	22
20-34	156	8.7	19	2	3	8	11	13	15	26
35-49	278	9.7	33	4	5	9	11	15	18	35
50-64	573	10.6	35	4	6	9	12	17	20	33
65+	916	12.2	49	4	6	11	15	20	25	43
B. *Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	52	13.7	54	6	7	12	17	24	25	43
35-49	96	15.1	135	4	7	12	17	26	34	79
50-64	138	13.4	54	5	7	11	15	24	29	39
65+	191	17.4	155	7	8	14	20	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	9.0	15	3	5	9	11	14	16	20
B. *Operated*	99	10.7	26	3	6	10	13	18	22	26
2. MULTIPLE DX										
A. *Not Operated*	1940	11.1	41	4	5	10	13	18	21	37
B. *Operated*	479	15.4	113	6	7	12	18	26	35	65
1. SINGLE DX	743	9.2	16	3	5	9	11	14	17	22
2. MULTIPLE DX	2419	11.9	58	4	6	10	14	19	25	43
A. NOT OPERATED	2584	10.6	35	4	5	9	13	17	20	34
B. OPERATED	578	14.6	101	5	7	12	17	24	31	56
TOTAL 0-19 YRS	30	8.6	20	2	4	8	11	13	18	22
20-34	375	9.3	23	2	4	9	11	14	18	26
35-49	547	10.3	50	3	5	9	12	16	20	36
50-64	913	10.7	35	4	5	10	12	17	21	33
65+	1297	12.7	64	5	6	11	15	21	28	46
GRAND TOTAL	**3162**	**11.3**	**50**	**4**	**5**	**10**	**13**	**18**	**23**	**40**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	46	2	2	5	12	15	15	15
20-34	3	28.0	229	16	16	23	39	45	45	45
35-49	3	20.0	73	11	11	21	26	28	28	28
50-64	7	21.6	184	4	5	20	32	39	41	41
65+	4	27.3	131	17	17	24	35	43	43	43
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	17.5	545	1	1	17	34	34	34	34
35-49										
50-64	2	27.5	1405	1	1	27	54	54	54	54
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	19.9	131	2	5	19	30	34	37	37
20-34	35	21.7	199	3	4	17	32	46	51	99+
35-49	23	25.6	174	4	5	27	35	42	43	44
50-64	51	26.1	224	2	5	25	34	46	53	62
65+	75	29.3	219	5	8	28	38	48	58	69
B. *Operated*										
0-19 YRS	5	40.0	342	18	18	39	50	68	68	68
20-34	15	36.7	399	4	6	39	47	60	73	78
35-49	16	38.8	179	13	19	43	48	55	56	56
50-64	24	34.0	216	10	13	35	45	51	53	56
65+	19	32.2	210	7	15	32	44	50	56	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	21.3	161	3	4	20	30	42	44	45
B. *Operated*	5	19.6	554	1	1	8	39	54	54	54
2. MULTIPLE DX										
A. *Not Operated*	193	26.2	213	4	6	27	35	45	51	68
B. *Operated*	79	35.4	243	8	15	37	46	53	58	75
1. SINGLE DX	25	21.0	220	1	2	20	31	43	47	54
2. MULTIPLE DX	272	28.9	238	4	7	29	42	48	55	70
A. NOT OPERATED	213	25.7	209	4	6	26	35	45	50	67
B. OPERATED	84	34.5	269	4	12	36	45	53	57	75
TOTAL 0-19 YRS	18	22.7	294	2	3	18	31	42	58	68
20-34	55	26.0	294	2	4	24	40	50	58	99
35-49	42	30.2	211	5	9	30	42	47	54	56
50-64	84	28.0	241	2	6	29	41	51	53	60
65+	98	29.8	211	6	10	29	40	48	56	68
GRAND TOTAL	**297**	**28.2**	**241**	**4**	**6**	**28**	**40**	**48**	**54**	**69**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	1.6	2	<1	<1	1	2	3	5	6
20-34	41	2.0	3	<1	<1	1	2	4	5	11
35-49	97	1.8	2	<1	<1	1	2	4	5	6
50-64	159	2.0	2	<1	1	1	3	4	4	7
65+	107	2.4	4	1	1	2	3	5	6	12
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	6	2.3	5	1	1	2	2	7	7	7
65+	4	6.8	27	2	2	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	<1	1	2	3	5	6	6
20-34	57	3.0	7	<1	1	2	4	5	7	18
35-49	141	3.5	21	1	1	2	4	6	8	24
50-64	349	3.3	6	<1	1	3	4	7	9	11
65+	519	4.7	27	1	1	3	6	9	11	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	3.7	3	2	2	3	5	7	7	7
50-64	30	6.1	25	2	2	5	8	12	20	21
65+	28	15.4	137	2	3	14	20	35	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	16	3.4	11	1	1	2	3	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	1083	3.9	19	1	1	3	5	8	10	20
B. *Operated*	67	9.7	92	2	2	6	14	21	27	45
1. SINGLE DX	450	2.1	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	1150	4.3	25	1	1	3	5	8	11	25
A. NOT OPERATED	1517	3.4	15	1	1	2	4	7	9	17
B. OPERATED	83	8.5	82	1	2	5	11	20	25	44
TOTAL 0-19 YRS	50	2.0	2	<1	<1	1	3	4	5	6
20-34	100	2.6	6	<1	<1	2	3	5	6	15
35-49	248	2.9	14	<1	1	2	4	5	7	12
50-64	544	3.0	7	<1	1	2	4	6	8	14
65+	658	4.8	34	1	1	3	6	10	14	29
GRAND TOTAL	**1600**	**3.7**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	17	1	1	1	8	9	9	9
20-34	66	1.5	1	<1	<1	1	2	2	3	6
35-49	120	2.0	2	<1	<1	1	3	4	5	35
50-64	328	2.2	4	<1	<1	2	3	4	6	9
65+	382	2.9	7	<1	1	2	4	5	7	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	1.8		1	1	2	2	2	2	2
50-64	12	2.1		1	1	2	2	3	3	3
65+	7	4.0	7	1	1	4	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.0	21	<1	<1	2	6	12	14	14
20-34	82	2.3	5	<1	<1	2	3	4	6	14
35-49	222	3.5	12	1	1	2	4	8	9	17
50-64	[illegible]	4.1	17	1	1	3	5	8	11	19
65+	3234	6.1	34	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	13.3	262	3	3	5	25	32	32	32
35-49	19	6.4	14	2	2	7	9	11	13	14
50-64	131	8.0	39	2	2	7	11	15	22	32
65+	344	11.2	82	2	2	9	15	22	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	2.4	5	<1	1	2	3	5	6	12
B. *Operated*	25	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	4751	5.4	29	1	1	4	7	11	14	26
B. *Operated*	498	10.2	71	2	2	8	13	21	26	43
1. SINGLE DX	926	2.4	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	5249	5.9	35	1	1	4	7	12	16	30
A. NOT OPERATED	5652	4.9	26	1	1	3	6	10	14	25
B. OPERATED	523	9.8	70	2	2	8	13	20	26	42
TOTAL 0-19 YRS	15	4.3	18	<1	1	2	8	9	13	14
20-34	151	2.2	9	<1	<1	1	2	4	5	16
35-49	367	3.1	10	<1	1	2	4	7	9	15
50-64	1675	4.0	18	<1	1	3	5	8	12	20
65+	3967	6.2	39	1	1	4	8	13	17	31
GRAND TOTAL	**6175**	**5.3**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	2	<1	<1	2	4	4	5	6
20-34	84	2.5	3	<1	1	2	4	5	6	9
35-49	181	2.8	7	<1	1	2	4	5	6	17
50-64	261	2.9	5	1	1	2	4	6	7	12
65+	316	3.6	9	1	1	3	5	6	9	19
B. *Operated*										
0-19 YRS	9	2.9	3	<1	<1	3	4	5	6	6
20-34	15	4.5	9	1	2	3	7	9	10	11
35-49	46	4.3	11	1	2	3	5	10	11	17
50-64	145	5.0	12	1	2	4	7	9	11	19
65+	356	5.6	14	2	2	5	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	[illegible]	5.4	68	1	1	3	6	12	19	52
20-34	211	3.1	5	1	1	3	4	6	7	10
35-49	505	4.3	24	1	1	3	5	9	11	19
50-64	1479	4.9	20	1	1	4	6	9	13	24
65+	3128	6.2	30	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	11	6.3	66	1	1	3	8	18	28	29
20-34	35	8.5	131	2	2	4	8	21	40	52
35-49	140	7.8	50	1	2	6	11	16	19	43
50-64	534	8.0	54	2	2	6	10	16	22	40
65+	1969	9.8	57	3	3	8	12	18	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	866	3.1	7	1	1	2	4	6	7	15
B. *Operated*	571	5.3	13	1	2	4	7	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	5372	5.5	27	1	1	4	7	11	15	26
B. *Operated*	2689	9.3	57	2	3	8	12	18	23	44
1. SINGLE DX	1437	4.0	11	1	1	3	5	8	10	17
2. MULTIPLE DX	8061	6.8	40	1	2	5	9	14	18	30
A. NOT OPERATED	6238	5.2	25	1	1	4	6	10	14	25
B. OPERATED	3260	8.6	52	2	2	7	11	17	22	38
TOTAL 0-19 YRS	93	4.5	45	<1	1	3	5	8	16	42
20-34	345	3.6	20	1	1	3	4	7	8	21
35-49	872	4.6	26	1	1	3	5	10	13	22
50-64	2419	5.4	28	1	1	4	7	11	15	27
65+	5769	7.3	41	1	2	6	9	14	19	31
GRAND TOTAL	**9498**	**6.4**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	1	1	1	3	3	4	4	4
20-34	5	8.6	27	4	4	6	13	16	16	16
35-49	29	5.1	9	1	2	4	7	10	11	11
50-64	160	5.0	13	1	1	4	7	10	13	16
65+	879	6.3	29	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	3	5.3	9	2	2	6	7	8	8	8
50-64	7	5.0	31	1	1	2	7	15	16	16
65+	19	9.0	43	2	3	8	12	19	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	7.9	64	2	2	6	10	16	23	47
20-34	81	7.7	52	1	2	6	9	14	21	43
35-49	384	6.8	33	2	2	5	8	13	17	24
50-64	2473	7.2	35	2	2	6	9	13	17	31
65+	13274	8.6	45	2	3	7	11	16	21	34
B. *Operated*										
0-19 YRS	17	7.8	49	<1	<1	6	9	14	25	31
20-34	27	6.1	21	1	1	5	9	11	17	19
35-49	77	10.5	117	1	1	8	15	26	48	99+
50-64	380	11.9	121	2	2	9	15	27	38	78
65+	1154	14.7	114	3	5	12	19	28	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1081	6.1	26	1	2	5	7	11	14	22
B. *Operated*	32	7.4	35	2	2	6	10	16	21	26
2. MULTIPLE DX										
A. *Not Operated*	16290	8.4	44	2	3	7	10	16	20	34
B. *Operated*	1655	13.7	117	2	3	11	18	28	36	59
1. SINGLE DX	1113	6.1	27	1	2	5	8	12	15	22
2. MULTIPLE DX	17945	8.9	53	2	3	7	11	17	22	39
A. NOT OPERATED	17371	8.2	43	2	3	7	10	16	20	33
B. OPERATED	1687	13.5	116	2	3	11	18	28	36	59
TOTAL 0-19 YRS	104	7.5	57	1	2	5	9	15	22	42
20-34	115	7.3	43	1	2	6	9	14	19	35
35-49	493	7.3	47	1	2	5	9	14	20	48
50-64	3020	7.7	47	2	2	6	9	14	19	40
65+	15326	9.0	52	2	3	7	11	17	22	37
GRAND TOTAL	**19058**	**8.7**	**52**	**2**	**3**	**7**	**11**	**17**	**22**	**38**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.4	8	<1	1	3	4	7	10	12
20-34	171	3.6	7	1	1	3	4	7	9	13
35-49	199	3.8	7	1	1	3	5	7	9	15
50-64	208	4.7	15	1	2	4	6	9	11	20
65+	125	5.9	23	1	2	5	7	10	16	27
B. *Operated*										
0-19 YRS	62	3.0	11	1	1	2	2	7	11	17
20-34	62	3.7	9	1	1	2	5	9	10	11
35-49	177	4.3	16	1	1	2	6	11	13	16
50-64	282	5.3	31	1	1	2	9	13	16	25
65+	143	6.4	41	1	2	2	11	16	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.0	75	<1	1	4	6	12	22	47
20-34	252	5.6	27	1	2	4	7	11	15	28
35-49	444	5.8	31	1	2	4	7	11	15	27
50-64	1069	6.7	36	1	2	5	8	13	17	29
65+	1765	8.0	47	2	2	6	10	15	19	34
B. *Operated*										
0-19 YRS	43	4.8	62	1	1	2	4	12	21	42
20-34	123	8.3	92	2	2	5	10	17	25	50
35-49	310	8.1	85	1	2	5	11	17	25	64
50-64	865	8.6	65	2	2	6	13	19	24	37
65+	874	11.5	106	2	2	9	16	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	4.4	13	1	1	3	5	6	11	19
B. *Operated*	726	4.9	27	1	1	2	7	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	3580	7.1	41	1	2	5	9	14	18	31
B. *Operated*	2215	9.6	88	2	2	7	14	21	27	47
1. SINGLE DX	1464	4.6	20	1	1	3	6	11	14	21
2. MULTIPLE DX	5795	8.1	61	1	2	6	10	17	22	40
A. NOT OPERATED	4318	6.6	37	1	2	5	8	13	17	29
B. OPERATED	2941	8.4	77	1	2	5	12	19	25	44
TOTAL 0-19 YRS	190	4.3	40	1	1	2	4	9	14	41
20-34	608	5.4	35	1	1	3	7	11	15	32
35-49	1130	5.8	42	1	1	4	8	12	16	33
50-64	2424	7.0	46	1	2	5	9	15	19	34
65+	2907	8.9	66	2	2	7	11	18	24	43
GRAND TOTAL	**7259**	**7.4**	**54**	**1**	**2**	**5**	**10**	**16**	**21**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	12	6.1	103	<1	1	3	5	16	35	38
65+	43	5.7	20	1	2	4	7	12	16	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	14	4.2	12	<1	1	2	8	9	11	11
50-64	18	8.6	37	1	2	9	11	15	21	25
65+	19	8.4	104	1	2	5	13	16	32	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	70	5.0	17	1	2	4	6	11	14	21
50-64	285	5.7	20	1	2	5	7	11	14	18
65+	1228	8.4	73	2	2	6	10	17	23	60
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	8.0		8	8	8	8	8	8	8
35-49	59	6.2	23	2	2	5	10	12	14	21
50-64	180	7.5	49	2	2	5	11	16	20	29
65+	213	10.4	76	2	2	8	14	25	31	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	5.6	34	1	2	4	6	11	16	36
B. *Operated*	51	7.3	57	1	2	5	11	14	16	45
2. MULTIPLE DX										
A. *Not Operated*	1585	7.8	62	2	2	6	9	15	21	55
B. *Operated*	455	8.7	61	2	2	7	12	19	27	49
1. SINGLE DX	111	6.4	45	1	2	4	8	14	16	41
2. MULTIPLE DX	2040	8.0	62	2	2	6	10	16	22	53
A. NOT OPERATED	1645	7.7	61	2	2	5	9	15	21	53
B. OPERATED	506	8.6	61	2	2	7	12	18	26	47
TOTAL 0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	5	7.2	1	6	6	7	8	8	8	8
35-49	147	5.3	19	1	2	3	8	11	13	21
50-64	495	6.5	33	1	2	5	9	13	16	29
65+	1503	8.6	73	2	2	6	11	18	25	60
GRAND TOTAL	**2151**	**7.9**	**61**	**2**	**2**	**6**	**10**	**16**	**22**	**53**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	7.0	105	2	2	3	5	25	30	30
35-49	6	7.7	101	1	1	4	5	26	28	28
50-64	11	5.9	39	<1	<1	2	9	16	20	20
65+										
B. *Operated*										
0-19 YRS	4	13.5	62	8	8	10	18	25	25	25
20-34	23	16.4	128	3	4	14	20	33	39	47
35-49	46	17.4	132	1	3	16	21	34	40	58
50-64	35	17.0	95	4	7	15	22	30	39	39
65+	5	20.0	78	8	8	18	26	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	40	1	1	2	8	14	14	14
20-34	4	9.3	98	3	3	5	15	24	24	24
35-49	1	3.0		3	3	3	3	3	3	3
50-64	10	13.0	400	<1	<1	10	21	80	98	99+
65+	34	19.5	189	4	4	20	25	31	41	75
B. *Operated*										
0-19 YRS	6	11.3	57	<1	<1	12	18	20	20	20
20-34	20	23.6	254	7	8	17	40	55	75	99+
35-49	45	34.7	548	12	16	26	44	74	82	99
50-64	82	28.6	376	6	9	26	38	72	99+	99+
65+	34	30.5	351	8	11	28	49	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.4	65	<1	<1	3	7	20	28	30
B. *Operated*	113	17.0	112	2	5	16	22	33	38	51
2. MULTIPLE DX										
A. *Not Operated*	53	16.1	224	1	2	14	24	31	61	99
B. *Operated*	187	29.3	405	6	9	25	42	71	98	99+
1. SINGLE DX	138	15.1	120	1	2	14	20	30	37	48
2. MULTIPLE DX	240	26.4	394	3	6	23	36	66	94	99+
A. NOT OPERATED	78	13.0	192	<1	1	9	23	29	38	93
B. OPERATED	300	24.7	329	4	8	20	34	56	76	99+
TOTAL 0-19 YRS	15	9.4	60	<1	1	9	14	20	24	25
20-34	54	17.3	196	2	3	14	26	42	53	98
35-49	98	24.6	409	2	4	19	30	56	72	97
50-64	138	22.7	334	2	4	19	34	64	88	99+
65+	73	24.6	282	5	7	23	31	53	79	99+
GRAND TOTAL	**378**	**22.3**	**323**	**2**	**4**	**18**	**31**	**52**	**74**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	15.0	171	6	6	9	25	30	30	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	30.7	510	1	4	41	80	99+	99+	99+
50-64	9	50.4	390	22	25	56	71	86	99+	99+
65+	6	27.3	68	17	18	27	38	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	14.2	137	3	3	9	25	30	30	30
B. *Operated*	21	38.2	420	9	17	39	70	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	26	33.6	451	3	7	31	60	99+	99+	99+
A. NOT OPERATED	5	14.2	137	3	3	9	25	30	30	30
B. OPERATED	21	38.2	420	9	17	39	70	99+	99+	99+
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49	6	30.7	510	1	4	41	80	99+	99+	99+
50-64	10	45.7	572	4	14	53	71	84	99	99+
65+	9	23.2	123	6	7	25	35	69	99+	99+
GRAND TOTAL	**26**	**33.6**	**451**	**3**	**7**	**31**	**60**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	7	6.6	8	1	2	6	9	9	9	9
50-64	18	9.4	110	<1	1	7	13	17	34	45
65+	51	10.2	57	<1	2	9	15	21	24	35
B. *Operated*										
0-19 YRS	6	10.7	41	<1	1	11	14	19	20	20
20-34	15	10.9	50	1	3	10	16	22	23	23
35-49	20	9.1	34	1	3	7	13	17	20	23
50-64	48	12.8	50	4	5	11	16	23	24	36
65+	82	14.8	153	3	5	12	17	27	37	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	10.0	51	4	4	9	16	18	18	18
20-34	11	6.5	36	<1	<1	3	10	16	17	17
35-49	16	8.4	69	<1	<1	6	12	20	27	30
50-64	64	15.0	329	1	3	9	15	46	65	99
65+	161	16.4	169	3	4	13	23	37	44	69
B. *Operated*										
0-19 YRS	12	20.8	170	1	3	20	32	39	39	39
20-34	20	18.0	254	5	6	12	23	56	81	99+
35-49	31	20.3	369	5	6	14	31	77	99+	99+
50-64	91	20.7	270	6	7	15	28	45	69	99+
65+	184	23.9	294	6	7	20	33	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	8.9	64	<1	1	7	12	20	23	42
B. *Operated*	171	13.0	100	2	4	11	16	24	27	55
2. MULTIPLE DX										
A. *Not Operated*	256	15.0	201	1	3	11	19	35	45	91
B. *Operated*	338	22.2	288	6	7	17	32	48	71	99+
1. SINGLE DX	255	11.7	92	1	2	10	15	23	26	51
2. MULTIPLE DX	594	19.1	263	3	5	14	27	44	60	99+
A. NOT OPERATED	340	13.5	174	1	2	10	17	30	43	89
B. OPERATED	509	19.2	243	4	6	14	25	43	60	99+
TOTAL 0-19 YRS	25	14.4	141	<1	<1	13	20	35	39	39
20-34	51	11.8	151	1	1	10	15	24	49	99
35-49	74	13.4	211	1	2	10	17	33	74	99+
50-64	221	16.4	239	2	4	12	21	40	53	99+
65+	478	18.3	224	3	5	14	25	40	51	95
GRAND TOTAL	**849**	**16.9**	**223**	**2**	**4**	**12**	**23**	**38**	**52**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	14.0	334	<1	<1	6	19	46	49	49
50-64	25	24.1	332	<1	6	21	34	53	58	69
65+	65	24.7	345	5	5	21	34	57	75	99+
B. *Operated*										
0-19 YRS										
20-34	3	43.7	1220	23	23	24	69	84	84	84
35-49	8	38.1	841	7	13	40	87	99+	99+	99+
50-64	14	30.9	624	7	9	21	50	70	80	83
65+	34	26.5	329	5	9	23	40	58	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	97	23.7	341	4	5	19	33	54	67	99+
B. *Operated*	59	30.0	496	7	9	23	48	77	92	99+
1. SINGLE DX										
2. MULTIPLE DX	156	26.1	406	4	6	21	42	62	79	99+
A. NOT OPERATED	97	23.7	341	4	5	19	33	54	67	99+
B. OPERATED	59	30.0	496	7	9	23	48	77	92	99+
TOTAL 0-19 YRS										
20-34	4	33.8	1207	4	4	23	54	84	84	84
35-49	14	27.8	735	1	3	21	63	98	99+	99+
50-64	39	26.6	434	3	7	21	39	59	69	83
65+	99	25.4	337	5	6	21	34	58	75	99+
GRAND TOTAL	**156**	**26.1**	**406**	**4**	**6**	**21**	**42**	**62**	**79**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	22.0	800	2	2	22	42	42	42	42
35-49	6	4.5	8	2	2	4	5	9	10	10
50-64	10	4.6	58	<1	<1	2	4	15	26	26
65+	26	6.3	88	<1	1	3	6	17	23	45
B. *Operated*										
0-19 YRS	5	3.0	4	1	1	2	4	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	55	5.2	13	1	2	5	7	10	12	15
50-64	474	5.4	19	1	2	5	7	10	13	30
65+	808	6.2	22	1	2	5	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	11	6.0	17	1	2	5	9	13	14	14
50-64	57	6.8	44	1	1	5	8	17	25	95
65+	183	7.3	41	1	1	5	10	15	20	31
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	12.3	106	2	2	11	20	27	28	28
35-49	93	8.6	53	2	2	7	10	18	23	39
50-64	831	7.4	57	1	2	6	9	14	18	41
65+	1492	8.8	77	2	2	7	11	17	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	6.4	95	<1	1	3	5	17	31	45
B. *Operated*	1343	5.9	20	1	2	5	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	252	7.1	40	1	1	5	10	15	20	35
B. *Operated*	2423	8.3	70	2	2	6	10	16	21	47
1. SINGLE DX	1387	5.9	23	1	2	5	7	11	15	27
2. MULTIPLE DX	2675	8.2	67	1	2	6	10	16	21	46
A. NOT OPERATED	296	7.0	48	1	1	5	9	16	20	41
B. OPERATED	3766	7.5	54	1	2	6	9	14	19	37
TOTAL 0-19 YRS	6	3.0	3	1	1	3	4	6	6	6
20-34	10	13.2	178	2	2	10	20	35	42	42
35-49	165	7.1	38	1	2	6	10	14	18	30
50-64	1372	6.7	44	1	2	5	8	13	17	36
65+	2509	7.8	58	1	2	6	10	15	20	39
GRAND TOTAL	**4062**	**7.4**	**53**	**1**	**2**	**6**	**9**	**14**	**19**	**38**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	10.0	50	5	5	10	15	15	15	15
50-64	25	7.4	34	3	4	5	6	21	42	99+
65+	28	16.5	111	2	4	16	23	34	43	99+
B. *Operated*										
0-19 YRS										
20-34	3	25.7	456	10	10	17	42	50	50	50
35-49	12	17.8	385	2	2	6	34	45	60	62
50-64	40	11.0	97	2	3	7	16	23	33	46
65+	82	14.9	191	2	2	10	21	36	50	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	55	12.1	92	3	4	9	19	31	38	99+
B. *Operated*	137	14.2	186	2	2	9	19	34	48	70
1. SINGLE DX										
2. MULTIPLE DX	192	13.6	160	2	3	9	19	34	45	99+
A. NOT OPERATED	55	12.1	92	3	4	9	19	31	38	99+
B. OPERATED	137	14.2	186	2	2	9	19	34	48	70
TOTAL 0-19 YRS										
20-34	3	25.7	456	10	10	17	42	50	50	50
35-49	14	16.6	337	2	2	6	34	40	57	62
50-64	65	9.6	75	2	3	6	12	22	32	91
65+	110	15.3	170	2	3	11	22	34	48	99+
GRAND TOTAL	**192**	**13.6**	**160**	**2**	**3**	**9**	**19**	**34**	**45**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	4	7.5	55	1	1	5	12	18	18	18
35-49	13	5.8	18	<1	1	4	8	14	14	14
50-64	85	8.3	95	2	2	6	9	16	28	55
65+	215	8.9	81	2	2	6	11	15	26	40
B. *Operated*										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	7	4.9	22	<1	<1	2	9	11	12	12
35-49	14	6.4	41	2	2	2	10	17	20	21
50-64	52	6.6	38	1	2	5	9	14	18	33
65+	36	6.3	25	1	2	5	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.0	18	2	2	7	10	13	14	14
20-34	12	9.9	78	2	2	7	14	22	31	32
35-49	74	7.9	59	2	2	5	9	16	25	41
50-64	366	11.4	128	2	3	8	14	24	34	66
65+	1559	12.3	94	3	3	10	16	24	32	49
B. *Operated*										
0-19 YRS	2	15.0		15	15	15	15	15	15	15
20-34	14	14.0	80	6	7	10	17	25	36	39
35-49	41	14.5	236	1	2	9	16	38	51	65
50-64	160	13.4	230	2	2	8	16	44	49	98
65+	197	16.0	202	2	3	11	22	38	44	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	8.6	82	2	2	6	10	15	26	49
B. *Operated*	111	6.4	32	1	2	5	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	2018	11.9	99	2	3	9	15	24	32	56
B. *Operated*	414	14.8	212	2	2	10	19	39	46	95
1. SINGLE DX	430	8.0	70	2	2	6	10	15	22	39
2. MULTIPLE DX	2432	12.4	119	2	3	9	16	26	36	61
A. NOT OPERATED	2337	11.5	98	2	3	9	14	23	31	54
B. OPERATED	525	13.0	185	2	2	9	16	33	45	88
TOTAL 0-19 YRS	13	8.0	22	2	2	7	12	15	15	15
20-34	37	10.2	73	1	1	8	14	20	29	39
35-49	142	9.5	114	2	2	6	12	20	33	58
50-64	663	11.1	144	2	2	7	13	26	38	67
65+	2007	12.2	105	2	3	9	16	25	33	52
GRAND TOTAL	**2862**	**11.8**	**114**	**2**	**3**	**9**	**15**	**25**	**34**	**60**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	25.5	313	13	13	25	38	38	38	38
35-49	23	13.3	126	3	4	8	17	30	39	48
50-64	143	14.3	174	2	4	11	20	34	48	99+
65+	719	17.1	198	3	5	13	22	35	50	84
B. *Operated*										
0-19 YRS	2	16.5	221	6	6	16	27	27	27	27
20-34	2	12.5	13	10	10	12	15	15	15	15
35-49	10	11.0	69	5	5	10	13	60	97	99+
50-64	30	23.0	281	3	6	18	32	47	51	72
65+	68	24.1	307	4	6	21	33	56	59	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	888	16.5	193	3	4	12	22	35	50	99+
B. *Operated*	112	22.3	283	4	6	18	32	54	59	99+
1. SINGLE DX										
2. MULTIPLE DX	1000	17.2	206	3	4	13	23	38	54	99+
A. NOT OPERATED	888	16.5	193	3	4	12	22	35	50	99+
B. OPERATED	112	22.3	283	4	6	18	32	54	59	99+
TOTAL 0-19 YRS	3	17.0	111	6	6	18	25	27	27	27
20-34	4	19.0	165	10	10	14	26	38	38	38
35-49	33	12.6	108	4	5	8	15	33	45	99+
50-64	173	15.8	202	2	4	12	22	36	50	99+
65+	787	17.7	211	3	5	13	23	39	54	88
GRAND TOTAL	**1000**	**17.2**	**206**	**3**	**4**	**13**	**23**	**38**	**54**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	1.8		1	1	2	2	3	3	3
35-49	52	2.5	2	1	1	2	4	5	5	7
50-64	224	3.6	10	1	1	3	4	7	9	16
65+	660	3.8	8	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	3.5	10	1	1	2	6	8	10	11
35-49	62	3.5	8	1	1	2	4	7	10	14
50-64	196	3.8	9	1	1	2	5	8	9	15
65+	218	4.3	24	1	1	3	5	8	10	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.9	122	1	1	3	5	26	34	34
20-34	23	4.1	17	<1	1	3	4	9	13	20
35-49	120	3.8	6	1	1	3	5	7	9	12
50-64	762	4.6	15	1	1	4	6	9	11	20
65+	3880	5.8	29	1	2	4	7	11	15	26
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	81	6.4	28	1	2	5	8	13	15	29
50-64	427	5.9	41	1	2	4	8	11	14	27
65+	778	8.0	70	1	2	5	10	17	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	951	3.7	8	1	1	3	5	7	9	14
B. *Operated*	490	4.0	15	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	4793	5.6	26	1	2	4	7	10	14	25
B. *Operated*	1290	7.2	59	1	2	5	9	15	21	40
1. SINGLE DX	1441	3.8	11	1	1	3	5	7	9	14
2. MULTIPLE DX	6083	5.9	34	1	2	4	7	11	15	30
A. NOT OPERATED	5744	5.3	24	1	2	4	6	10	13	24
B. OPERATED	1780	6.3	49	1	2	4	8	13	18	38
TOTAL 0-19 YRS	11	5.5	91	1	1	3	4	17	33	34
20-34	53	3.3	11	1	1	2	4	7	9	20
35-49	315	4.2	13	1	1	3	5	8	11	16
50-64	1609	4.7	21	1	1	3	6	9	12	22
65+	5536	5.8	33	1	2	4	7	11	15	29
GRAND TOTAL	**7524**	**5.5**	**30**	**1**	**2**	**4**	**7**	**11**	**14**	**27**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	24	1	1	2	3	13	14	14
20-34	8	5.6	47	1	1	3	7	18	21	21
35-49	33	6.1	37	1	1	4	8	13	22	26
50-64	181	9.2	121	1	2	5	11	19	28	57
65+	728	9.9	91	2	2	7	13	21	28	57
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	5	4.4	17	1	1	2	7	11	11	11
35-49	20	5.7	22	1	2	3	9	12	15	17
50-64	49	7.5	181	1	1	3	7	10	40	78
65+	66	10.7	139	1	2	6	13	31	37	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.0	30	2	2	5	9	16	18	18
20-34	29	8.0	254	<1	1	3	7	16	26	86
35-49	108	8.3	94	2	2	6	10	15	19	67
50-64	726	11.4	155	2	3	7	14	25	34	77
65+	3855	12.4	125	2	3	9	15	25	34	63
B. *Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	9	9.9	101	2	2	8	15	66	99+	99+
35-49	34	12.8	237	2	2	7	14	45	91	99+
50-64	157	14.8	303	2	3	9	18	37	56	99
65+	413	18.0	207	3	4	13	26	41	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	9.6	94	2	2	7	12	20	28	57
B. *Operated*	142	8.5	134	1	2	5	10	20	36	60
2. MULTIPLE DX										
A. *Not Operated*	4725	12.1	130	2	3	9	15	24	34	64
B. *Operated*	615	16.8	234	2	3	12	23	40	55	99+
1. SINGLE DX	1098	9.5	99	1	2	6	12	20	28	57
2. MULTIPLE DX	5340	12.7	144	2	3	9	16	26	36	70
A. NOT OPERATED	5681	11.7	125	2	3	8	14	24	33	63
B. OPERATED	757	15.2	225	2	2	11	21	37	50	99+
TOTAL 0-19 YRS	17	5.9	28	1	2	4	7	16	17	18
20-34	51	7.6	169	1	1	3	10	19	32	99+
35-49	195	8.4	105	1	2	6	10	16	29	87
50-64	1113	11.3	174	2	2	7	13	25	38	80
65+	5062	12.5	130	2	3	9	16	26	35	63
GRAND TOTAL	**6438**	**12.1**	**138**	**2**	**3**	**9**	**15**	**25**	**35**	**67**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	14.0	364	2	2	4	28	36	36	36
20-34	3	15.0	151	1	1	20	23	24	24	24
35-49	57	12.3	157	2	3	8	16	25	41	67
50-64	301	16.7	249	2	3	12	22	40	51	99+
65+	1545	17.1	187	3	5	13	22	36	47	84
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	18	23.6	635	1	3	13	39	62	82	92
50-64	60	20.3	328	2	3	16	29	58	69	99+
65+	161	24.2	308	5	6	20	35	48	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1909	16.9	196	3	4	13	22	37	47	87
B. *Operated*	240	23.1	337	2	5	18	34	50	67	99+
1. SINGLE DX										
2. MULTIPLE DX	2149	17.6	216	3	4	13	23	39	50	91
A. NOT OPERATED	1909	16.9	196	3	4	13	22	37	47	87
B. OPERATED	240	23.1	337	2	5	18	34	50	67	99+
TOTAL 0-19 YRS	3	14.0	364	2	2	4	28	36	36	36
20-34	4	11.8	143	1	1	11	22	24	24	24
35-49	75	15.0	289	2	3	8	18	39	51	86
50-64	361	17.3	263	2	3	12	23	43	56	99+
65+	1706	17.7	202	3	5	14	23	38	48	88
GRAND TOTAL	**2149**	**17.6**	**216**	**3**	**4**	**13**	**23**	**39**	**50**	**91**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	7	2.7	3	1	1	3	3	5	6	6
35-49	28	3.8	5	1	2	3	5	7	9	10
50-64	82	3.9	12	1	1	3	5	8	10	21
65+	230	5.4	34	1	1	4	6	9	14	32
B. *Operated*										
0-19 YRS	6	4.7	11	1	1	4	8	9	9	9
20-34	11	9.9	55	2	2	10	17	21	22	22
35-49	42	6.8	46	1	1	4	10	15	18	36
50-64	106	7.1	106	1	1	3	8	24	33	74
65+	112	4.3	20	1	1	3	6	8	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	12.8	446	1	1	4	14	43	71	71
20-34	22	4.9	27	<1	1	3	5	12	18	22
35-49	103	6.5	46	1	2	4	8	14	18	69
50-64	406	7.1	61	1	2	5	8	14	20	54
65+	2596	8.4	67	2	2	6	10	17	24	63
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	14.6	275	1	2	8	18	38	56	63
35-49	58	12.5	232	2	2	7	14	35	51	70
50-64	196	9.9	127	1	2	7	13	23	33	99+
65+	440	11.9	154	2	2	8	16	27	37	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	4.8	26	1	1	4	6	9	11	25
B. *Operated*	277	6.0	60	1	1	3	7	13	21	50
2. MULTIPLE DX										
A. *Not Operated*	3137	8.1	67	2	2	6	10	16	23	63
B. *Operated*	717	11.5	157	2	2	8	15	26	38	94
1. SINGLE DX	626	5.3	41	1	1	3	6	10	15	36
2. MULTIPLE DX	3854	8.8	85	2	2	6	11	18	27	66
A. NOT OPERATED	3486	7.8	64	2	2	6	9	16	22	58
B. OPERATED	994	9.9	136	1	2	6	13	24	35	84
TOTAL 0-19 YRS	19	8.5	249	<1	1	3	9	14	45	71
20-34	62	9.0	136	1	1	5	10	22	32	62
35-49	231	7.7	95	1	2	5	9	16	31	60
50-64	790	7.5	81	1	2	5	9	17	25	71
65+	3378	8.5	77	2	2	6	10	18	25	63
GRAND TOTAL	**4480**	**8.3**	**81**	**2**	**2**	**6**	**10**	**18**	**26**	**63**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	1.8	3	<1	<1	1	2	5	5	5
50-64	18	2.1	1	<1	<1	2	3	4	5	5
65+	30	4.8	10	1	1	4	6	8	13	15
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	7.3	37	2	2	6	12	14	14	14
35-49	45	4.8	14	<1	1	4	7	10	12	14
50-64	184	5.7	24	1	1	4	9	12	14	23
65+	226	6.5	44	1	1	3	10	14	17	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	18	4.2	22	<1	1	3	5	7	16	21
50-64	115	7.0	123	1	1	4	8	14	26	69
65+	841	7.9	53	2	2	6	10	17	23	44
B. *Operated*										
0-19 YRS	4	23.3	993	3	3	10	42	70	70	70
20-34	13	8.3	23	1	2	9	12	13	16	17
35-49	138	9.3	48	1	2	9	11	17	22	34
50-64	742	10.9	146	1	2	9	13	22	35	67
65+	1294	14.6	187	1	2	11	19	34	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.6	8	<1	1	3	5	7	8	15
B. *Operated*	459	6.0	33	1	1	4	9	13	15	29
2. MULTIPLE DX										
A. *Not Operated*	978	7.7	61	1	2	5	9	16	23	46
B. *Operated*	2191	13.0	169	1	2	10	16	29	41	73
1. SINGLE DX	513	5.7	31	1	1	3	9	12	15	26
2. MULTIPLE DX	3169	11.3	141	1	2	8	14	25	36	65
A. NOT OPERATED	1032	7.5	59	1	2	5	9	16	22	45
B. OPERATED	2650	11.8	152	1	2	9	15	26	38	66
TOTAL 0-19 YRS	8	13.6	532	2	2	5	10	53	70	70
20-34	18	7.7	23	1	2	9	12	13	16	17
35-49	206	7.7	42	1	1	7	10	15	20	31
50-64	1059	9.4	125	1	1	7	12	19	30	65
65+	2391	11.3	137	1	2	8	15	25	36	62
GRAND TOTAL	**3682**	**10.6**	**130**	**1**	**2**	**8**	**13**	**23**	**34**	**62**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49										
50-64	7	2.9	6	<1	<1	2	3	7	8	8
65+	39	3.1	6	<1	<1	3	4	6	9	11
B. *Operated*										
0-19 YRS										
20-34	5	4.4	15	1	1	3	8	9	9	9
35-49	5	13.0	34	7	7	11	18	21	21	21
50-64	117	9.0	22	2	2	9	11	15	17	22
65+	240	10.4	33	1	2	10	13	18	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	38	6.0	20	1	2	5	8	12	17	19
65+	200	7.3	64	1	1	5	9	15	22	46
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	19.7	340	4	4	15	34	40	40	40
35-49	16	10.3	98	1	2	7	13	23	34	39
50-64	342	13.3	106	2	2	11	15	22	28	64
65+	934	15.1	117	2	4	13	19	27	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.1	6	<1	<1	2	4	7	10	11
B. *Operated*	367	9.9	30	1	2	10	13	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	243	7.0	56	1	1	5	8	15	20	43
B. *Operated*	1296	14.6	115	2	4	12	18	25	34	70
1. SINGLE DX	415	9.1	32	1	2	9	12	16	19	27
2. MULTIPLE DX	1539	13.4	113	2	2	11	17	24	33	64
A. NOT OPERATED	291	6.4	50	1	1	4	8	13	19	40
B. OPERATED	1663	13.6	100	2	3	12	17	24	31	62
TOTAL 0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	11	8.7	127	1	1	4	10	25	39	40
35-49	24	9.9	79	1	2	7	13	21	28	39
50-64	504	11.6	86	2	2	10	14	19	25	55
65+	1413	12.9	103	1	2	11	16	23	31	58
GRAND TOTAL	**1954**	**12.5**	**99**	**2**	**2**	**11**	**16**	**23**	**30**	**57**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	4	3.8	3	2	2	3	5	6	6	6
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	4	3.8	7	1	1	4	6	6	6	6
20-34	16	5.9	29	<1	1	4	9	15	17	18
35-49	21	6.8	45	<1	1	4	10	19	21	22
50-64	57	9.1	136	1	1	6	12	19	24	75
65+	57	9.5	75	1	2	8	11	19	23	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	3.0	4	2	2	2	4	6	6	6
65+	18	5.9	22	2	2	4	8	14	17	18
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	15	9.0	104	1	2	6	8	26	34	37
35-49	22	11.3	84	1	2	11	15	24	29	36
50-64	77	13.1	108	2	3	10	17	26	32	56
65+	177	13.0	142	2	2	10	16	27	39	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	3	1	1	2	4	5	6	6
B. *Operated*	155	8.5	87	1	1	6	11	18	22	53
2. MULTIPLE DX										
A. *Not Operated*	22	5.4	20	2	2	4	6	11	17	18
B. *Operated*	293	12.6	126	2	2	10	16	25	36	61
1. SINGLE DX	164	8.2	84	1	1	6	10	18	21	52
2. MULTIPLE DX	315	12.1	122	2	2	10	16	25	35	60
A. NOT OPERATED	31	4.6	16	1	1	4	6	9	16	18
B. OPERATED	448	11.2	116	1	2	9	14	22	31	60
TOTAL 0-19 YRS	6	4.2	5	1	1	5	6	6	6	6
20-34	31	7.4	66	1	1	5	8	18	26	37
35-49	45	8.8	68	1	1	7	13	21	24	36
50-64	142	10.9	119	1	2	8	15	22	30	62
65+	255	11.6	122	1	2	9	14	22	33	60
GRAND TOTAL	**479**	**10.8**	**112**	**1**	**2**	**8**	**14**	**22**	**30**	**58**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	7.4	6	3	4	8	9	10	10	10
35-49	14	6.6	22	1	1	6	9	14	15	15
50-64	22	5.3	18	<1	1	4	8	12	14	14
65+	33	5.5	16	<1	1	4	9	11	13	13
B. *Operated*										
0-19 YRS	6	6.2	26	1	1	6	10	13	13	13
20-34	24	4.9	20	<1	1	3	7	10	13	20
35-49	97	7.8	39	1	2	7	10	14	17	35
50-64	394	6.7	24	1	1	7	10	13	15	23
65+	371	7.9	39	1	2	7	11	14	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	9.2	23	<1	2	9	12	16	18	18
35-49	25	8.2	39	1	2	7	10	17	22	26
50-64	70	7.0	28	1	1	6	10	14	16	26
65+	144	9.0	64	1	2	7	11	17	24	36
B. *Operated*										
0-19 YRS	5	13.8	236	2	2	9	20	40	40	40
20-34	22	8.5	44	1	2	8	13	19	22	22
35-49	166	9.5	53	2	2	9	12	18	23	45
50-64	764	10.9	91	1	2	9	13	22	27	71
65+	1235	13.2	126	2	2	11	17	26	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	5.8	17	<1	1	5	9	11	14	15
B. *Operated*	892	7.3	32	1	1	7	10	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	249	8.4	50	1	2	7	11	16	21	34
B. *Operated*	2192	12.1	109	1	2	10	15	24	31	61
1. SINGLE DX	969	7.2	31	1	1	7	10	13	16	27
2. MULTIPLE DX	2441	11.7	104	1	2	10	15	23	30	59
A. NOT OPERATED	326	7.8	43	1	1	7	10	14	18	34
B. OPERATED	3084	10.7	92	1	2	9	13	21	28	55
TOTAL 0-19 YRS	13	9.1	105	1	2	7	11	19	36	40
20-34	62	7.1	30	1	1	7	10	14	19	22
35-49	302	8.7	46	1	2	8	11	16	21	40
50-64	1250	9.3	69	1	2	8	12	18	23	48
65+	1783	11.6	107	1	2	9	15	24	30	58
GRAND TOTAL	**3410**	**10.4**	**88**	**1**	**2**	**9**	**13**	**20**	**27**	**53**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	5.5	22	1	1	3	9	14	16	18
20-34	17	4.6	27	<1	1	3	4	9	18	23
35-49	22	2.7	3	<1	<1	2	4	5	6	6
50-64	46	4.5	39	<1	<1	3	5	10	13	39
65+	52	4.8	23	1	1	3	6	11	16	26
B. *Operated*										
0-19 YRS	14	6.4	41	1	1	5	8	13	22	25
20-34	44	5.5	23	<1	1	4	7	14	17	19
35-49	81	5.3	27	1	1	4	7	11	14	30
50-64	192	5.0	22	1	1	3	8	12	13	24
65+	204	6.2	45	1	1	4	8	14	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.4	19	1	2	3	5	14	15	15
20-34	37	7.9	258	1	1	4	6	12	30	95
35-49	68	5.7	35	1	2	4	6	12	17	35
50-64	149	6.3	37	1	1	4	8	15	19	27
65+	413	8.5	68	1	2	6	11	18	23	41
B. *Operated*										
0-19 YRS	15	8.0	76	1	1	6	9	23	30	32
20-34	67	9.7	159	1	1	6	10	23	37	70
35-49	146	9.4	106	1	2	7	11	20	28	52
50-64	468	9.8	118	1	2	6	12	24	35	59
65+	767	13.5	194	1	2	10	17	30	41	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	4.6	25	<1	1	3	5	10	14	25
B. *Operated*	535	5.6	32	1	1	4	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	689	7.6	67	1	1	5	9	16	22	39
B. *Operated*	1463	11.7	162	1	2	8	15	27	39	75
1. SINGLE DX	709	5.3	30	1	1	3	7	12	15	27
2. MULTIPLE DX	2152	10.4	135	1	2	7	13	24	34	66
A. NOT OPERATED	863	7.0	60	1	1	5	9	15	20	38
B OPERATED	1998	10.0	134	1	1	7	12	24	34	64
TOTAL 0-19 YRS	88	6.0	33	1	1	4	8	14	16	29
20-34	165	7.6	133	1	1	4	8	16	25	71
35-49	317	7.1	68	1	1	5	9	15	21	49
50-64	855	7.8	83	1	1	5	10	18	27	52
65+	1436	10.7	140	1	2	7	14	24	34	73
GRAND TOTAL	**2861**	**9.1**	**114**	**1**	**1**	**6**	**11**	**21**	**29**	**59**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	7.1	15	1	2		9	10	13	19
20-34	305	6.9	15	2	3	6	9	12	14	17
35-49	395	7.0	15	2	3	7	9	12	14	21
50-64	424	7.4	17	2	3	7	9	12	15	24
65+	418	7.8	17	3	4	7	10	13	15	22
B. *Operated*										
0-19 YRS	14	5.0	11	1	1	5	7	9	11	12
20-34	157	7.3	24	1	2	7	9	14	17	24
35-49	164	7.7	41	2	2	7	10	14	15	57
50-64	162	7.9	31	1	2	7	10	13	15	35
65+	106	8.5	22	2	3	8	12	15	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	8.2	32	1	2	7	10	14	16	32
20-34	333	8.6	29	2	3	8	11	15	20	29
35-49	514	8.4	28	2	3	7	11	14	17	35
50-64	870	8.7	23	3	4	8	11	14	17	26
65+	1284	9.6	38	3	4	8	11	16	19	34
B. *Operated*										
0-19 YRS	13	12.0	37	2	4	12	15	22	22	22
20-34	145	9.7	56	2	3	8	12	17	22	44
35-49	223	9.2	47	2	3	8	12	16	22	39
50-64	397	10.4	61	2	3	9	13	18	23	43
65+	491	11.9	75	3	4	10	14	22	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1587	7.3	16	2	3	7	9	12	14	21
B. *Operated*	603	7.7	30	2	2	7	10	14	16	29
2. MULTIPLE DX										
A. *Not Operated*	3034	9.0	31	3	4	8	11	15	18	31
B. *Operated*	1269	10.7	64	2	3	9	13	19	26	46
1. SINGLE DX	2190	7.4	20	2	3	7	9	13	15	24
2. MULTIPLE DX	4303	9.5	42	3	4	8	11	16	20	36
A. NOT OPERATED	4621	8.4	27	3	4	8	10	14	17	28
B. OPERATED	1872	9.8	55	2	3	8	12	17	22	44
TOTAL 0-19 YRS	105	7.8	25	1	2	8	10	13	16	27
20-34	940	8.0	29	2	3	7	10	14	17	28
35-49	1296	8.0	30	2	3	7	10	14	16	32
50-64	1853	8.7	31	3	4	8	11	14	17	29
65+	2299	9.7	43	3	4	8	12	16	21	36
GRAND TOTAL	**6493**	**8.8**	**35**	**2**	**3**	**8**	**11**	**15**	**19**	**32**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	4.0	26	1	1	2	4	13	15	15
35-49	19	5.6	13	<1	1	5	7	10	13	15
50-64	29	8.8	59	1	2	6	12	21	28	28
65+	63	9.1	33	2	3	8	12	18	20	24
B. *Operated*										
0-19 YRS	28	3.2	2	1	2	3	4	6	6	8
20-34	541	3.6	3	1	2	3	4	5	6	10
35-49	751	4.0	6	1	2	3	4	6	8	15
50-64	607	4.7	19	2	2	4	5	7	11	26
65+	219	8.9	88	2	3	5	9	22	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	9.6	105	<1	<1	4	16	21	32	37
35-49	36	8.0	120	1	1	5	9	15	17	67
50-64	110	9.9	92	2	3	8	13	19	31	99+
65+	303	11.9	93	3	3	9	15	23	31	55
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	153	5.1	22	2	2	4	5	9	14	43
35-49	267	5.9	50	2	2	4	6	10	14	31
50-64	365	7.4	81	2	2	5	8	14	22	56
65+	262	15.3	246	3	3	10	21	33	49	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	8.1	37	1	2	7	11	18	21	28
B. *Operated*	2146	4.6	19	2	2	4	5	7	10	27
2. MULTIPLE DX										
A. *Not Operated*	465	11.1	96	2	3	9	14	22	31	67
B. *Operated*	1049	8.7	120	2	3	5	9	20	30	67
1. SINGLE DX	2265	4.7	21	2	2	4	5	7	12	28
2. MULTIPLE DX	1514	9.4	114	2	3	5	11	21	30	67
A. NOT OPERATED	584	10.5	85	2	3	8	14	21	28	62
B. OPERATED	3195	5.9	56	2	2	4	5	11	19	41
TOTAL 0-19 YRS	31	3.4	3	2	2	3	4	6	8	8
20-34	717	4.0	10	1	2	3	5	6	8	19
35-49	1073	4.6	22	2	2	4	5	7	10	21
50-64	1111	6.2	51	2	2	4	6	12	19	41
65+	847	12.0	141	2	3	8	15	26	35	67
GRAND TOTAL	**3779**	**6.6**	**64**	**2**	**2**	**4**	**7**	**14**	**21**	**45**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	50	2.3	2	<1	1	2	3	4	6	8
35-49	47	3.0	6	<1	1	2	4	5	7	13
50-64	34	2.1	2	1	1	2	3	4	4	7
65+	27	3.3	3	1	1	3	4	6	6	7
B. *Operated*										
0-19 YRS	16	3.7	3	1	1	4	5	5	6	6
20-34	345	4.4	5	2	2	4	5	7	7	12
35-49	484	4.5	3	2	3	4	5	7	8	10
50-64	337	4.6	3	2	2	4	5	7	8	10
65+	104	4.8	4	2	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	3	<1	<1	3	4	5	5	5
20-34	67	3.6	8	1	1	3	4	7	8	15
35-49	110	3.6	9	<1	1	3	5	6	7	18
50-64	122	3.5	9	1	1	3	4	6	8	14
65+	167	4.9	17	1	2	4	6	10	13	23
B. *Operated*										
0-19 YRS	37	4.6	3	2	3	5	5	7	8	9
20-34	1101	4.8	5	2	3	4	6	7	8	13
35-49	1782	5.0	6	2	3	5	6	7	9	13
50-64	1414	5.4	9	3	3	5	6	8	10	18
65+	649	6.5	24	3	3	5	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	2.7	3	1	1	2	4	5	6	10
B. *Operated*	1286	4.5	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	470	4.0	12	1	1	3	5	7	9	20
B. *Operated*	4983	5.3	9	2	3	5	6	8	10	17
1. SINGLE DX	1447	4.3	4	1	2	4	5	7	8	10
2. MULTIPLE DX	5453	5.2	10	2	3	5	6	8	10	17
A. NOT OPERATED	631	3.7	10	1	1	3	4	7	9	17
B. OPERATED	6269	5.1	8	2	3	5	6	8	9	16
TOTAL 0-19 YRS	60	4.1	3	1	2	4	5	6	7	9
20-34	1563	4.6	6	2	2	4	5	7	8	12
35-49	2423	4.8	5	2	3	4	6	7	9	13
50-64	1907	5.1	9	2	3	5	6	8	9	17
65+	947	6.0	20	2	2	5	7	10	13	21
GRAND TOTAL	**6900**	**5.0**	**9**	**2**	**3**	**4**	**6**	**8**	**9**	**16**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.7	14	1	1	3	8	11	12	12
20-34	61	4.8	7	1	2	4	6	9	10	12
35-49	59	5.6	17	1	2	4	8	11	14	21
50-64	95	6.1	60	1	1	4	8	10	16	48
65+	121	5.7	16	1	1	5	7	11	14	20
B. *Operated*										
0-19 YRS	84	3.2	18	<1	1	2	3	6	9	28
20-34	247	3.4	26	<1	1	2	3	8	11	18
35-49	99	5.4	38	1	1	3	7	11	16	37
50-64	89	6.1	18	1	1	5	9	12	14	18
65+	87	7.1	30	1	1	6	11	14	19	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.1	8	<1	1	3	5	8	11	12
20-34	143	6.1	26	1	2	5	8	12	15	26
35-49	232	7.1	70	1	2	5	9	13	19	36
50-64	496	6.8	30	1	2	5	9	13	19	27
65+	1025	7.7	40	2	2	6	10	15	20	36
B. *Operated*										
0-19 YRS	46	6.1	49	1	1	3	7	17	21	34
20-34	272	4.8	29	1	1	3	6	11	14	27
35-49	192	8.0	65	1	2	6	10	15	21	60
50-64	312	12.2	161	1	2	9	15	26	36	67
65+	428	14.1	192	2	3	10	17	29	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	5.6	26	1	1	5	7	10	13	21
B. *Operated*	606	4.6	28	1	1	3	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	1937	7.2	40	1	2	6	9	14	19	32
B. *Operated*	1250	10.4	138	1	2	7	13	22	33	68
1. SINGLE DX	971	5.0	28	1	1	3	7	11	13	22
2. MULTIPLE DX	3187	8.4	80	1	2	6	11	17	23	49
A. NOT OPERATED	2302	6.9	36	1	2	5	9	13	18	31
B. OPERATED	1856	8.5	109	1	1	5	11	18	27	62
TOTAL 0-19 YRS	200	4.3	24	1	1	3	5	10	12	28
20-34	723	4.6	26	1	1	3	6	10	13	25
35-49	582	6.9	58	1	1	5	9	14	19	39
50-64	992	8.4	80	1	2	6	10	16	22	44
65+	1661	9.2	85	2	2	7	11	18	24	56
GRAND TOTAL	**4158**	**7.6**	**70**	**1**	**2**	**5**	**10**	**15**	**21**	**46**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3463	2.3	3	1	1	2	3	4	5	8
20-34	308	2.9	3	1	1	3	4	5	6	10
35-49	119	2.9	4	1	1	3	4	5	6	11
50-64	76	3.1	4	1	1	3	4	6	6	8
65+	69	3.9	6	1	1	3	5	7	9	83
B. *Operated*										
0-19 YRS	591	1.9	2	<1	1	2	2	3	4	8
20-34	261	2.2	4	1	1	2	2	3	5	21
35-49	52	2.8	5	<1	1	2	3	5	6	13
50-64	25	3.8	7	<1	1	3	5	8	9	9
65+	17	2.4	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3240	2.9	4	1	1	2	4	5	7	10
20-34	607	3.6	6	1	1	3	4	6	8	14
35-49	347	4.2	9	1	2	3	5	8	10	14
50-64	418	4.8	16	1	2	4	6	9	11	16
65+	714	6.1	21	2	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	337	2.9	11	1	1	2	3	6	9	19
20-34	124	3.8	15	1	1	3	4	7	10	21
35-49	61	4.9	41	<1	1	3	6	11	13	40
50-64	71	4.5	17	1	1	2	7	11	13	17
65+	47	8.6	61	2	2	7	12	18	32	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4035	2.4	3	1	1	2	3	4	5	8
B. *Operated*	946	2.1	3	<1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	5326	3.7	9	1	1	3	4	7	9	15
B. *Operated*	640	3.8	21	1	1	2	4	9	12	27
1. SINGLE DX	4981	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	5966	3.7	10	1	1	3	4	7	9	16
A. NOT OPERATED	9361	3.1	7	1	1	2	4	6	7	13
B. OPERATED	1586	2.8	11	1	1	2	3	6	9	17
TOTAL 0-19 YRS	7631	2.5	4	1	1	2	3	4	6	9
20-34	1300	3.2	6	1	1	3	4	6	7	14
35-49	579	3.9	11	1	1	3	5	7	10	14
50-64	590	4.5	15	1	1	4	6	9	11	16
65+	847	6.0	22	2	2	5	7	11	15	28
GRAND TOTAL	**10947**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2363	3.1	5	1	1	3	4	5	7	11
20-34	181	3.7	4	1	2	3	5	6	8	10
35-49	166	4.4	6	2	2	4	5	8	10	14
50-64	187	4.8	11	2	2	4	5	9	10	18
65+	238	5.3	12	2	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	11	6.5	18	2	2	7	9	12	16	16
20-34	6	2.8	3	1	1	2	4	6	6	6
35-49	12	5.1	11	1	1	5	7	9	12	13
50-64	10	4.0	15	<1	1	3	3	10	14	14
65+	11	8.1	15	2	3	10	11	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2021	3.9	6	1	2	3	5	7	8	13
20-34	359	4.5	11	1	2	4	6	8	10	15
35-49	494	5.1	10	2	2	4	6	9	12	15
50-64	1249	6.4	29	2	2	5	8	11	15	27
65+	2792	7.6	31	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	31	8.7	105	1	2	5	8	23	31	48
20-34	32	7.5	31	1	2	6	9	19	23	99+
35-49	50	8.6	67	2	3	7	10	16	20	54
50-64	94	10.6	85	1	2	8	14	24	26	82
65+	142	13.0	107	2	3	11	16	26	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3135	3.5	6	1	1	3	4	6	8	13
B. *Operated*	50	5.6	15	1	2	4	7	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	6915	5.9	23	2	2	5	7	11	14	23
B. *Operated*	349	10.9	91	2	2	8	14	23	29	59
1. SINGLE DX	3185	3.5	6	1	1	3	4	6	8	13
2. MULTIPLE DX	7264	6.2	28	2	2	5	8	12	15	26
A. NOT OPERATED	10050	5.2	19	1	2	4	6	10	13	22
B. OPERATED	399	10.2	85	2	2	8	13	21	28	56
TOTAL 0-19 YRS	4426	3.5	7	1	1	3	4	6	8	12
20-34	578	4.4	10	1	2	4	5	8	10	17
35-49	722	5.2	14	2	2	4	6	9	12	18
50-64	1540	6.4	31	2	2	5	8	11	16	27
65+	3183	7.6	34	2	3	6	9	14	17	29
GRAND TOTAL	**10449**	**5.4**	**23**	**1**	**2**	**4**	**7**	**10**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	1	<1	<1	2	3	4	4	4
20-34	8	1.6	1	<1	<1	1	2	3	3	3
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	458	1.9	1	1	1	2	2	3	3	4
20-34	1157	1.9	5	1	1	2	2	3	3	5
35-49	511	1.9	1	<1	1	2	2	3	4	5
50-64	275	2.0	1	<1	1	2	2	3	4	5
65+	59	2.3	1	<1	1	2	3	4	5	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	15	2.2	1	1	1	2	3	5	71	99+
35-49	14	1.8	1	<1	<1	1	3	3	4	4
50-64	10	1.4		<1	<1	1	2	2	2	2
65+	6	5.2	6	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	691	2.3	2	1	1	2	3	3	4	9
20-34	1859	2.2	2	1	1	2	3	3	4	6
35-49	1111	2.3	2	1	1	2	3	4	4	6
50-64	578	2.4	3	1	1	2	3	3	4	6
65+	139	2.7	7	1	1	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.8	1	<1	<1	2	2	3	4	4
B. *Operated*	2460	1.9	3	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	52	2.1	3	<1	<1	2	3	5	7	97
B. *Operated*	4378	2.3	2	1	1	2	3	3	4	6
1. SINGLE DX	2483	1.9	3	<1	1	2	2	3	4	5
2. MULTIPLE DX	4430	2.3	2	1	1	2	3	3	4	7
A. NOT OPERATED	75	2.0	2	<1	<1	2	2	4	5	76
B. OPERATED	6838	2.2	2	1	1	2	3	3	4	6
TOTAL 0-19 YRS	1165	2.1	2	1	1	2	3	3	4	6
20-34	3039	2.1	3	1	1	2	3	3	4	6
35-49	1639	2.2	1	1	1	2	3	3	4	5
50-64	866	2.2	3	1	1	2	3	3	4	6
65+	204	2.7	5	1	1	2	3	4	5	18
GRAND TOTAL	**6913**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	28	1.9	1	<1	<1	2	3	3	4	4
20-34	60	2.5	9	<1	<1	2	3	4	5	21
35-49	84	1.9	1	<1	<1	2	2	3	4	4
50-64	94	1.8	1	<1	<1	2	2	3	4	5
65+	57	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	6	2.0	6	<1	<1	1	1	6	7	7
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	8	3.6	23	1	1	2	4	12	15	15
B. *Operated*										
0-19 YRS	65	2.0	2	<1	1	2	2	3	4	9
20-34	119	2.0	1	1	1	2	3	3	4	5
35-49	186	2.4	6	<1	1	2	3	4	4	8
50-64	193	2.4	2	1	1	2	3	4	5	7
65+	114	2.9	4	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	323	2.0	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	27	2.5	9	<1	<1	1	3	5	8	15
B. *Operated*	677	2.4	3	1	1	2	3	4	5	9
1. SINGLE DX	325	2.0	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	704	2.4	3	1	1	2	3	4	5	9
A. NOT OPERATED	29	2.4	8	<1	<1	1	3	5	7	15
B. OPERATED	1000	2.3	3	<1	1	2	3	4	4	8
TOTAL 0-19 YRS	99	2.0	2	<1	1	2	2	3	4	8
20-34	185	2.2	4	<1	1	2	3	3	4	7
35-49	273	2.2	4	<1	1	2	3	4	4	7
50-64	292	2.2	2	<1	1	2	3	4	5	7
65+	180	2.6	4	1	1	2	3	4	6	12
GRAND TOTAL	**1029**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**4**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.0	9	<1	<1	1	2	3	5	21
20-34	36	1.9	1	<1	<1	2	3	4	4	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	15135	1.7	4	<1	1	2	2	2	3	4
20-34	3729	2.0	6	1	1	2	2	3	3	5
35-49	322	2.5	26	1	1	2	2	3	4	7
50-64	79	2.4	3	<1	1	2	3	4	5	11
65+	40	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	1.7	3	<1	<1	1	2	3	5	10
20-34	29	1.8	1	<1	<1	1	2	4	4	5
35-49	6	2.2	2	1	1	2	4	4	4	4
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	7537	1.6	6	<1	<1	1	2	2	2	4
20-34	770	2.2	2	1	1	2	3	3	4	7
35-49	102	2.4	2	1	1	2	3	4	5	7
50-64	36	2.8	4	<1	1	2	3	5	7	10
65+	18	3.3	10	<1	<1	2	4	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.0	7	<1	<1	1	2	3	4	14
B. *Operated*	19305	1.8	5	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	249	1.7	3	<1	<1	1	2	4	5	8
B. *Operated*	8463	1.7	5	<1	1	2	2	2	3	5
1. SINGLE DX	19438	1.8	5	1	1	2	2	2	3	4
2. MULTIPLE DX	8712	1.7	5	<1	<1	2	2	2	3	5
A. NOT OPERATED	382	1.8	4	<1	<1	1	2	3	5	10
B. OPERATED	27768	1.8	5	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	22975	1.7	5	<1	1	2	2	2	3	4
20-34	4564	2.0	5	1	1	2	2	3	3	5
35-49	433	2.4	20	1	1	2	3	3	4	7
50-64	119	2.6	3	<1	1	2	3	4	7	11
65+	59	2.3	4	<1	1	2	3	4	6	11
GRAND TOTAL	**28150**	**1.8**	**5**	**<1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	2.5	2	<1	1	2	3	4	5	7
20-34	205	2.9	3	1	1	2	3	5	6	10
35-49	99	2.6	3	<1	1	2	3	5	7	8
50-64	73	2.6	8	<1	1	2	3	5	8	18
65+	46	3.6	28	<1	1	2	4	7	9	36
B. *Operated*										
0-19 YRS	416	2.4	5	<1	1	2	3	5	6	13
20-34	721	2.3	3	<1	1	2	3	4	5	8
35-49	598	2.1	2	<1	<1	2	3	4	4	11
50-64	648	2.0	2	<1	<1	2	2	3	4	8
65+	301	2.5	7	<1	1	2	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	3.4	8	1	1	3	4	6	8	17
20-34	137	3.3	4	1	1	3	4	6	8	9
35-49	125	3.9	8	1	1	3	5	7	9	15
50-64	131	4.4	28	1	1	3	5	7	9	27
65+	138	5.0	28	1	1	4	5	11	15	24
B. *Operated*										
0-19 YRS	389	2.6	7	<1	1	2	3	4	6	15
20-34	668	3.0	12	1	1	2	3	5	7	16
35-49	573	2.8	8	<1	1	2	3	4	6	16
50-64	675	3.2	14	<1	1	2	3	5	8	20
65+	371	4.3	29	1	1	2	4	10	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	2.7	5	<1	1	2	3	5	6	9
B. *Operated*	2684	2.2	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	760	3.9	15	1	1	3	5	7	9	19
B. *Operated*	2676	3.1	13	<1	1	2	3	5	8	22
1. SINGLE DX	3410	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	3436	3.3	14	1	1	2	4	6	9	20
A. NOT OPERATED	1486	3.3	10	<1	1	3	4	6	8	15
B. OPERATED	5360	2.7	9	<1	1	2	3	4	6	16
TOTAL 0-19 YRS	1337	2.6	6	<1	1	2	3	5	6	12
20-34	1731	2.7	7	<1	1	2	3	5	6	11
35-49	1395	2.6	5	<1	1	2	3	4	6	14
50-64	1527	2.7	10	<1	1	2	3	5	6	13
65+	856	3.7	22	1	1	2	4	8	13	28
GRAND TOTAL	**6846**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4419	4.0	6	1	2	3	5	7	8	13
20-34	1010	4.4	6	2	2	4	5	7	9	13
35-49	763	5.1	21	2	2	4	6	8	10	15
50-64	817	5.7	14	2	2	5	7	10	11	18
65+	1298	6.9	23	2	3	6	9	12	14	22
B. *Operated*										
0-19 YRS	38	6.8	22	1	2	6	9	14	16	20
20-34	37	7.3	23	2	2	6	10	16	17	19
35-49	52	7.0	42	<1	1	5	9	14	17	39
50-64	82	8.8	45	2	2	7	12	17	22	36
65+	80	9.2	56	1	2	7	13	19	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4153	4.9	20	1	2	4	6	9	11	18
20-34	1036	5.7	15	2	2	5	7	10	12	25
35-49	1138	6.6	22	2	3	6	8	12	14	23
50-64	2709	7.8	37	2	3	6	10	14	18	32
65+	8202	9.9	56	3	4	8	12	18	23	40
B. *Operated*										
0-19 YRS	130	10.5	62	3	3	9	13	20	26	45
20-34	112	11.8	119	3	3	8	15	24	37	57
35-49	198	14.0	136	3	5	11	16	27	41	73
50-64	441	15.3	202	3	4	11	18	32	46	83
65+	905	16.9	158	4	6	14	21	32	44	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8307	4.7	12	1	2	4	6	8	10	16
B. *Operated*	289	8.1	42	1	2	7	11	17	21	37
2. MULTIPLE DX										
A. *Not Operated*	17238	7.9	44	2	3	6	10	15	19	34
B. *Operated*	1786	15.4	161	3	4	12	19	31	43	73
1. SINGLE DX	8596	4.9	14	1	2	4	6	9	11	17
2. MULTIPLE DX	19024	8.6	60	2	3	7	11	16	22	42
A. NOT OPERATED	25545	6.9	36	2	2	5	8	13	17	30
B. OPERATED	2075	14.4	151	2	4	11	18	28	39	70
TOTAL 0-19 YRS	8740	4.5	14	1	2	4	5	8	10	17
20-34	2195	5.4	19	2	2	4	6	10	12	25
35-49	2151	6.7	38	2	2	5	8	12	15	32
50-64	4049	8.2	58	2	3	6	10	15	21	43
65+	10485	10.1	66	3	4	8	12	19	25	45
GRAND TOTAL	**27620**	**7.4**	**49**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	2.6	5	1	1	2	3	5	7	13
20-34	207	2.9	5	1	1	3	3	5	6	11
35-49	122	3.5	3	1	2	3	4	6	7	9
50-64	112	4.1	6	1	2	4	5	7	9	13
65+	146	4.3	6	1	2	4	5	7	9	12
B. *Operated*										
0-19 YRS	4	5.3	1	4	4	5	6	6	6	6
20-34	7	3.0	7	1	1	2	4	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	3.4	9	1	1	3	4	6	8	11
20-34	308	3.5	10	1	1	3	4	6	7	11
35-49	233	4.4	7	1	2	4	6	8	10	13
50-64	332	5.1	19	1	2	4	6	9	11	22
65+	679	6.2	26	2	2	5	8	11	16	27
B. *Operated*										
0-19 YRS	6	5.0	28	1	1	3	7	14	15	15
20-34	4	12.3	193	4	4	6	20	33	33	33
35-49	9	8.1	28	2	2	8	10	16	19	19
50-64	13	10.2	28	2	3	11	13	16	20	21
65+	29	10.8	61	2	3	9	14	22	29	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	882	3.3	5	1	1	3	4	6	7	12
B. *Operated*	14	4.9	21	1	1	4	6	9	17	19
2. MULTIPLE DX										
A. *Not Operated*	1900	4.8	18	1	2	4	6	9	11	22
B. *Operated*	61	9.8	53	2	2	8	13	20	25	33
1. SINGLE DX	896	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	1961	5.0	20	1	2	4	6	9	12	23
A. NOT OPERATED	2782	4.3	15	1	1	3	5	8	10	20
B. OPERATED	75	8.9	51	1	2	7	12	19	22	33
TOTAL 0-19 YRS	653	3.1	8	1	1	2	4	5	7	14
20-34	526	3.3	10	1	1	3	4	5	7	12
35-49	365	4.2	7	1	2	3	5	8	9	13
50-64	458	5.0	17	1	2	4	6	9	12	22
65+	855	6.1	25	2	2	5	7	11	16	27
GRAND TOTAL	**2857**	**4.5**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	620	2.8	3	1	1	2	3	5	6	9
20-34	91	3.7	4	1	2	3	5	7	8	11
35-49	108	4.2	6	1	1	4	5	8	9	11
50-64	266	5.3	11	2	2	4	7	9	12	18
65+	317	6.3	23	2	2	5	8	12	15	33
B. *Operated*										
0-19 YRS	12	3.8	24	<1	<1	2	4	10	17	18
20-34	18	2.7	11	<1	<1	2	2	5	11	15
35-49	24	2.9	6	<1	<1	2	4	6	9	11
50-64	55	3.2	13	<1	<1	2	3	7	9	22
65+	42	4.8	40	<1	1	2	5	12	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	510	3.5	5	1	1	3	5	6	8	12
20-34	202	4.5	12	1	2	4	6	8	10	20
35-49	327	5.0	12	1	2	4	6	9	12	18
50-64	1022	7.0	35	2	2	6	9	13	16	34
65+	2042	8.1	44	2	3	7	10	15	19	37
B. *Operated*										
0-19 YRS	18	7.4	38	1	2	6	10	14	21	26
20-34	29	7.2	44	1	1	5	10	17	19	28
35-49	79	6.6	65	<1	1	4	8	14	17	51
50-64	192	8.0	70	1	2	5	10	17	32	76
65+	254	11.3	111	1	2	8	15	26	30	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1402	4.2	12	1	1	3	5	8	10	18
B. *Operated*	151	3.6	20	<1	<1	2	4	7	14	24
2. MULTIPLE DX										
A. *Not Operated*	4103	6.8	36	2	2	5	8	13	17	34
B. *Operated*	572	9.2	89	1	2	6	12	20	29	61
1. SINGLE DX	1553	4.2	12	1	1	3	5	8	10	18
2. MULTIPLE DX	4675	7.1	43	2	2	5	9	14	18	37
A. NOT OPERATED	5505	6.2	31	1	2	5	8	12	15	30
B. OPERATED	723	8.0	79	<1	1	5	10	19	27	55
TOTAL 0-19 YRS	1160	3.2	5	1	1	3	4	6	7	12
20-34	340	4.4	13	1	1	3	5	8	11	20
35-49	538	5.0	19	1	2	4	6	9	12	20
50-64	1535	6.7	36	1	2	5	8	12	16	35
65+	2655	8.1	49	2	3	6	10	15	20	39
GRAND TOTAL	**6228**	**6.4**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	15	4.3	8	1	1	3	6	9	10	10
50-64	92	5.4	14	1	2	4	7	11	13	19
65+	148	5.9	26	2	2	5	8	11	14	32
B. *Operated*										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	7.4	36	2	2	6	11	17	17	17
50-64	15	9.7	42	2	2	7	13	17	24	26
65+	5	15.4	203	1	1	13	28	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	6	1	1	4	6	7	8	8
20-34	6	6.5	16	<1	<1	6	10	12	12	12
35-49	53	6.6	22	2	3	5	8	12	14	28
50-64	558	7.8	39	2	3	6	9	15	19	36
65+	1187	8.7	53	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	7	9.4	23	1	2	11	13	14	14	14
20-34	11	10.1	10	7	7	8	13	15	16	16
35-49	26	10.3	40	2	5	9	12	19	26	27
50-64	57	14.0	135	2	3	10	19	30	42	49
65+	108	15.1	192	3	4	10	18	35	44	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	5.6	21	1	2	4	7	10	13	28
B. *Operated*	30	9.2	67	1	2	7	13	22	27	33
2. MULTIPLE DX										
A. *Not Operated*	1812	8.3	48	2	3	7	10	16	20	36
B. *Operated*	209	13.7	145	3	4	10	16	30	40	74
1. SINGLE DX	286	6.0	27	1	2	5	8	11	15	31
2. MULTIPLE DX	2021	8.9	60	2	3	7	11	17	22	41
A. NOT OPERATED	2068	8.0	45	2	3	6	10	15	20	36
B. OPERATED	239	13.2	137	2	3	10	16	29	38	73
TOTAL 0-19 YRS	19	5.8	19	1	1	5	9	13	14	14
20-34	19	8.4	15	1	3	8	12	14	15	16
35-49	99	7.3	29	1	2	6	9	13	18	28
50-64	722	8.0	47	2	2	6	10	15	21	39
65+	1448	8.9	65	2	3	7	11	18	22	41
GRAND TOTAL	**2307**	**8.5**	**57**	**2**	**3**	**7**	**10**	**16**	**22**	**39**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3054	3.1	10	1	1	3	4	5	6	10
20-34	1077	3.8	13	1	1	3	5	6	8	12
35-49	869	4.4	13	1	2	4	5	8	10	15
50-64	993	5.0	14	1	2	4	6	9	11	18
65+	746	5.3	11	1	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	11	4.7	5	2	2	4	6	8	10	10
20-34	15	5.8	15	1	2	5	10	11	12	12
35-49	19	6.5	41	1	1	5	7	15	23	27
50-64	16	11.4	494	1	1	5	10	17	70	93
65+	6	9.0	23	1	1	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1695	3.5	7	1	1	3	4	6	7	12
20-34	848	4.5	11	1	2	4	6	8	11	16
35-49	1067	5.7	21	2	2	5	7	11	13	21
50-64	1927	6.4	22	2	2	5	8	12	15	26
65+	2358	7.3	31	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	22	8.6	59	2	3	6	10	20	28	32
20-34	52	8.4	93	1	2	6	10	16	20	59
35-49	57	9.2	39	2	3	8	12	18	22	32
50-64	113	11.8	120	2	2	9	14	22	32	62
65+	126	15.2	164	4	5	11	19	31	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6739	3.9	12	1	1	3	5	7	9	14
B. *Operated*	67	7.5	135	1	2	5	9	12	18	82
2. MULTIPLE DX										
A. *Not Operated*	7895	5.7	22	1	2	4	7	11	14	23
B. *Operated*	370	11.9	122	2	3	9	14	23	33	61
1. SINGLE DX	6806	3.9	14	1	1	3	5	7	9	14
2. MULTIPLE DX	8265	6.0	29	1	2	5	7	11	15	26
A. NOT OPERATED	14634	4.9	19	1	2	4	6	9	12	21
B. OPERATED	437	11.2	126	2	2	8	13	22	32	63
TOTAL 0-19 YRS	4782	3.2	9	1	1	3	4	5	6	11
20-34	1992	4.2	15	1	1	3	5	7	10	16
35-49	2012	5.3	19	1	2	4	6	10	12	21
50-64	3049	6.2	27	2	2	5	7	11	14	26
65+	3236	7.2	35	2	2	6	9	13	17	30
GRAND TOTAL	**15071**	**5.1**	**23**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.1	7	<1	<1	3	6	7	10	11
20-34	17	3.4	2	1	1	3	4	5	6	7
35-49	71	4.9	10	2	2	4	7	9	11	17
50-64	493	6.2	23	2	2	5	8	11	15	23
65+	755	6.4	20	1	2	5	8	12	14	23
B. *Operated*										
0-19 YRS	13	3.2	10	<1	<1	2	3	9	11	12
20-34	8	5.3	15	<1	<1	6	8	10	10	10
35-49	15	6.7	70	1	1	5	7	16	29	33
50-64	41	6.3	18	1	1	5	9	12	14	16
65+	31	8.5	41	1	1	9	12	17	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.5	68	2	2	4	10	14	29	39
20-34	54	5.9	36	1	1	3	7	13	22	27
35-49	330	6.2	43	1	2	5	8	10	13	26
50-64	2702	7.6	34	2	3	6	9	14	18	31
65+	5821	8.6	49	2	3	7	10	16	21	36
B. *Operated*										
0-19 YRS	6	8.0	32	2	2	8	13	14	14	14
20-34	28	8.1	27	1	1	7	12	16	17	18
35-49	60	9.5	55	2	2	9	13	20	24	94
50-64	276	13.5	208	2	3	9	15	25	47	81
65+	542	14.0	167	3	3	10	17	28	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1351	6.2	20	1	2	5	8	12	14	22
B. *Operated*	108	6.5	32	1	1	5	10	14	16	29
2. MULTIPLE DX										
A. *Not Operated*	8936	8.2	45	2	3	7	10	15	20	35
B. *Operated*	912	13.3	169	2	3	10	16	26	37	79
1. SINGLE DX	1459	6.2	21	1	2	5	8	12	14	23
2. MULTIPLE DX	9848	8.6	58	2	3	7	10	16	22	41
A. NOT OPERATED	10287	7.9	42	2	3	6	10	15	19	34
B. OPERATED	1020	12.6	158	2	3	9	15	25	36	78
TOTAL 0-19 YRS	63	5.8	41	<1	1	4	6	12	14	38
20-34	107	6.0	29	1	1	4	8	14	17	26
35-49	476	6.4	41	1	2	5	8	11	15	38
50-64	3512	7.8	49	2	2	6	10	15	19	37
65+	7149	8.7	57	2	3	7	11	16	22	40
GRAND TOTAL	**11307**	**8.3**	**54**	**2**	**3**	**7**	**10**	**16**	**21**	**38**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	2	1	1	3	4	4	5	6
20-34	116	3.2	9	1	1	2	4	6	9	16
35-49	40	4.0	8	<1	1	4	5	6	8	17
50-64	13	4.8	19	<1	<1	4	6	10	16	17
65+	12	5.4	30	2	2	4	5	12	21	22
B. *Operated*										
0-19 YRS	69	6.2	17	2	2	5	7	12	14	20
20-34	421	5.6	32	2	2	4	6	10	12	22
35-49	125	6.2	22	2	2	5	7	14	17	21
50-64	53	7.0	39	1	2	5	8	13	15	33
65+	30	7.8	40	3	3	5	9	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	8	1	1	2	6	8	8	8
20-34	22	4.4	7	1	1	4	6	8	10	11
35-49	17	5.2	20	1	1	4	5	14	15	15
50-64	39	6.1	18	1	1	5	9	12	15	16
65+	52	8.7	25	2	3	8	12	16	18	23
B. *Operated*										
0-19 YRS	25	11.0	68	2	3	8	15	25	26	28
20-34	137	8.5	33	2	3	7	11	16	19	28
35-49	81	7.8	23	2	3	7	10	14	16	23
50-64	126	12.2	122	3	3	9	15	26	36	54
65+	169	14.3	170	3	3	10	19	29	37	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.5	10	1	1	3	5	6	8	19
B. *Operated*	698	6.0	30	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	137	6.6	21	1	2	5	9	13	16	22
B. *Operated*	538	11.2	104	3	3	8	14	22	30	48
1. SINGLE DX	915	5.4	26	1	2	4	6	10	14	22
2. MULTIPLE DX	675	10.2	90	2	3	7	13	21	26	47
A. NOT OPERATED	354	4.7	16	1	1	4	6	10	13	22
B. OPERATED	1236	8.2	68	2	3	5	10	17	22	42
TOTAL 0-19 YRS	137	6.0	29	1	1	4	7	13	18	26
20-34	696	5.7	30	1	2	4	7	11	14	22
35-49	263	6.3	22	2	2	5	8	14	16	22
50-64	231	9.6	88	2	3	7	12	20	30	49
65+	263	12.0	129	3	3	8	16	24	33	48
GRAND TOTAL	**1590**	**7.4**	**59**	**1**	**2**	**5**	**9**	**15**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	3.5	13	1	1	2	4	7	9	19
20-34	187	3.3	8	1	1	2	4	6	8	17
35-49	152	3.5	6	1	1	3	5	7	9	11
50-64	181	4.3	19	1	1	3	5	8	12	23
65+	228	5.3	22	1	1	4	7	11	15	24
B. *Operated*										
0-19 YRS	57	5.9	32	1	1	5	8	13	18	26
20-34	97	6.7	35	1	1	5	9	16	20	27
35-49	150	6.1	26	1	1	5	9	13	15	24
50-64	265	5.9	63	<1	1	3	8	12	17	34
65+	238	5.8	33	<1	1	3	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	4.7	25	1	1	3	5	9	14	24
20-34	291	5.0	31	1	1	3	6	9	14	34
35-49	366	5.4	40	1	1	4	6	11	15	26
50-64	913	6.8	35	1	2	5	9	14	18	32
65+	2202	8.4	54	2	2	6	10	17	23	36
B. *Operated*										
0-19 YRS	80	12.3	235	1	1	8	14	29	43	84
20-34	161	9.1	116	1	2	6	11	20	28	48
35-49	306	10.9	129	2	2	8	15	21	31	75
50-64	703	10.5	110	1	2	8	14	22	32	60
65+	890	12.8	137	2	2	10	17	27	34	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1001	4.0	15	1	1	3	5	8	11	21
B. *Operated*	807	6.0	42	1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	4120	7.2	46	1	2	5	9	15	21	34
B. *Operated*	2140	11.5	130	1	2	8	15	25	32	70
1. SINGLE DX	1808	4.9	28	1	1	3	6	11	14	25
2. MULTIPLE DX	6260	8.7	79	1	2	6	11	19	25	44
A. NOT OPERATED	5121	6.6	42	1	2	5	8	14	19	32
B. OPERATED	2947	10.0	112	1	2	7	13	22	30	59
TOTAL 0-19 YRS	738	5.2	51	1	1	3	6	11	16	33
20-34	736	5.7	48	1	1	3	7	13	18	33
35-49	974	6.9	68	1	1	4	9	15	21	42
50-64	2062	7.7	67	1	1	5	10	16	23	41
65+	3558	9.1	77	1	2	7	12	20	26	43
GRAND TOTAL	**8068**	**7.8**	**70**	**1**	**2**	**5**	**10**	**17**	**24**	**41**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.8	1	<1	<1	1	2	3	4	5
20-34	42	2.6	3	<1	<1	2	4	5	6	8
35-49	12	2.7	4	<1	<1	2	4	6	7	7
50-64	14	3.3	5	<1	1	3	4	7	8	8
65+	10	2.8	4	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	1222	1.8	3	<1	<1	1	2	3	4	7
20-34	785	2.6	9	<1	1	2	3	4	5	9
35-49	478	2.4	2	1	1	2	3	4	5	7
50-64	278	2.6	3	1	1	2	3	4	6	12
65+	102	2.8	7	1	1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.4	3	<1	<1	2	3	5	5	10
20-34	58	3.7	26	<1	<1	2	4	7	9	31
35-49	40	3.9	12	1	1	3	5	9	12	15
50-64	44	3.5	9	<1	<1	3	5	6	9	15
65+	45	5.4	26	1	1	4	7	10	13	30
B. *Operated*										
0-19 YRS	539	2.6	5	<1	1	2	3	5	6	12
20-34	613	2.8	12	1	1	2	3	5	6	12
35-49	442	2.8	12	1	1	2	3	5	7	14
50-64	452	3.4	13	1	1	2	4	6	10	27
65+	270	3.7	16	1	2	2	4	8	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.5	3	<1	<1	2	4	5	6	8
B. *Operated*	2865	2.3	5	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	244	3.7	16	<1	<1	3	5	8	10	23
B. *Operated*	2316	3.0	11	1	1	2	3	5	7	18
1. SINGLE DX	2967	2.3	5	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2560	3.1	12	1	1	2	3	5	8	18
A. NOT OPERATED	346	3.4	12	<1	<1	2	4	7	9	16
B. OPERATED	5181	2.6	8	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	1842	2.1	4	<1	<1	2	2	4	5	9
20-34	1498	2.8	11	1	1	2	3	5	6	12
35-49	972	2.7	7	1	1	2	3	5	6	11
50-64	788	3.1	10	1	1	2	3	6	8	16
65+	427	3.6	15	1	1	2	4	8	12	23
GRAND TOTAL	**5527**	**2.6**	**8**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.0	2	1	1	3	4	5	6	8
20-34	35	3.7	5	1	2	3	4	7	8	11
35-49	19	3.5	4	1	1	3	4	7	8	8
50-64	27	5.0	11	<1	1	4	7	8	12	16
65+	32	4.0	5	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	124	2.4	4	<1	<1	2	3	5	6	11
20-34	123	3.0	6	<1	1	2	4	5	9	13
35-49	130	3.5	40	<1	1	3	4	5	7	31
50-64	161	3.1	8	<1	1	3	4	5	6	22
65+	113	3.4	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	3.8	6	1	1	3	5	7	8	14
20-34	41	5.1	39	1	2	4	5	7	11	41
35-49	25	4.7	15	<1	1	4	6	12	14	16
50-64	65	6.1	24	1	2	5	8	13	15	26
65+	96	6.8	18	2	3	6	9	12	16	22
B. *Operated*										
0-19 YRS	53	2.9	6	<1	1	2	4	6	8	13
20-34	102	3.9	14	1	1	3	4	7	10	22
35-49	91	3.5	7	1	1	3	4	7	8	16
50-64	159	4.4	30	<1	1	3	5	7	12	33
65+	162	6.0	45	1	2	4	7	13	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.6	5	1	1	3	5	7	8	11
B. *Operated*	651	3.1	13	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	307	5.5	20	1	2	4	7	10	14	23
B. *Operated*	567	4.5	27	1	1	3	5	8	13	29
1. SINGLE DX	835	3.2	11	<1	1	3	4	6	7	13
2. MULTIPLE DX	874	4.8	24	1	1	3	6	9	13	28
A. NOT OPERATED	491	4.8	15	1	2	4	6	9	12	18
B. OPERATED	1218	3.7	20	<1	1	3	4	7	9	22
TOTAL 0-19 YRS	328	3.0	5	<1	1	2	4	6	7	12
20-34	301	3.7	13	1	1	3	4	7	9	17
35-49	265	3.6	24	1	1	3	4	6	8	16
50-64	412	4.2	20	<1	1	3	5	8	12	25
65+	403	5.3	26	1	2	4	6	10	15	28
GRAND TOTAL	**1709**	**4.0**	**19**	**1**	**1**	**3**	**5**	**7**	**11**	**22**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.1	10	1	1	3	4	5	7	17
20-34	116	3.1	19	<1	<1	2	4	5	7	33
35-49	158	3.0	6	<1	1	2	4	6	7	16
50-64	149	2.9	4	<1	<1	3	4	5	7	11
65+	129	4.1	13	<1	1	3	5	8	11	21
B. *Operated*										
0-19 YRS	26	4.0	8	<1	1	4	6	8	8	9
20-34	72	6.0	31	<1	<1	6	8	11	16	31
35-49	92	5.7	20	1	1	5	8	10	12	23
50-64	150	5.4	25	<1	1	4	8	11	13	23
65+	169	5.1	18	<1	1	4	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	4.6	14	1	1	3	6	9	12	20
20-34	243	3.8	6	1	1	3	5	7	9	12
35-49	417	4.4	14	1	1	3	6	8	11	21
50-64	663	4.6	13	1	1	4	6	9	11	18
65+	809	6.1	32	1	2	5	7	11	16	35
B. *Operated*										
0-19 YRS	44	8.2	50	<1	1	7	11	17	24	30
20-34	102	8.7	91	2	2	7	10	15	21	93
35-49	235	7.5	45	1	2	6	9	13	17	45
50-64	438	8.6	80	1	2	6	11	16	25	46
65+	652	9.1	95	1	2	7	11	18	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	3.2	10	<1	1	3	4	6	8	15
B. *Operated*	509	5.3	22	<1	1	4	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	2293	5.0	20	1	1	4	6	9	12	24
B. *Operated*	1471	8.7	81	1	2	7	10	16	24	49
1. SINGLE DX	1175	4.1	16	<1	1	3	6	9	11	21
2. MULTIPLE DX	3764	6.4	47	1	2	5	8	13	17	34
A. NOT OPERATED	2959	4.6	18	1	1	3	6	9	11	23
B. OPERATED	1980	7.8	68	1	2	6	9	15	21	46
TOTAL 0-19 YRS	345	4.5	19	1	1	3	6	9	12	24
20-34	533	4.9	33	<1	1	3	6	9	12	31
35-49	902	5.1	24	1	1	4	7	10	12	24
50-64	1400	5.7	38	1	1	4	7	12	15	29
65+	1759	7.0	56	1	2	5	8	14	19	41
GRAND TOTAL	**4939**	**5.9**	**41**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.4	22	1	1	3	5	8	15	23
20-34	75	3.8	9	1	1	3	5	7	8	19
35-49	117	4.0	5	<1	1	4	5	8	9	11
50-64	113	4.1	6	<1	1	4	5	8	10	11
65+	95	4.9	10	<1	1	5	7	9	11	17
B. *Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	31	6.8	14	2	2	7	10	12	14	15
35-49	84	8.0	16	2	3	8	10	12	16	23
50-64	114	7.3	22	<1	1	7	10	13	15	22
65+	71	8.0	43	1	2	6	10	15	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	5	<1	1	3	5	6	8	9
20-34	91	5.1	10	2	2	4	6	10	11	18
35-49	140	5.4	13	2	2	5	7	9	13	18
50-64	214	5.6	13	2	2	5	7	10	13	18
65+	427	7.3	32	2	3	6	9	13	17	31
B. *Operated*										
0-19 YRS	5	5.4	4	4	4	4	7	8	8	8
20-34	43	8.9	28	2	3	8	11	15	21	27
35-49	162	10.1	47	2	3	9	13	18	23	31
50-64	277	9.6	59	2	3	8	11	18	22	40
65+	302	10.8	65	3	4	9	13	21	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	4.2	8	<1	1	4	6	8	9	13
B. *Operated*	304	7.6	24	1	2	7	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	886	6.3	23	2	2	5	8	11	14	24
B. *Operated*	789	10.1	57	2	3	8	12	19	24	38
1. SINGLE DX	725	5.6	18	1	1	5	8	10	13	22
2. MULTIPLE DX	1675	8.1	42	2	3	6	10	15	20	35
A. NOT OPERATED	1307	5.6	19	1	2	5	7	10	13	21
B. OPERATED	1093	9.4	49	2	3	8	11	17	22	36
TOTAL 0-19 YRS	44	4.2	13	1	1	3	5	8	9	23
20-34	240	5.6	17	1	2	4	7	11	14	22
35-49	503	7.0	29	1	2	6	9	13	17	28
50-64	718	7.2	36	1	2	6	9	13	17	31
65+	895	8.3	45	2	3	7	10	15	21	37
GRAND TOTAL	**2400**	**7.4**	**36**	**1**	**2**	**6**	**9**	**14**	**18**	**32**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	6	1	1	3	6	8	9	9
20-34	26	7.0	136	2	2	4	6	10	21	63
35-49	68	4.5	7	1	2	4	6	7	9	15
50-64	121	5.4	75	2	2	4	6	8	10	38
65+	133	5.5	7	2	3	5	7	10	11	15
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	9.5	33	3	5	8	11	15	21	29
35-49	59	8.3	18	3	4	7	11	13	17	22
50-64	83	8.8	19	3	4	8	11	14	18	22
65+	98	10.1	25	2	4	10	13	17	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	1	2	2	3	4	5	5	5
20-34	42	4.4	4	1	2	4	5	7	7	11
35-49	90	4.8	5	2	2	5	6	8	9	11
50-64	255	5.9	15	2	3	5	7	10	13	23
65+	526	8.0	30	3	3	7	9	14	18	32
B. *Operated*										
0-19 YRS	4	7.5	18	3	3	7	10	13	13	13
20-34	28	9.8	39	3	3	9	11	18	24	27
35-49	74	10.9	62	2	3	9	14	20	24	42
50-64	247	12.2	107	3	4	9	15	24	31	51
65+	437	13.7	130	4	5	10	17	26	33	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	5.3	39	2	2	4	6	8	10	16
B. *Operated*	266	9.2	23	3	4	8	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	921	6.9	24	2	3	6	8	12	16	25
B. *Operated*	790	12.8	114	3	4	10	16	25	31	58
1. SINGLE DX	625	7.0	36	2	2	6	9	13	15	21
2. MULTIPLE DX	1711	9.6	74	3	3	7	11	19	25	43
A. NOT OPERATED	1280	6.5	29	2	3	5	8	11	14	24
B. OPERATED	1056	11.9	93	3	4	9	14	23	28	49
TOTAL 0-19 YRS	24	4.3	7	1	2	3	5	8	10	13
20-34	121	7.3	50	2	2	5	9	13	17	39
35-49	291	7.0	29	2	2	5	9	13	18	29
50-64	706	8.3	66	2	3	6	10	15	22	38
65+	1194	10.0	73	3	4	8	12	19	25	43
GRAND TOTAL	**2336**	**8.9**	**65**	**2**	**3**	**7**	**11**	**17**	**23**	**41**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.3	4	1	1	3	4	7	8	8
20-34	324	3.6	5	1	1	3	4	6	8	12
35-49	309	3.7	6	1	1	3	5	7	8	10
50-64	217	3.8	4	1	2	4	5	7	8	9
65+	179	4.9	12	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	6	8.0	4	6	6	8	9	11	11	11
20-34	72	8.8	12	3	6	8	10	14	16	20
35-49	96	8.5	14	4	6	8	9	13	16	23
50-64	82	10.2	29	4	5	9	12	18	22	30
65+	34	8.9	18	3	5	8	11	13	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.9	17	2	2	4	6	9	13	23
20-34	363	4.7	15	1	2	4	6	8	10	22
35-49	474	4.8	25	1	2	4	6	8	10	15
50-64	558	5.3	18	2	2	4	6	10	12	19
65+	791	6.2	18	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	9	6.3	11	3	3	5	9	11	11	11
20-34	85	10.7	95	2	3	8	12	20	27	61
35-49	173	11.5	107	3	5	9	12	18	26	65
50-64	199	11.2	64	3	4	9	13	22	29	44
65+	186	12.3	70	3	4	10	15	23	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1102	3.9	7	1	1	3	5	7	8	13
B. *Operated*	290	9.1	18	4	5	8	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	2254	5.4	19	2	2	4	7	9	12	21
B. *Operated*	652	11.5	81	3	4	9	13	21	28	53
1. SINGLE DX	1392	4.9	14	1	2	4	7	9	11	20
2. MULTIPLE DX	2906	6.8	39	2	2	5	8	12	17	32
A. NOT OPERATED	3356	4.9	16	1	2	4	6	9	11	20
B. OPERATED	942	10.7	63	3	5	9	12	18	24	44
TOTAL 0-19 YRS	156	4.3	11	1	2	3	5	8	10	21
20-34	844	5.2	24	1	2	4	7	9	13	23
35-49	1052	5.9	40	1	2	5	7	10	14	26
50-64	1056	6.5	32	2	2	5	8	12	16	31
65+	1190	7.0	31	2	2	6	9	13	18	30
GRAND TOTAL	**4298**	**6.2**	**32**	**1**	**2**	**5**	**8**	**11**	**15**	**29**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.5	4	2	2	4	6	7	8	8
20-34	196	3.7	4	1	2	3	5	6	7	10
35-49	243	4.0	3	2	2	4	5	7	7	10
50-64	303	4.4	6	1	2	4	5	7	9	13
65+	291	5.4	7	2	3	5	7	9	11	13
B. *Operated*										
0-19 YRS	7	6.0	24	2	2	5	7	14	16	16
20-34	78	8.8	15	2	5	8	10	13	15	25
35-49	106	9.5	38	4	5	8	10	15	21	40
50-64	130	9.3	16	4	5	9	11	14	16	22
65+	96	11.7	48	4	6	11	14	17	21	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	7	1	1	3	5	8	9	11
20-34	137	5.0	21	1	2	4	5	8	12	28
35-49	264	4.9	16	2	2	4	6	8	10	17
50-64	514	5.9	22	2	3	5	7	9	12	24
65+	949	7.9	33	3	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	10	9.1	29	4	4	8	10	18	20	20
20-34	62	11.4	116	3	5	9	12	18	35	56
35-49	129	13.1	115	4	5	10	15	25	39	82
50-64	259	13.2	143	3	4	10	15	24	33	83
65+	441	16.6	169	4	6	13	19	30	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	4.5	6	2	2	4	6	7	9	12
B. *Operated*	417	9.8	30	4	5	9	12	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	1894	6.7	28	2	3	5	8	12	16	28
B. *Operated*	901	14.7	152	4	5	11	17	27	40	76
1. SINGLE DX	1479	6.0	18	2	2	5	8	11	13	20
2. MULTIPLE DX	2795	9.2	82	2	3	7	11	18	25	52
A. NOT OPERATED	2956	5.9	21	2	2	5	7	10	13	24
B. OPERATED	1318	13.1	116	4	5	10	15	24	33	60
TOTAL 0-19 YRS	76	5.0	12	1	2	4	7	9	11	19
20-34	473	5.9	33	1	2	5	7	11	13	28
35-49	742	6.7	44	2	2	5	8	12	17	40
50-64	1206	7.5	54	2	3	5	9	13	18	37
65+	1777	9.8	80	3	3	7	12	18	25	53
GRAND TOTAL	**4274**	**8.1**	**62**	**2**	**3**	**6**	**10**	**15**	**21**	**45**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	8	4.4	13	2	2	3	4	10	13	13
35-49	14	4.8	7	1	2	4	6	8	10	11
50-64	20	6.8	29	1	2	6	7	13	20	25
65+	19	6.3	14	2	2	6	8	12	15	16
B. *Operated*										
0-19 YRS	5	8.4	25	1	1	8	12	14	14	14
20-34	13	8.8	39	<1	2	8	12	19	19	19
35-49	37	11.4	18	7	7	11	13	16	19	27
50-64	49	11.4	40	5	6	10	14	16	17	43
65+	49	15.3	188	5	7	13	16	20	28	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	5.8	15	1	2	5	6	13	15	15
35-49	22	5.4	13	1	2	5	7	10	13	16
50-64	44	6.5	16	2	3	5	8	13	15	18
65+	82	8.6	27	3	4	7	11	14	19	29
B. *Operated*										
0-19 YRS	3	11.7	20	7	7	12	15	16	16	16
20-34	14	12.0	52	5	7	10	12	26	30	31
35-49	57	15.6	118	7	7	12	18	28	32	73
50-64	135	17.2	219	5	7	13	19	30	49	92
65+	162	18.9	174	5	7	15	23	39	50	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.8	17	2	2	5	7	10	14	24
B. *Operated*	153	12.3	85	4	6	11	14	18	20	57
2. MULTIPLE DX										
A. *Not Operated*	161	7.4	22	2	3	6	9	13	16	26
B. *Operated*	371	17.5	178	6	7	14	20	33	48	79
1. SINGLE DX	217	10.4	73	2	3	9	13	16	20	48
2. MULTIPLE DX	532	14.4	152	3	4	11	17	28	40	73
A. NOT OPERATED	225	6.9	21	2	3	6	9	13	16	25
B. OPERATED	524	16.0	156	5	7	12	18	29	42	76
TOTAL 0-19 YRS	11	8.3	22	1	3	7	12	15	16	16
20-34	48	8.2	39	2	2	7	10	16	20	31
35-49	130	11.5	78	2	3	10	14	19	27	47
50-64	248	13.3	152	3	4	10	16	24	36	82
65+	312	14.9	150	3	5	12	17	28	42	59
GRAND TOTAL	**749**	**13.2**	**132**	**3**	**4**	**10**	**16**	**24**	**34**	**65**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	2.4	2	1	1	2	3	4	5	7
20-34	660	2.9	5	1	1	2	4	5	7	11
35-49	447	3.3	7	1	1	3	4	6	8	14
50-64	335	3.3	6	<1	1	3	4	7	8	12
65+	238	4.0	11	<1	1	3	5	8	9	18
B. *Operated*										
0-19 YRS	11	3.6	5	<1	1	3	6	7	7	7
20-34	46	4.2	9	<1	<1	3	6	8	9	12
35-49	63	5.6	20	<1	<1	4	8	13	16	18
50-64	52	6.1	27	<1	<1	5	8	11	20	23
65+	33	7.1	30	1	2	6	9	15	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	3.2	24	1	1	2	4	5	7	11
20-34	1076	3.9	9	1	1	3	5	7	10	17
35-49	1361	4.3	10	1	2	4	5	8	10	18
50-64	1481	5.3	19	1	2	4	6	10	13	25
65+	1788	6.1	21	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	19	5.7	6	2	3	6	7	8	10	12
20-34	163	7.6	41	1	2	6	9	15	18	38
35-49	231	8.2	38	2	2	7	10	15	20	33
50-64	334	8.7	51	2	3	7	10	17	22	42
65+	429	10.5	73	3	3	8	12	19	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1984	3.1	6	1	1	3	4	6	7	13
B. *Operated*	205	5.5	21	<1	<1	5	7	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	6108	4.9	17	1	2	4	6	9	12	23
B. *Operated*	1176	9.1	56	2	3	7	11	17	23	41
1. SINGLE DX	2189	3.3	8	<1	1	3	4	6	8	15
2. MULTIPLE DX	7284	5.6	26	1	2	4	7	11	14	27
A. NOT OPERATED	8092	4.5	15	1	1	4	5	8	11	21
B. OPERATED	1381	8.5	52	1	2	7	10	16	21	40
TOTAL 0-19 YRS	736	2.9	14	1	1	2	4	5	6	9
20-34	1945	3.9	12	1	1	3	5	7	10	18
35-49	2102	4.6	15	1	1	4	6	9	12	20
50-64	2202	5.5	24	1	2	4	7	11	14	28
65+	2488	6.6	32	1	2	5	8	12	17	30
GRAND TOTAL	**9473**	**5.1**	**22**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.9	4	1	1	3	4	5	6	12
20-34	166	3.0	4	1	1	3	4	5	7	9
35-49	147	3.4	6	1	1	3	4	7	8	14
50-64	115	3.7	11	<1	1	3	4	7	11	18
65+	73	5.2	22	1	1	4	6	10	13	29
B. *Operated*										
0-19 YRS	63	3.7	5	1	2	3	4	6	8	14
20-34	18	9.3	85	1	2	6	14	21	31	37
35-49	21	11.2	43	3	4	10	13	22	25	26
50-64	30	9.5	20	2	3	9	12	15	19	20
65+	24	12.4	78	<1	2	10	17	24	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.3	8	1	1	3	4	7	8	17
20-34	268	4.6	18	1	1	3	5	9	12	29
35-49	252	5.2	24	1	2	4	6	9	13	32
50-64	289	4.9	16	1	2	4	6	9	12	19
65+	457	6.4	28	1	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	16	8.5	47	2	3	7	10	15	26	31
20-34	55	12.2	93	2	3	11	16	27	32	41
35-49	99	13.3	126	2	3	10	17	22	34	59
50-64	134	14.8	143	4	5	11	18	31	39	60
65+	190	17.8	179	4	5	15	23	34	46	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.5	9	1	1	3	4	7	8	15
B. *Operated*	156	7.8	45	1	2	5	11	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	1371	5.3	22	1	1	4	6	10	14	27
B. *Operated*	494	15.2	150	3	4	12	18	30	41	60
1. SINGLE DX	743	4.4	19	1	1	3	5	9	12	23
2. MULTIPLE DX	1865	7.9	75	1	2	5	9	17	25	50
A. NOT OPERATED	1958	4.7	19	1	1	4	6	9	13	23
B. OPERATED	650	13.4	134	2	3	10	17	27	36	58
TOTAL 0-19 YRS	270	3.6	10	1	1	3	4	7	9	15
20-34	507	5.0	31	1	1	3	5	11	16	32
35-49	519	6.5	52	1	1	4	8	14	18	34
50-64	568	7.2	64	1	2	5	9	15	21	40
65+	744	9.4	93	2	2	6	12	20	28	52
GRAND TOTAL	**2608**	**6.9**	**61**	**1**	**1**	**4**	**8**	**15**	**22**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.2	2	<1	1	2	3	4	5	7
20-34	48	2.6	2	1	1	3	3	4	6	9
35-49	6	2.8	3	1	1	2	4	6	6	6
50-64	7	3.6	2	2	2	4	5	5	5	5
65+	4	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4236	3.4	5	2	2	3	4	5	6	9
20-34	3058	3.7	6	2	2	3	4	5	6	9
35-49	803	4.1	4	2	2	4	5	6	8	12
50-64	331	4.5	6	2	2	4	5	7	8	13
65+	132	5.4	7	2	3	5	6	9	11	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.5	6	<1	<1	3	5	7	8	8
20-34	20	2.9	4	<1	<1	2	4	6	7	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	8.8	46	2	2	7	13	18	18	18
65+	5	8.0	47	3	3	6	10	20	20	20
B. *Operated*										
0-19 YRS	593	4.7	8	2	2	4	5	7	10	19
20-34	623	4.9	10	2	3	4	6	8	11	18
35-49	227	6.2	21	2	3	5	8	11	13	24
50-64	144	7.2	21	2	3	6	9	13	17	24
65+	107	8.7	26	3	4	7	11	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.5	2	1	1	2	3	4	5	8
B. *Operated*	8560	3.6	6	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	44	4.2	16	<1	1	3	6	8	12	20
B. *Operated*	1694	5.4	14	2	3	4	6	10	12	20
1. SINGLE DX	8667	3.6	6	2	2	3	4	5	6	10
2. MULTIPLE DX	1738	5.4	14	2	3	4	6	10	12	20
A. NOT OPERATED	151	3.0	7	<1	1	2	4	6	7	18
B. OPERATED	10254	3.9	7	2	2	3	4	6	8	14
TOTAL 0-19 YRS	4885	3.6	6	2	2	3	4	5	5	11
20-34	3749	3.8	7	2	2	3	4	6	7	12
35-49	1037	4.5	8	2	2	4	5	8	9	14
50-64	486	5.3	12	2	3	4	6	9	12	21
65+	248	6.8	18	2	3	6	8	12	15	28
GRAND TOTAL	**10405**	**3.9**	**7**	**2**	**2**	**3**	**4**	**6**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.5	21	<1	<1	5	6	10	16	21
20-34	12	4.6	5	2	2	4	6	8	9	9
35-49	5	3.2	10	1	1	1	6	8	8	8
50-64	3	5.3	4	3	3	6	7	7	7	7
65+	3	6.3	2	5	5	6	7	8	8	8
B. *Operated*										
0-19 YRS	1022	6.3	13	2	3	6	8	10	12	20
20-34	680	6.3	20	2	3	6	8	10	12	22
35-49	318	7.4	11	3	4	7	9	12	14	18
50-64	246	8.3	17	3	4	8	10	13	15	23
65+	140	9.7	23	3	4	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	9	2	2	3	7	9	9	9
20-34	3	9.3	4	7	7	10	11	11	11	11
35-49	2	13.0	98	6	6	13	20	20	20	20
50-64	5	8.8	25	2	2	8	11	16	16	16
65+	6	6.8	26	1	1	7	11	13	13	13
B. *Operated*										
0-19 YRS	413	10.6	34	4	5	9	13	19	22	30
20-34	305	10.0	47	3	4	8	12	18	23	43
35-49	213	10.2	45	4	5	9	12	17	23	36
50-64	243	11.4	38	5	5	10	14	18	24	40
65+	235	15.7	124	6	6	13	19	26	32	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	5.0	13	<1	1	5	6	8	10	21
B. *Operated*	2406	6.9	16	2	3	6	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	21	7.8	25	1	2	8	10	14	18	20
B. *Operated*	1409	11.4	58	4	5	9	14	20	25	39
1. SINGLE DX	2448	6.8	16	2	3	6	8	11	14	21
2. MULTIPLE DX	1430	11.3	58	4	5	9	14	20	24	38
A. NOT OPERATED	63	5.9	18	1	1	5	8	11	14	21
B. OPERATED	3815	8.5	36	3	3	7	10	15	19	31
TOTAL 0-19 YRS	1459	7.5	23	2	3	7	9	13	17	25
20-34	1000	7.4	31	2	3	6	9	13	17	30
35-49	538	8.5	27	3	4	7	10	14	17	33
50-64	497	9.8	29	4	4	9	12	16	20	32
65+	384	13.3	94	4	6	11	16	21	28	51
GRAND TOTAL	**3878**	**8.5**	**36**	**3**	**3**	**7**	**10**	**15**	**19**	**31**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	1.5	1	<1	<1	1	2	3	3	4
20-34	54	2.5	7	<1	1	2	3	5	10	12
35-49	12	2.1	2	1	1	2	2	4	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65+	5	2.6	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	431	3.8	3	2	2	4	4	5	7	10
20-34	345	4.0	4	2	2	4	5	6	7	12
35-49	75	4.5	5	2	2	4	5	7	9	12
50-64	44	4.8	5	2	2	4	6	9	9	10
65+	15	5.3	7	1	2	5	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.5	4	1	1	2	3	4	6	11
20-34	27	2.8	5	<1	1	2	3	7	8	9
35-49	13	3.8	6	1	1	4	5	8	8	8
50-64	8	2.0	1	<1	<1	2	3	4	4	4
65+	8	3.3	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	222	4.8	9	2	3	4	5	8	10	17
20-34	223	5.3	7	2	3	5	6	9	10	13
35-49	56	6.7	14	3	3	6	8	10	13	22
50-64	33	8.6	51	3	4	7	10	14	20	42
65+	25	13.2	127	4	5	10	16	22	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.0	3	<1	1	1	2	3	5	12
B. *Operated*	910	4.0	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	89	2.8	4	1	1	2	3	6	8	10
B. *Operated*	559	5.8	20	2	3	5	7	10	12	22
1. SINGLE DX	1057	3.7	4	1	2	4	4	6	7	11
2. MULTIPLE DX	648	5.4	18	2	2	4	6	9	12	21
A. NOT OPERATED	236	2.3	4	<1	1	2	3	4	6	11
B. OPERATED	1469	4.7	10	2	2	4	5	8	10	17
TOTAL 0-19 YRS	759	3.8	6	1	2	4	4	6	8	13
20-34	649	4.3	6	1	2	4	5	7	9	12
35-49	156	5.1	10	2	2	4	7	9	10	19
50-64	88	5.8	27	1	2	5	7	10	12	34
65+	53	8.5	82	1	2	6	10	18	22	58
GRAND TOTAL	**1705**	**4.4**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.2		<1	<1	1	1	2	2	3
20-34	16	1.8	2	<1	<1	1	2	4	5	5
35-49	14	2.6	3	<1	<1	2	4	5	6	7
50-64	14	2.7	3	<1	<1	2	5	5	5	5
65+	19	3.3	7	1	1	3	4	7	9	11
B. *Operated*										
0-19 YRS	2751	2.1	4	<1	<1	2	3	3	4	6
20-34	3080	3.2	2	1	2	3	4	5	5	8
35-49	2540	3.5	3	1	2	3	4	5	6	8
50-64	3951	3.8	4	2	2	4	4	5	6	9
65+	3141	4.3	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	1.3	1	<1	<1	1	1	2	3	9
20-34	26	1.6	2	<1	<1	1	2	4	5	5
35-49	16	2.1	4	<1	<1	1	2	5	7	8
50-64	51	2.8	5	<1	1	2	4	5	6	12
65+	98	4.3	35	<1	<1	3	6	10	13	74
B. *Operated*										
0-19 YRS	1359	2.1	3	<1	<1	2	3	4	5	9
20-34	891	3.8	8	1	2	3	4	5	7	12
35-49	1202	4.0	4	2	2	4	5	6	7	12
50-64	2495	4.6	14	2	2	4	5	7	9	16
65+	3147	5.9	16	2	3	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.2	3	<1	<1	1	3	5	5	10
B. *Operated*	15463	3.4	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	284	2.7	15	<1	<1	1	3	6	9	22
B. *Operated*	9094	4.5	13	1	2	4	5	8	10	18
1. SINGLE DX	15552	3.4	4	1	1	3	4	5	6	9
2. MULTIPLE DX	9378	4.4	13	1	2	4	5	7	10	18
A. NOT OPERATED	373	2.6	13	<1	<1	1	3	5	8	15
B. OPERATED	24557	3.8	8	1	2	3	5	6	8	14
TOTAL 0-19 YRS	4229	2.1	4	<1	<1	2	3	4	4	7
20-34	4013	3.3	4	1	2	3	4	5	6	10
35-49	3772	3.7	4	2	2	3	4	5	6	9
50-64	6511	4.1	8	2	2	4	5	6	7	12
65+	6405	5.0	11	2	3	4	6	8	11	20
GRAND TOTAL	**24930**	**3.8**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	4	2.3	6	1	1	1	4	6	6	6
65+	8	3.5	13	1	1	1	6	9	10	10
B. *Operated*										
0-19 YRS	223	2.2	21	<1	<1	2	2	3	4	12
20-34	103	3.1	2	1	2	3	4	5	5	8
35-49	78	3.5	3	1	2	3	4	5	6	10
50-64	154	4.9	58	2	2	4	5	7	10	25
65+	198	5.3	7	2	3	5	6	9	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34										
35-49	3	6.0	25	1	1	6	10	11	11	11
50-64	5	2.2	2	<1	<1	2	3	4	4	4
65+	29	4.1	9	1	1	3	5	9	11	12
B. *Operated*										
0-19 YRS	134	2.4	5	<1	1	2	3	4	7	13
20-34	39	4.3	8	1	1	4	6	9	10	11
35-49	50	5.5	17	2	2	4	6	9	12	23
50-64	96	7.0	48	2	2	5	7	13	18	42
65+	385	8.8	39	3	4	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.2	6	<1	1	1	2	6	8	10
B. *Operated*	756	3.8	22	1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	42	3.7	9	<1	1	3	4	9	11	12
B. *Operated*	704	6.9	37	1	1	5	9	13	18	34
1. SINGLE DX	780	3.8	22	1	1	3	4	6	8	18
2. MULTIPLE DX	746	6.7	36	1	1	5	8	13	17	34
A. NOT OPERATED	66	3.1	8	<1	1	2	4	8	10	12
B. OPERATED	1460	5.3	31	1	1	4	6	10	14	25
TOTAL 0-19 YRS	368	2.3	15	<1	1	2	2	4	5	12
20-34	145	3.4	4	1	1	3	4	5	8	10
35-49	134	4.2	10	1	2	4	5	7	9	22
50-64	259	5.6	54	2	2	4	6	9	13	35
65+	620	7.4	30	2	3	6	9	14	18	33
GRAND TOTAL	**1526**	**5.2**	**31**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	320	1.7	1	<1	<1	1	2	3	3	7
20-34	161	2.7	2	1	1	2	3	4	5	8
35-49	206	3.1	3	1	1	3	4	5	6	10
50-64	174	3.4	6	1	2	3	4	6	6	8
65+	70	3.8	5	1	2	3	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	55	<1	<1	1	2	16	22	22
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	11	2.3	1	<1	<1	2	3	4	4	4
65+	13	3.3	19	<1	<1	1	3	10	15	16
B. *Operated*										
0-19 YRS	58	2.5	6	<1	<1	2	2	5	7	15
20-34	114	4.1	21	1	2	3	5	6	8	24
35-49	160	4.5	7	1	2	4	5	8	11	13
50-64	181	5.3	20	2	2	4	6	9	14	24
65+	99	6.9	32	2	2	5	8	13	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	2	<1	1	1	3	4	4	4
B. *Operated*	931	2.6	4	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	42	2.7	16	<1	<1	1	3	4	12	22
B. *Operated*	612	4.9	19	1	2	4	6	9	12	23
1. SINGLE DX	947	2.6	4	<1	1	2	3	4	6	8
2. MULTIPLE DX	654	4.7	19	1	2	4	5	9	12	23
A. NOT OPERATED	58	2.5	12	<1	<1	1	3	4	7	22
B. OPERATED	1543	3.5	11	<1	1	3	4	6	8	16
TOTAL 0-19 YRS	392	1.8	3	<1	<1	2	2	3	4	8
20-34	283	3.2	10	1	1	3	4	5	6	9
35-49	373	3.7	6	1	1	3	4	6	8	13
50-64	368	4.3	14	1	2	3	5	7	9	23
65+	185	5.4	23	1	2	4	6	10	15	28
GRAND TOTAL	**1601**	**3.5**	**11**	**<1**	**1**	**3**	**4**	**6**	**8**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	10	2.8	7	<1	<1	2	3	7	8	8
50-64	10	3.5	7	<1	<1	3	4	8	10	10
65+	8	3.6	4	<1	1	3	4	7	8	8
B. *Operated*										
0-19 YRS	99	2.3	3	<1	<1	2	3	4	5	12
20-34	291	3.5	5	1	2	3	4	6	7	11
35-49	414	4.5	6	2	2	4	6	7	8	11
50-64	549	5.1	6	2	2	5	6	8	10	13
65+	375	6.1	10	2	3	6	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	12	2.5	5	<1	<1	2	3	6	8	8
35-49	24	5.0	28	<1	1	3	7	13	18	19
50-64	31	3.6	8	<1	<1	3	5	8	11	11
65+	58	4.9	9	1	1	4	8	9	10	12
B. *Operated*										
0-19 YRS	28	4.0	11	1	1	3	6	9	10	15
20-34	182	5.4	9	2	2	5	7	9	11	17
35-49	381	5.9	11	2	3	5	7	9	11	20
50-64	577	7.1	34	2	3	6	8	12	15	27
65+	590	8.2	43	3	4	7	9	13	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.0	5	<1	<1	2	3	7	8	10
B. *Operated*	1728	4.7	8	2	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	128	4.3	12	<1	1	3	6	9	11	18
B. *Operated*	1758	7.0	30	2	3	6	8	11	15	25
1. SINGLE DX	1762	4.7	8	1	2	4	6	8	10	13
2. MULTIPLE DX	1886	6.8	29	2	3	6	8	11	14	24
A. NOT OPERATED	162	4.0	11	<1	1	3	6	9	10	17
B. OPERATED	3486	5.9	20	2	2	5	7	10	12	21
TOTAL 0-19 YRS	131	2.6	5	<1	<1	2	3	5	7	13
20-34	490	4.2	7	1	2	4	5	7	9	15
35-49	829	5.1	9	2	2	5	6	8	10	18
50-64	1167	6.1	21	2	3	5	7	10	12	20
65+	1031	7.2	30	3	3	6	8	11	15	25
GRAND TOTAL	**3648**	**5.8**	**20**	**2**	**2**	**5**	**7**	**10**	**12**	**21**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	25	3.3	4	1	1	3	4	7	8	9
35-49	60	3.3	12	<1	<1	3	4	5	7	24
50-64	118	3.0	3	<1	1	3	4	5	6	9
65+	107	3.8	5	1	1	3	5	6	7	13
B. *Operated*										
0-19 YRS	6	6.7	10	1	1	7	9	10	10	10
20-34	21	8.2	15	2	4	7	10	13	16	19
35-49	41	7.8	9	3	5	7	9	11	17	99+
50-64	67	8.2	15	4	5	7	10	12	13	25
65+	38	8.9	11	2	5	9	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	5	1	1	3	4	7	9	9
20-34	86	3.4	4	<1	1	3	4	6	7	10
35-49	298	3.9	9	1	1	3	5	7	8	16
50-64	589	4.2	7	1	2	4	5	8	9	15
65+	1058	5.1	14	2	2	4	6	9	11	22
B. *Operated*										
0-19 YRS	8	8.5	14	3	4	8	10	14	16	16
20-34	78	8.2	14	3	4	7	10	14	15	22
35-49	259	8.8	28	2	4	8	10	14	19	32
50-64	430	9.3	33	3	4	8	11	15	19	34
65+	339	10.0	43	2	3	9	12	17	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	3.4	6	<1	1	3	4	6	7	13
B. *Operated*	173	8.2	12	2	5	8	10	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	2043	4.6	11	1	2	4	6	8	10	18
B. *Operated*	1114	9.3	34	3	4	8	11	15	19	30
1. SINGLE DX	485	5.1	13	1	1	4	7	10	12	18
2. MULTIPLE DX	3157	6.3	24	1	2	5	8	12	15	25
A. NOT OPERATED	2355	4.4	10	1	2	4	5	8	10	17
B. OPERATED	1287	9.2	31	3	4	8	11	15	19	30
TOTAL 0-19 YRS	28	5.7	12	1	1	6	8	10	11	16
20-34	210	5.7	14	1	2	5	7	10	14	18
35-49	658	6.0	23	1	2	5	8	10	14	28
50-64	1204	6.1	23	1	2	5	8	11	14	23
65+	1542	6.2	24	2	2	5	8	12	15	23
GRAND TOTAL	**3642**	**6.1**	**23**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.4	21	1	1	3	5	12	14	14
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	8	2.6	2	1	1	2	3	5	5	5
65+	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	34	2.9	4	<1	1	2	3	5	8	9
20-34	63	4.2	10	2	2	4	4	6	11	22
35-49	82	3.9	3	1	2	4	5	6	7	11
50-64	109	4.4	6	2	2	4	5	8	10	13
65+	110	4.9	5	2	3	4	6	8	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	7	3.6	3	1	1	4	5	6	6	6
50-64	15	6.3	20	1	2	5	8	15	16	16
65+	19	6.1	23	1	2	5	8	10	17	22
B. *Operated*										
0-19 YRS	10	2.8	2	1	1	3	3	5	6	6
20-34	48	4.8	8	1	2	4	6	9	10	15
35-49	65	5.4	16	2	2	4	6	11	14	24
50-64	88	5.9	13	2	3	5	7	12	13	18
65+	148	7.6	20	3	3	6	10	13	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.4	8	1	1	3	5	6	9	14
B. *Operated*	398	4.3	6	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	46	5.5	17	1	2	4	7	10	15	22
B. *Operated*	359	6.3	17	2	3	5	8	12	15	20
1. SINGLE DX	420	4.2	6	1	2	4	5	7	8	13
2. MULTIPLE DX	405	6.2	17	2	2	5	8	11	15	21
A. NOT OPERATED	68	4.8	15	1	1	4	6	9	14	21
B. OPERATED	757	5.2	12	2	2	4	6	10	12	19
TOTAL 0-19 YRS	45	2.8	3	<1	1	3	3	4	7	9
20-34	122	4.4	9	1	2	4	5	8	10	17
35-49	157	4.5	9	2	2	4	5	7	10	15
50-64	220	5.1	10	2	2	4	6	9	12	16
65+	281	6.3	16	2	3	5	8	11	14	21
GRAND TOTAL	**825**	**5.2**	**12**	**2**	**2**	**4**	**6**	**9**	**12**	**19**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	9	2.3	1	1	1	2	3	3	3	3
50-64	17	3.3	6	<1	<1	2	4	8	9	9
65+	22	3.6	6	<1	1	3	4	7	9	10
B. *Operated*										
0-19 YRS	37	2.7	3	1	1	2	3	4	6	9
20-34	104	3.2	8	1	1	3	4	5	6	19
35-49	155	4.0	7	1	2	3	5	7	9	14
50-64	187	5.5	15	2	2	4	7	11	13	20
65+	235	7.6	23	2	3	7	10	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.8	3	1	1	3	4	5	5	5
35-49	6	5.0	4	2	2	5	7	7	7	7
50-64	32	4.3	7	1	1	4	5	8	9	11
65+	85	5.9	21	1	2	5	7	12	14	26
B. *Operated*										
0-19 YRS	16	3.3	6	1	1	2	4	7	9	10
20-34	49	4.8	6	2	2	4	7	9	9	12
35-49	146	7.5	51	2	3	6	9	14	17	39
50-64	252	8.7	88	3	3	6	10	15	18	58
65+	452	11.5	69	3	4	9	14	22	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	5	<1	1	3	4	7	8	10
B. *Operated*	718	5.4	17	1	2	4	7	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	128	5.4	17	1	2	4	7	10	12	24
B. *Operated*	915	9.6	71	2	3	8	12	18	24	41
1. SINGLE DX	769	5.3	17	1	2	4	7	10	13	21
2. MULTIPLE DX	1043	9.1	66	2	3	7	11	17	23	39
A. NOT OPERATED	179	4.7	14	1	1	4	6	9	11	22
B. OPERATED	1633	7.8	52	2	2	6	10	15	20	34
TOTAL 0-19 YRS	55	2.8	4	1	1	2	4	5	7	10
20-34	159	3.7	8	1	1	3	4	7	9	14
35-49	316	5.6	30	2	2	4	7	10	14	24
50-64	488	7.0	55	2	2	5	8	12	16	32
65+	794	9.6	54	2	3	8	12	18	23	37
GRAND TOTAL	**1812**	**7.5**	**49**	**2**	**2**	**5**	**9**	**14**	**19**	**33**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.9	10	<1	1	2	4	6	8	12
20-34	236	3.7	6	1	1	3	5	7	8	11
35-49	332	4.3	19	1	1	3	5	8	9	15
50-64	431	4.5	18	1	1	4	5	8	10	17
65+	512	5.0	16	1	2	4	6	9	12	25
B. *Operated*										
0-19 YRS	142	7.2	27	3	3	6	8	12	14	37
20-34	173	8.9	24	4	5	8	11	14	18	28
35-49	194	10.3	23	5	6	9	12	16	20	27
50-64	266	10.2	21	5	6	9	12	16	20	27
65+	340	12.9	61	6	7	11	14	20	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	3.4	7	<1	1	3	5	7	10	11
20-34	189	5.1	38	1	2	4	6	9	11	22
35-49	300	5.3	17	1	2	4	6	10	13	22
50-64	663	6.0	26	1	2	5	7	11	14	28
65+	1342	7.1	34	2	2	6	9	14	18	28
B. *Operated*										
0-19 YRS	137	9.0	71	3	3	7	10	15	25	72
20-34	211	11.5	45	4	5	10	14	19	26	42
35-49	288	13.6	104	4	6	11	16	24	35	58
50-64	595	15.6	153	5	6	12	18	29	38	76
65+	1108	18.0	139	7	8	14	21	34	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1666	4.3	16	1	1	3	5	8	10	18
B. *Operated*	1115	10.5	38	4	5	9	12	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	2577	6.4	30	1	2	5	8	12	16	28
B. *Operated*	2339	15.8	133	5	6	13	19	30	39	71
1. SINGLE DX	2781	6.8	34	1	2	5	9	13	16	27
2. MULTIPLE DX	4916	10.8	101	2	3	8	14	22	30	56
A. NOT OPERATED	4243	5.6	26	1	2	4	7	10	14	26
B. OPERATED	3454	14.0	109	5	6	11	16	25	35	62
TOTAL 0-19 YRS	517	5.8	37	1	1	5	7	11	14	37
20-34	809	7.2	38	1	2	6	9	14	17	31
35-49	1114	8.0	56	2	2	6	10	16	20	41
50-64	1955	9.2	83	2	2	7	11	18	24	51
65+	3302	11.0	98	2	3	9	14	22	30	53
GRAND TOTAL	**7697**	**9.4**	**81**	**2**	**2**	**7**	**12**	**19**	**26**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3274	2.7	6	1	1	2	3	5	6	11
20-34	1701	2.5	6	1	1	2	3	4	6	10
35-49	769	3.1	19	<1	1	2	4	5	7	13
50-64	654	3.1	7	1	1	3	4	6	7	11
65+	664	3.7	18	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	89	4.0	7	2	2	3	4	6	9	18
20-34	108	4.4	7	2	2	4	6	8	10	14
35-49	57	6.1	20	2	2	5	8	10	14	27
50-64	47	6.8	53	1	1	5	8	11	16	49
65+	37	7.6	21	1	2	8	12	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4026	3.9	14	1	1	3	5	7	9	17
20-34	1552	3.2	9	1	1	3	4	6	7	13
35-49	1081	4.1	13	1	1	3	5	7	10	18
50-64	1498	4.7	19	1	2	4	6	9	11	18
65+	3312	5.8	26	1	2	4	7	11	14	27
B. *Operated*										
0-19 YRS	129	9.4	121	2	2	6	10	23	37	54
20-34	136	6.9	21	2	3	5	9	13	16	21
35-49	99	8.8	64	2	3	6	12	16	20	51
50-64	177	9.8	86	2	3	8	12	18	28	70
65+	242	11.7	97	2	3	10	14	21	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7062	2.9	9	1	1	2	3	5	6	11
B. *Operated*	338	5.3	19	1	2	4	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	11469	4.5	18	1	1	3	5	8	11	21
B. *Operated*	783	9.7	83	2	3	7	12	18	25	53
1. SINGLE DX	7400	3.0	10	1	1	2	4	5	7	12
2. MULTIPLE DX	12252	4.8	24	1	1	4	6	9	12	24
A. NOT OPERATED	18531	3.8	15	1	1	3	5	7	10	18
B. OPERATED	1121	8.4	68	2	2	6	10	16	21	48
TOTAL 0-19 YRS	7518	3.5	13	1	1	3	4	6	8	16
20-34	3497	3.0	9	1	1	2	4	6	7	13
35-49	2006	4.0	20	1	1	3	5	7	10	20
50-64	2376	4.7	24	1	1	3	5	9	12	23
65+	4255	5.8	31	1	2	4	7	11	15	28
GRAND TOTAL	**19652**	**4.1**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	39	3.7	3	1	2	4	5	6	7	9
35-49	219	4.5	11	1	2	4	6	7	9	14
50-64	535	4.3	6	1	2	4	6	7	8	13
65+	740	4.8	11	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	4	6.0	3	4	4	6	7	8	8	8
20-34	24	8.6	21	2	3	8	10	15	17	21
35-49	115	9.3	20	3	5	9	11	13	18	25
50-64	265	10.7	22	5	7	10	12	15	20	29
65+	222	12.7	31	6	7	12	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.1	59	<1	<1	4	7	20	23	23
20-34	36	5.1	6	2	2	4	7	9	10	10
35-49	217	4.7	9	1	2	4	6	8	11	15
50-64	866	5.2	15	2	2	4	6	9	12	20
65+	2870	6.4	23	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	6	9.8	19	5	5	9	15	15	15	15
20-34	42	12.0	89	4	5	10	14	20	26	60
35-49	199	11.8	41	4	5	10	14	20	24	35
50-64	614	13.3	71	4	6	11	16	23	28	49
65+	1053	15.5	114	4	6	13	19	28	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1534	4.5	9	1	2	4	6	8	10	15
B. *Operated*	630	11.0	26	5	6	10	13	17	22	29
2. MULTIPLE DX										
A. *Not Operated*	3998	6.0	21	2	2	5	7	11	14	24
B. *Operated*	1914	14.3	93	4	6	12	17	25	32	57
1. SINGLE DX	2164	6.4	23	1	2	5	9	12	15	24
2. MULTIPLE DX	5912	8.7	59	2	3	7	11	17	23	41
A. NOT OPERATED	5532	5.6	18	2	2	5	7	10	13	22
B. OPERATED	2544	13.5	79	4	6	11	16	23	29	52
TOTAL 0-19 YRS	20	7.2	34	<1	1	5	9	15	19	23
20-34	141	7.4	44	2	2	6	9	14	17	34
35-49	750	7.2	30	2	2	6	10	14	17	29
50-64	2280	7.8	43	2	2	6	10	15	20	32
65+	4885	8.4	57	2	2	6	11	17	22	39
GRAND TOTAL	**8076**	**8.1**	**50**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	15	<1	<1	2	4	8	14	15
20-34	26	2.2	2	<1	<1	2	3	4	5	6
35-49	19	3.2	15	<1	1	2	3	5	13	18
50-64	22	4.2	44	<1	<1	3	4	6	17	33
65+	10	2.5	2	1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	126	2.9	10	<1	1	2	4	5	6	15
20-34	740	3.1	14	1	1	3	4	5	6	10
35-49	704	3.3	5	1	1	3	4	5	7	10
50-64	433	3.6	7	1	1	3	4	6	7	13
65+	178	4.0	11	1	2	3	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	3	<1	1	3	4	5	6	6
20-34	30	3.8	9	1	1	3	5	9	11	12
35-49	33	4.5	25	<1	1	3	5	11	17	23
50-64	37	4.6	8	1	1	4	7	9	10	12
65+	48	7.5	36	2	2	6	11	14	19	32
B. *Operated*										
0-19 YRS	56	4.5	18	1	1	4	5	8	14	25
20-34	633	4.0	13	1	2	3	5	6	8	14
35-49	759	4.6	17	1	2	4	5	7	10	26
50-64	638	5.1	21	2	2	4	5	8	12	29
65+	360	7.3	68	2	2	5	8	14	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.1	17	<1	<1	2	3	5	6	27
B. *Operated*	2181	3.3	9	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	162	5.1	22	1	1	4	7	11	13	26
B. *Operated*	2446	5.0	26	1	2	4	5	8	11	31
1. SINGLE DX	2270	3.3	9	1	1	3	4	5	7	12
2. MULTIPLE DX	2608	5.0	26	1	2	4	5	8	12	31
A. NOT OPERATED	251	4.4	21	<1	1	3	5	10	12	26
B. OPERATED	4627	4.2	19	1	2	3	5	7	9	22
TOTAL 0-19 YRS	208	3.4	12	1	1	3	4	5	7	21
20-34	1429	3.5	13	1	1	3	4	5	7	12
35-49	1515	4.0	12	1	2	3	5	6	9	18
50-64	1130	4.5	16	1	2	4	5	7	10	23
65+	596	6.3	50	2	2	4	7	11	18	36
GRAND TOTAL	**4878**	**4.2**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	3.2	17	<1	1	2	4	6	8	14
20-34	783	4.5	16	1	1	3	5	8	11	20
35-49	547	4.6	19	1	1	4	6	9	11	23
50-64	448	4.2	16	1	1	3	5	8	11	24
65+	557	4.0	12	<1	1	3	5	8	12	18
B. *Operated*										
0-19 YRS	205	6.1	41	1	1	4	8	13	19	32
20-34	482	6.7	36	1	1	5	8	14	19	33
35-49	355	7.5	45	1	2	6	10	15	19	42
50-64	381	7.3	46	1	1	6	10	15	18	36
65+	322	8.8	50	1	2	7	12	19	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	352	4.0	14	1	1	3	5	7	10	18
20-34	944	5.2	23	1	2	4	6	9	12	25
35-49	903	5.4	20	1	2	4	7	10	13	24
50-64	1256	5.9	39	1	2	4	7	11	15	32
65+	2613	6.3	41	1	2	5	8	12	17	32
B. *Operated*										
0-19 YRS	215	8.9	107	1	2	6	10	19	30	58
20-34	864	8.7	70	2	2	6	10	19	26	46
35-49	850	9.6	90	2	3	7	11	20	29	55
50-64	1046	11.8	142	2	3	8	14	26	38	68
65+	1286	13.8	158	2	3	10	18	30	41	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2753	4.2	16	1	1	3	5	8	11	20
B. *Operated*	1745	7.3	44	1	1	5	10	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	6068	5.8	34	1	2	4	7	11	15	29
B. *Operated*	4261	11.2	124	2	3	8	14	24	35	64
1. SINGLE DX	4498	5.4	29	1	1	4	7	11	16	26
2. MULTIPLE DX	10329	8.0	78	1	2	5	9	17	24	51
A. NOT OPERATED	8821	5.3	29	1	1	4	6	10	14	27
B. OPERATED	6006	10.1	104	2	2	7	12	21	30	60
TOTAL 0-19 YRS	1190	5.0	41	1	1	3	6	10	15	34
20-34	3073	6.2	40	1	2	4	7	12	18	34
35-49	2655	6.9	50	1	2	5	8	14	19	43
50-64	3131	7.8	80	1	2	5	9	16	24	54
65+	4778	8.2	82	1	2	5	10	18	25	51
GRAND TOTAL	**14827**	**7.2**	**65**	**1**	**2**	**5**	**9**	**15**	**21**	**44**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	7.1	67	2	2	4	6	17	28	32
35-49	72	6.9	41	2	2	5	8	13	17	38
50-64	74	8.1	48	2	2	6	11	17	22	37
65+	32	6.7	15	2	3	5	9	14	15	17
B. *Operated*										
0-19 YRS										
20-34	13	4.2	23	<1	<1	2	5	13	15	15
35-49	30	3.7	9	1	1	3	5	8	10	14
50-64	49	7.0	61	1	1	3	9	19	23	37
65+	6	4.2	10	<1	<1	3	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	28.7	56	21	21	29	34	36	36	36
20-34	203	14.5	154	2	3	10	23	29	32	66
35-49	656	13.2	107	2	3	10	22	29	30	46
50-64	912	12.3	83	2	3	9	18	26	30	40
65+	450	13.2	99	2	3	11	20	24	30	42
B. *Operated*										
0-19 YRS	3	27.7	1104	7	7	10	52	66	66	66
20-34	49	14.1	155	1	3	9	18	30	40	62
35-49	178	14.4	164	2	3	10	21	31	39	63
50-64	261	14.4	184	2	2	10	20	32	46	69
65+	108	15.7	117	3	4	13	21	33	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	7.3	41	2	2	5	9	14	18	36
B. *Operated*	98	5.5	39	1	1	3	8	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	2224	13.0	100	2	3	10	20	28	30	41
B. *Operated*	599	14.7	167	2	3	11	20	31	42	67
1. SINGLE DX	291	6.7	41	1	1	5	8	14	18	35
2. MULTIPLE DX	2823	13.3	115	2	3	10	20	29	31	57
A. NOT OPERATED	2417	12.5	98	2	3	9	20	27	30	41
B. OPERATED	697	13.4	159	1	2	9	19	31	39	65
TOTAL 0-19 YRS	6	28.2	465	7	7	25	36	63	66	66
20-34	280	13.6	150	2	2	9	22	29	33	65
35-49	936	12.6	115	2	3	9	20	29	31	51
50-64	1296	12.3	103	2	3	9	18	27	31	52
65+	596	13.2	101	2	3	11	20	25	32	56
GRAND TOTAL	**3114**	**12.7**	**112**	**2**	**3**	**9**	**20**	**28**	**31**	**56**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	52	2	2	5	9	20	21	21
20-34	18	4.3	12	<1	1	3	6	10	11	12
35-49	26	6.0	13	1	2	6	8	10	13	17
50-64	32	8.2	43	1	2	6	12	19	21	22
65+	34	6.2	17	1	1	6	8	14	15	16
B. *Operated*										
0-19 YRS	12	2.8	5	<1	<1	2	4	7	8	8
20-34	148	2.1	5	<1	<1	1	2	5	7	12
35-49	97	3.8	22	<1	1	2	4	8	15	24
50-64	131	3.4	15	<1	1	2	4	8	11	22
65+	49	6.7	74	<1	1	2	10	20	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.2	35	1	1	3	6	13	21	23
20-34	50	6.4	22	2	2	4	10	12	17	20
35-49	131	9.2	61	2	3	7	12	20	25	37
50-64	245	9.5	79	2	2	7	12	20	28	48
65+	290	9.9	55	2	2	8	14	20	22	37
B. *Operated*										
0-19 YRS	22	4.9	48	<1	<1	2	4	12	22	30
20-34	89	6.7	55	1	1	3	9	19	22	29
35-49	160	8.3	90	1	1	5	12	22	27	50
50-64	259	9.6	112	1	1	6	13	23	30	62
65+	180	10.5	92	1	1	8	16	26	30	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	6.5	25	1	1	5	9	14	17	22
B. *Operated*	437	3.4	21	<1	1	2	3	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	730	9.3	63	2	2	7	12	19	23	38
B. *Operated*	710	9.0	95	1	1	5	13	23	29	48
1. SINGLE DX	553	4.0	23	<1	1	2	5	10	15	22
2. MULTIPLE DX	1440	9.2	78	1	1	7	12	21	26	42
A. NOT OPERATED	846	8.9	58	2	2	7	12	18	22	37
B. OPERATED	1147	6.9	74	1	1	3	9	19	25	39
TOTAL 0-19 YRS	54	4.8	35	<1	1	2	6	10	20	30
20-34	305	4.3	27	<1	1	2	5	11	17	25
35-49	414	7.4	64	1	1	5	10	17	24	37
50-64	667	8.3	83	1	1	5	11	20	25	48
65+	553	9.6	68	1	1	8	14	22	26	39
GRAND TOTAL	**1993**	**7.8**	**68**	**1**	**1**	**5**	**10**	**18**	**24**	**39**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.0	7	1	2	4	5	7	9	14
20-34	150	5.8	22	1	2	4	7	12	15	22
35-49	72	5.9	22	1	2	4	7	14	19	83
50-64	62	6.7	39	1	2	5	8	13	15	35
65+	49	7.6	51	1	2	6	9	15	23	37
B. *Operated*										
0-19 YRS	8	4.1	11	1	1	4	5	9	11	11
20-34	37	5.1	27	<1	1	3	6	12	17	23
35-49	43	6.5	50	1	1	3	9	18	23	28
50-64	42	7.4	63	1	1	4	11	18	27	31
65+	32	6.2	30	1	1	6	9	12	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.8	15	2	2	4	6	7	9	26
20-34	112	6.2	33	2	2	4	7	14	18	31
35-49	158	8.5	55	1	2	6	11	16	23	37
50-64	350	9.8	68	2	3	7	12	21	28	39
65+	324	9.4	51	2	3	8	12	18	24	33
B. *Operated*										
0-19 YRS	10	9.5	20	4	5	8	14	16	18	18
20-34	48	11.3	88	1	1	9	18	25	28	35
35-49	79	10.0	76	1	1	8	14	24	29	82
50-64	114	12.8	112	1	2	10	18	28	31	53
65+	106	17.5	192	2	3	14	26	36	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	5.9	26	1	2	4	7	12	15	32
B. *Operated*	162	6.2	43	1	1	4	9	15	21	29
2. MULTIPLE DX										
A. *Not Operated*	986	8.8	56	2	2	7	11	18	24	36
B. *Operated*	357	13.3	130	1	2	10	19	29	35	54
1. SINGLE DX	561	6.0	31	1	1	4	8	13	17	30
2. MULTIPLE DX	1343	10.0	79	2	2	7	13	22	28	44
A. NOT OPERATED	1385	8.0	49	2	2	6	10	16	22	36
B. OPERATED	519	11.1	113	1	1	8	16	26	32	53
TOTAL 0-19 YRS	126	4.7	13	1	2	4	6	8	11	20
20-34	347	6.6	38	1	1	4	8	16	19	29
35-49	352	8.0	54	1	1	6	11	18	25	40
50-64	568	9.9	76	2	2	7	13	22	29	39
65+	511	10.7	92	1	2	8	14	24	31	51
GRAND TOTAL	**1904**	**8.8**	**68**	**1**	**2**	**6**	**11**	**19**	**27**	**39**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	28	1	1	2	4	5	16	25
20-34	225	2.8	5	1	1	2	3	5	7	12
35-49	209	2.8	3	<1	1	2	4	5	7	9
50-64	232	3.5	42	<1	1	3	4	6	7	20
65+	260	4.3	10	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	215	6.3	4	4	4	6	7	9	9	13
20-34	2203	6.5	5	4	5	6	7	9	10	15
35-49	2018	6.8	9	4	5	6	8	9	11	15
50-64	2113	7.3	7	5	5	7	8	10	12	17
65+	1237	8.7	12	5	6	8	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	4	1	1	3	4	6	8	10
20-34	158	3.3	9	<1	1	3	4	6	8	18
35-49	216	4.0	13	1	1	3	5	7	10	19
50-64	435	5.0	32	1	2	4	6	9	12	24
65+	928	6.0	20	2	2	5	7	11	13	24
B. *Operated*										
0-19 YRS	108	7.7	10	4	4	7	9	12	14	17
20-34	1500	7.8	11	5	5	7	9	12	14	21
35-49	1874	8.3	17	5	5	7	9	13	15	25
50-64	2915	9.6	34	5	6	8	11	15	19	33
65+	3143	12.7	60	6	6	10	15	22	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	3.4	16	1	1	3	4	6	8	14
B. *Operated*	7786	7.1	8	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1759	5.3	22	1	2	4	6	9	13	24
B. *Operated*	9540	10.1	39	5	5	8	11	17	21	34
1. SINGLE DX	8731	6.7	10	2	4	6	8	10	12	17
2. MULTIPLE DX	11299	9.3	40	3	4	8	11	16	20	34
A. NOT OPERATED	2704	4.6	20	1	1	4	6	9	11	21
B. OPERATED	17326	8.7	27	5	5	7	10	14	18	30
TOTAL 0-19 YRS	364	6.4	8	2	3	6	7	9	11	16
20-34	4086	6.6	9	2	4	6	8	10	12	18
35-49	4317	7.1	15	3	4	6	8	11	13	21
50-64	5695	8.2	27	3	4	7	9	13	16	28
65+	5568	10.3	49	3	4	9	12	18	23	36
GRAND TOTAL	**20030**	**8.2**	**28**	**3**	**4**	**7**	**9**	**13**	**17**	**30**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	2	1	1	3	4	5	6	7
20-34	220	2.9	3	1	1	2	4	5	6	10
35-49	213	3.7	17	1	1	3	4	6	8	15
50-64	176	4.0	23	1	1	3	5	6	8	16
65+	160	4.2	7	1	1	4	6	8	10	12
B. *Operated*										
0-19 YRS	23	7.6	10	4	5	7	8	14	15	16
20-34	278	7.1	13	4	5	6	8	10	11	27
35-49	240	7.7	12	5	5	7	8	12	14	22
50-64	205	8.4	23	5	5	7	9	13	16	35
65+	132	9.5	13	6	6	9	11	14	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	4	1	1	3	4	7	7	8
20-34	177	3.7	5	1	1	3	5	7	8	12
35-49	191	4.2	5	1	2	4	5	7	9	10
50-64	311	5.1	16	1	2	4	7	9	13	31
65+	515	6.9	27	2	2	6	9	12	16	29
B. *Operated*										
0-19 YRS	18	8.4	14	3	4	8	10	14	16	17
20-34	372	8.0	15	4	5	7	9	13	16	24
35-49	509	8.9	18	5	5	8	10	14	17	24
50-64	621	9.9	30	5	6	8	11	16	20	35
65+	661	13.3	58	6	7	11	15	22	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	815	3.6	12	1	1	3	4	6	8	12
B. *Operated*	878	7.9	16	4	5	7	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	1214	5.5	19	1	2	4	7	10	13	26
B. *Operated*	2181	10.3	37	5	5	9	12	17	21	35
1. SINGLE DX	1693	5.9	19	1	2	5	7	10	13	20
2. MULTIPLE DX	3395	8.6	36	2	3	7	11	15	20	34
A. NOT OPERATED	2029	4.7	17	1	1	4	6	9	11	21
B. OPERATED	3059	9.7	32	5	5	8	11	16	20	34
TOTAL 0-19 YRS	107	5.0	12	1	2	4	7	9	12	16
20-34	1047	6.0	15	1	2	6	7	10	12	22
35-49	1153	6.9	19	2	2	6	8	12	15	21
50-64	1313	7.7	30	2	2	7	9	13	17	34
65+	1468	9.7	49	2	3	8	12	17	22	37
GRAND TOTAL	**5088**	**7.7**	**32**	**2**	**2**	**7**	**9**	**14**	**18**	**32**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS [illegible]	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	27	2	2	2	9	11	11	11
20-34	28	3.7	7	1	1	3	5	8	9	11
35-49	17	2.8	4	<1	1	2	4	5	7	8
50-64	31	3.5	6	<1	1	3	5	6	10	10
65+	57	4.5	8	1	1	4	6	9	10	11
B. *Operated*										
0-19 YRS	10	7.3	8	2	3	7	9	11	12	12
20-34	121	7.4	9	4	4	7	9	11	12	18
35-49	102	8.2	22	3	5	7	9	13	16	29
50-64	161	9.2	21	4	5	8	11	14	20	26
65+	172	10.4	24	3	5	9	13	17	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	17	2	2	6	10	12	12	12
20-34	16	5.5	47	1	1	4	5	10	23	29
35-49	31	4.9	10	1	2	4	7	10	12	14
50-64	45	5.5	20	1	2	5	8	10	17	99+
65+	158	8.0	65	2	2	6	9	15	19	58
B. *Operated*										
0-19 YRS	8	8.9	9	6	6	8	11	13	14	14
20-34	105	9.3	12	5	6	8	11	14	17	19
35-49	131	10.8	57	4	5	9	13	17	20	40
50-64	230	12.6	51	5	7	11	15	21	25	35
65+	462	15.8	69	6	8	14	19	28	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.9	7	1	1	3	6	8	10	11
B. *Operated*	566	9.0	21	3	5	8	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	255	7.0	50	1	2	5	8	14	18	59
B. *Operated*	936	13.5	62	5	6	11	17	24	29	42
1. SINGLE DX	702	8.0	22	2	2	7	10	14	17	24
2. MULTIPLE DX	1191	12.1	66	3	4	10	15	22	28	43
A. NOT OPERATED	391	5.9	37	1	1	5	8	11	15	28
B. OPERATED	1502	11.8	51	5	6	10	14	21	26	38
TOTAL 0-19 YRS	26	7.3	12	2	2	7	9	12	13	14
20-34	270	7.6	15	2	3	7	9	12	15	20
35-49	281	8.7	42	2	3	7	11	15	18	31
50-64	467	10.1	43	2	4	9	12	19	23	32
65+	849	12.5	70	2	3	11	16	23	29	42
GRAND TOTAL	**1893**	**10.6**	**54**	**2**	**3**	**9**	**13**	**19**	**25**	**38**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	34	2	2	6	13	15	15	15
20-34	19	4.7	6	1	1	5	7	8	9	10
35-49	29	5.0	21	1	1	4	6	9	17	22
50-64	37	3.6	12	1	1	3	4	7	12	17
65+	49	5.6	20	1	1	5	8	11	14	21
B. *Operated*										
0-19 YRS	5	11.4	16	7	7	11	15	16	16	16
20-34	18	8.9	45	1	1	7	14	20	22	23
35-49	16	11.9	30	2	6	11	15	20	21	21
50-64	26	10.2	82	<1	1	8	15	25	27	31
65+	24	9.9	72	1	1	8	13	21	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	12.5	57	3	3	11	16	24	25	25
20-34	25	5.2	9	1	2	5	6	10	11	13
35-49	47	4.8	8	2	2	4	6	9	10	14
50-64	87	6.1	16	1	2	5	8	11	14	21
65+	200	8.8	75	1	2	7	10	17	24	44
B. *Operated*										
0-19 YRS	7	12.3	59	1	2	11	19	22	22	22
20-34	25	8.8	22	2	4	9	11	14	19	21
35-49	47	12.4	74	2	3	10	19	26	29	34
50-64	82	12.6	68	2	3	11	16	24	31	37
65+	183	18.8	157	4	8	17	23	31	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.9	17	1	1	3	7	9	14	21
B. *Operated*	89	10.2	58	1	1	9	15	21	25	33
2. MULTIPLE DX										
A. *Not Operated*	365	7.5	50	1	2	6	9	13	18	35
B. *Operated*	344	15.6	124	2	4	13	21	27	34	59
1. SINGLE DX	229	7.0	40	1	1	5	9	16	21	29
2. MULTIPLE DX	709	11.4	102	2	3	9	15	23	30	50
A. NOT OPERATED	505	6.8	42	1	2	5	8	13	17	33
B. OPERATED	433	14.5	115	1	3	12	19	25	33	55
TOTAL 0-19 YRS	24	10.9	43	2	2	10	15	20	23	25
20-34	87	6.9	23	1	2	6	9	13	17	22
35-49	139	8.3	49	1	2	6	10	19	24	31
50-64	232	8.5	53	1	2	6	11	18	24	36
65+	456	12.5	129	1	2	9	17	24	32	58
GRAND TOTAL	**938**	**10.3**	**91**	**1**	**2**	**8**	**14**	**22**	**27**	**46**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	5.8	22	1	2	5	7	10	14	27
20-34	387	5.4	14	1	2	5	7	10	12	18
35-49	431	5.9	17	2	2	5	7	11	13	21
50-64	314	5.5	12	2	2	5	7	10	12	17
65+	195	6.7	19	2	2	6	8	11	14	26
B. *Operated*										
0-19 YRS	5	7.4	47	1	1	5	10	19	19	19
20-34	32	13.3	143	1	4	11	17	28	42	54
35-49	40	12.7	95	1	3	10	17	22	26	57
50-64	45	10.7	99	1	1	9	15	22	35	43
65+	25	12.9	56	3	7	11	16	21	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	5.5	10	1	2	5	8	10	11	12
20-34	522	6.6	18	2	2	6	8	12	14	21
35-49	908	7.1	27	2	3	6	9	13	17	29
50-64	697	8.1	40	2	3	7	10	14	20	38
65+	657	8.6	38	3	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	13	20.3	285	7	7	14	26	49	56	58
20-34	109	14.9	186	3	4	11	18	31	45	96
35-49	168	20.2	255	4	6	16	26	44	53	96
50-64	213	18.5	206	4	6	14	24	39	57	99+
65+	182	19.6	247	6	8	15	22	36	55	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1382	5.8	16	2	2	5	7	10	13	20
B. *Operated*	147	12.1	98	1	2	10	16	23	29	54
2. MULTIPLE DX										
A. *Not Operated*	2827	7.6	31	2	3	6	9	14	18	30
B. *Operated*	685	18.7	229	4	6	14	23	40	54	97
1. SINGLE DX	1529	6.4	27	2	2	5	8	12	15	28
2. MULTIPLE DX	3512	9.7	89	2	3	7	11	19	27	55
A. NOT OPERATED	4209	7.0	27	2	2	6	9	12	16	28
B. OPERATED	832	17.5	212	3	5	13	22	37	51	93
TOTAL 0-19 YRS	116	7.4	67	1	2	5	9	12	20	51
20-34	1050	7.2	46	2	2	5	9	13	18	39
35-49	1547	8.3	69	2	3	6	10	16	23	49
50-64	1269	9.3	81	2	3	7	11	18	26	51
65+	1059	10.3	90	2	3	8	12	19	26	54
GRAND TOTAL	**5041**	**8.7**	**73**	**2**	**3**	**6**	**10**	**17**	**23**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.9	3	1	1	3	4	5	6	7
20-34	139	2.7	7	<1	1	2	4	5	5	10
35-49	131	3.6	5	1	1	3	5	6	7	13
50-64	206	4.0	7	1	1	3	5	7	8	14
65+	310	4.7	9	1	2	4	6	9	10	17
B. *Operated*										
0-19 YRS	8	4.6	12	1	1	4	7	10	10	10
20-34	10	3.1	5	1	1	3	4	6	8	8
35-49	17	5.6	11	2	2	6	7	9	12	14
50-64	21	5.1	13	1	1	5	6	11	13	15
65+	45	7.5	25	1	2	7	9	15	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.8	13	1	1	3	5	7	9	23
20-34	333	4.0	12	1	1	3	5	7	10	17
35-49	487	5.1	16	1	2	4	6	8	11	23
50-64	929	5.8	24	1	2	5	7	10	12	27
65+	2288	7.0	31	2	2	6	8	13	17	29
B. *Operated*										
0-19 YRS	14	6.0	13	2	2	5	8	11	13	13
20-34	48	9.3	171	2	3	6	10	15	29	87
35-49	107	8.8	54	2	3	7	12	16	22	45
50-64	254	9.3	48	2	3	8	12	17	22	34
65+	554	12.1	110	3	4	9	15	25	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	3.8	8	1	1	3	5	7	9	14
B. *Operated*	101	6.0	19	1	2	6	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	4151	6.2	27	2	2	5	8	11	15	27
B. *Operated*	977	10.8	92	2	3	8	13	21	30	51
1. SINGLE DX	980	4.1	9	1	1	3	5	7	9	16
2. MULTIPLE DX	5128	7.1	42	2	2	5	8	13	18	36
A. NOT OPERATED	5030	5.8	24	1	2	5	7	10	14	26
B. OPERATED	1078	10.3	87	2	3	8	12	21	29	49
TOTAL 0-19 YRS	229	3.6	9	1	1	3	5	6	9	16
20-34	530	4.1	28	1	1	3	5	8	11	28
35-49	742	5.4	22	1	2	4	6	10	13	26
50-64	1410	6.1	28	1	2	5	7	11	14	29
65+	3197	7.7	47	2	2	6	9	15	21	37
GRAND TOTAL	**6108**	**6.6**	**38**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.8	8	1	1	3	5	8	9	16
20-34	9	3.7	8	1	1	2	5	8	10	10
35-49	5	5.6	4	3	3	7	7	7	7	7
50-64	16	4.3	5	1	1	4	5	7	9	10
65+	5	5.4	7	<1	<1	6	7	8	8	8
B. *Operated*										
0-19 YRS	6	3.7	8	<1	<1	3	6	8	8	8
20-34	4	4.3	11	1	1	4	7	8	8	8
35-49	9	8.1	50	<1	<1	7	11	19	23	23
50-64	13	8.8	68	3	4	6	7	22	31	33
65+	8	7.5	147	1	1	3	6	28	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.5	53	1	1	3	5	9	23	41
20-34	18	8.9	92	1	1	4	10	25	29	31
35-49	31	8.0	90	2	2	6	8	19	48	99+
50-64	50	9.8	96	2	2	6	12	22	23	59
65+	74	10.5	54	2	3	8	14	19	25	37
B. *Operated*										
0-19 YRS	4	15.5	78	6	6	16	23	24	24	24
20-34	18	13.9	171	5	5	10	13	32	48	57
35-49	14	12.7	177	3	4	9	13	26	49	55
50-64	36	14.7	117	3	4	12	18	29	42	45
65+	39	18.5	151	4	7	15	26	35	45	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.1	7	1	1	4	5	8	9	14
B. *Operated*	40	7.2	63	<1	1	6	8	16	28	37
2. MULTIPLE DX										
A. *Not Operated*	221	8.8	74	1	2	6	10	22	26	53
B. *Operated*	111	15.7	143	4	5	12	21	34	43	56
1. SINGLE DX	117	5.2	28	1	1	4	6	8	12	34
2. MULTIPLE DX	332	11.1	107	2	2	8	14	24	34	55
A. NOT OPERATED	298	7.6	61	1	2	5	9	17	24	46
B. OPERATED	151	13.4	136	1	3	10	16	32	40	55
TOTAL 0-19 YRS	100	5.1	36	1	1	3	6	9	19	35
20-34	49	9.4	111	1	2	6	11	25	31	57
35-49	59	8.9	98	1	2	7	10	20	40	95
50-64	115	10.4	96	2	3	7	12	22	29	50
65+	126	12.6	103	1	3	10	16	27	35	50
GRAND TOTAL	**449**	**9.5**	**93**	**1**	**2**	**6**	**12**	**22**	**31**	**51**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	5.4	12	1	2	4	7	11	13	15
20-34	18	3.8	3	1	2	4	4	7	8	8
35-49	9	3.3	4	2	2	2	4	7	8	8
50-64	11	4.3	8	<1	1	3	6	9	11	11
65+	13	8.3	47	2	2	5	12	21	21	21
B. *Operated*										
0-19 YRS	38	3.8	13	<1	1	2	4	8	12	18
20-34	49	3.0	5	1	1	2	4	5	7	11
35-49	35	3.8	14	1	1	2	5	9	14	17
50-64	21	4.1	14	1	1	2	5	11	13	14
65+	7	4.4	18	1	1	2	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	6.6	29	2	2	6	8	12	18	32
20-34	52	5.3	14	1	1	5	7	10	13	19
35-49	41	7.0	38	1	2	5	9	12	21	30
50-64	70	7.7	45	1	1	6	10	15	23	31
65+	86	11.7	110	1	2	9	16	27	36	83
B. *Operated*										
0-19 YRS	32	8.8	70	<1	1	6	12	22	27	33
20-34	89	8.4	87	1	1	4	12	23	31	78
35-49	67	9.6	115	1	2	5	13	26	34	50
50-64	105	7.9	58	1	2	6	10	15	23	45
65+	75	11.6	104	2	3	10	14	21	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	5.2	14	1	2	4	7	11	13	21
B. *Operated*	150	3.6	11	1	1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	328	8.0	57	1	2	6	10	17	25	41
B. *Operated*	368	9.2	87	1	2	6	12	21	31	49
1. SINGLE DX	294	4.4	13	1	1	3	6	10	13	18
2. MULTIPLE DX	696	8.6	73	1	2	6	11	19	28	47
A. NOT OPERATED	472	7.2	46	1	2	5	9	15	21	36
B. OPERATED	518	7.6	71	1	2	4	10	18	26	45
TOTAL 0-19 YRS	242	6.0	27	1	2	5	7	12	15	27
20-34	208	5.9	47	1	1	4	7	14	21	41
35-49	152	7.2	70	1	2	4	9	16	28	39
50-64	207	7.3	48	1	2	5	10	15	20	37
65+	181	11.2	101	2	2	9	15	24	34	56
GRAND TOTAL	**990**	**7.4**	**59**	**1**	**2**	**5**	**9**	**16**	**23**	**42**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	5.7	22	1	2	4	7	11	13	27
20-34	7	2.6	2	1	1	3	3	5	5	5
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2	14.5	221	4	4	14	25	25	25	25
20-34	4	4.5	4	2	2	4	6	7	7	7
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	21.0		21	21	21	21	21	21	21
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.9	14	2	2	5	8	11	11	22
20-34	8	4.6	19	1	1	3	6	12	14	14
35-49	3	8.7	66	3	3	5	15	18	18	18
50-64	4	3.5	3	2	2	3	5	5	5	5
65+	16	9.5	37	4	4	8	10	20	24	25
B. *Operated*										
0-19 YRS	10	6.1	20	<1	<1	5	10	12	14	14
20-34	10	11.6	79	1	1	8	19	24	25	25
35-49	15	7.6	39	1	1	7	10	17	22	24
50-64	13	10.5	29	3	3	9	14	18	21	22
65+	13	23.1	473	5	7	17	26	41	82	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.2	19	1	2	4	6	10	12	26
B. *Operated*	11	7.4	64	1	1	4	7	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	99	6.4	20	2	2	5	9	11	15	24
B. *Operated*	61	11.9	162	1	2	9	17	24	26	84
1. SINGLE DX	74	5.5	25	1	2	4	6	11	18	27
2. MULTIPLE DX	160	8.5	81	2	2	6	10	17	23	29
A. NOT OPERATED	162	5.9	20	2	2	5	8	11	14	25
B. OPERATED	72	11.2	149	1	2	8	16	24	26	77
TOTAL 0-19 YRS	129	6.0	20	2	2	5	8	11	13	25
20-34	29	6.5	46	1	1	4	7	18	24	25
35-49	23	6.9	35	1	1	6	8	17	20	24
50-64	21	8.9	35	2	2	9	12	19	21	22
65+	32	14.5	256	4	4	9	19	26	29	91
GRAND TOTAL	**234**	**7.6**	**65**	**1**	**2**	**5**	**9**	**17**	**23**	**28**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	25	1	1	5	8	13	13	13
20-34	6	1.8	4	<1	<1	1	1	6	6	6
35-49	3	8.0	91	2	2	3	15	19	19	19
50-64	12	2.8	7	<1	<1	2	3	8	9	9
65+	21	4.1	20	<1	1	2	5	11	15	17
B. *Operated*										
0-19 YRS	17	7.8	64	<1	<1	6	10	22	25	26
20-34	38	11.8	161	1	2	7	18	32	35	60
35-49	49	5.2	28	<1	1	4	6	11	17	26
50-64	80	5.9	38	1	2	4	7	12	18	35
65+	56	4.0	11	1	1	3	5	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	4	<1	1	3	4	6	7	7
20-34	40	4.5	32	<1	<1	3	5	11	17	29
35-49	72	4.2	21	1	1	2	5	8	10	28
50-64	142	5.0	21	1	1	4	7	11	13	25
65+	337	6.5	52	1	1	4	10	17	22	57
B. *Operated*										
0-19 YRS	36	15.9	240	1	2	11	22	33	52	66
20-34	226	14.1	234	1	2	9	20	32	47	72
35-49	254	11.8	151	1	1	8	17	29	43	57
50-64	411	10.6	132	1	2	7	14	26	33	59
65+	402	11.4	146	1	2	8	15	26	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.9	19	<1	<1	2	5	10	14	19
B. *Operated*	240	6.4	57	1	1	4	7	15	22	36
2. MULTIPLE DX										
A. *Not Operated*	616	5.6	39	1	1	4	8	14	20	30
B. *Operated*	1329	11.8	161	1	2	7	16	27	37	60
1. SINGLE DX	287	6.0	51	1	1	4	7	13	20	35
2. MULTIPLE DX	1945	9.9	131	1	1	6	13	24	32	58
A. NOT OPERATED	663	5.5	38	1	1	3	7	13	19	30
B. OPERATED	1569	11.0	149	1	2	7	15	26	36	60
TOTAL 0-19 YRS	83	9.7	149	<1	1	5	12	24	30	62
20-34	310	12.3	206	1	1	7	18	30	43	63
35-49	378	9.5	120	1	1	5	12	25	33	50
50-64	645	8.6	100	1	1	5	10	21	29	53
65+	816	8.7	102	1	1	5	11	21	28	58
GRAND TOTAL	**2232**	**9.4**	**122**	**1**	**1**	**5**	**12**	**23**	**31**	**57**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	3	5.3	10	3	3	4	8	9	9	9
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	6	4.3	4	2	2	4	5	8	8	8
65+	12	11.6	80	1	2	10	20	23	26	26
B. *Operated*										
0-19 YRS										
20-34	7	8.0	39	1	2	7	11	18	20	20
35-49	1	6.0		6	6	6	6	6	6	6
50-64	8	5.4	38	<1	<1	2	10	15	16	16
65+	8	8.0	70	1	1	5	11	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	14	<1	<1	3	6	9	13	13
20-34	12	5.8	15	2	3	4	7	12	15	16
35-49	26	6.4	16	2	2	6	8	10	16	18
50-64	73	7.6	40	1	1	7	10	14	19	34
65+	260	12.3	97	2	3	9	17	26	31	44
B. *Operated*										
0-19 YRS	7	12.3	35	4	5	13	17	20	21	21
20-34	27	11.5	170	1	1	7	23	73	99+	99+
35-49	35	13.3	228	1	2	7	17	36	42	71
50-64	87	11.6	81	1	2	9	18	25	29	40
65+	132	19.0	190	2	3	16	28	38	45	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.6	52	1	2	5	9	21	23	26
B. *Operated*	24	7.0	45	<1	1	5	11	16	22	26
2. MULTIPLE DX										
A. *Not Operated*	382	10.6	83	1	2	8	14	22	29	39
B. *Operated*	288	15.2	167	1	2	12	22	35	42	99+
1. SINGLE DX	50	7.3	47	1	1	5	11	19	22	26
2. MULTIPLE DX	670	12.6	124	1	2	9	17	29	36	70
A. NOT OPERATED	408	10.4	81	1	2	8	14	22	29	39
B. OPERATED	312	14.6	162	1	2	11	22	34	41	99+
TOTAL 0-19 YRS	21	6.7	34	<1	<1	5	10	15	19	21
20-34	49	9.2	108	1	2	6	12	38	94	99+
35-49	64	10.1	142	1	2	6	10	23	37	67
50-64	174	9.4	64	1	2	7	14	20	26	35
65+	412	14.4	136	2	3	11	20	31	37	58
GRAND TOTAL	**720**	**12.2**	**120**	**1**	**2**	**9**	**17**	**28**	**35**	**67**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	3.6	4	1	2	3	4	6	7	10
20-34	353	3.7	5	1	2	3	4	6	7	12
35-49	93	4.2	3	2	2	4	6	6	7	10
50-64	86	3.9	4	1	2	4	5	6	7	10
65+	61	5.2	9	2	2	5	7	9	12	90
B. *Operated*										
0-19 YRS	11	6.0	31	1	1	5	7	15	20	20
20-34	16	6.2	9	2	3	6	7	11	12	13
35-49	8	5.4	6	2	3	5	6	9	10	10
50-64	3	7.7	30	4	4	5	12	14	14	14
65+	4	6.8	18	1	1	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	4.1	3	2	2	4	5	7	8	10
20-34	390	4.4	6	2	2	4	6	7	9	13
35-49	159	5.5	10	2	2	5	7	10	12	16
50-64	219	6.2	13	2	3	6	8	10	12	18
65+	392	8.3	57	3	3	6	9	15	19	33
B. *Operated*										
0-19 YRS	35	5.2	11	1	1	5	6	9	12	17
20-34	66	8.5	31	3	4	7	9	17	20	30
35-49	40	10.6	69	3	4	8	14	21	29	39
50-64	48	13.5	178	3	4	9	17	27	35	83
65+	63	12.9	55	4	5	11	17	25	29	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	814	3.9	5	1	2	3	5	6	7	12
B. *Operated*	42	6.1	15	1	1	5	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1366	5.9	25	2	2	5	7	10	14	21
B. *Operated*	252	10.4	75	3	4	8	13	21	27	40
1. SINGLE DX	856	4.0	5	1	2	4	5	7	8	13
2. MULTIPLE DX	1618	6.6	35	2	2	5	8	12	16	29
A. NOT OPERATED	2180	5.2	18	2	2	4	6	9	12	20
B. OPERATED	294	9.8	69	2	4	7	12	20	26	40
TOTAL 0-19 YRS	473	4.0	5	1	2	4	5	7	8	12
20-34	825	4.5	9	2	2	4	5	7	9	16
35-49	300	5.8	19	2	2	5	7	10	14	22
50-64	356	6.7	41	2	2	5	8	11	16	31
65+	520	8.5	54	2	3	6	10	16	21	35
GRAND TOTAL	**2474**	**5.7**	**26**	**2**	**2**	**4**	**7**	**10**	**14**	**27**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	3.3	4	1	1	3	4	6	7	11
20-34	266	3.5	4	1	1	3	4	6	6	10
35-49	67	4.3	5	2	2	4	5	7	9	13
50-64	61	4.3	6	1	2	4	5	8	9	12
65+	61	4.9	7	2	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	21	5.1	12	<1	1	5	6	10	12	13
20-34	31	4.4	12	1	1	4	6	8	12	16
35-49	20	5.4	15	<1	1	4	8	12	13	13
50-64	21	7.4	64	<1	1	4	9	15	26	36
65+	15	7.8	30	1	2	7	11	16	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	4.1	5	2	2	4	5	7	8	14
20-34	357	4.6	7	1	2	4	6	8	10	14
35-49	125	6.0	28	2	2	5	7	11	13	31
50-64	187	7.1	39	2	3	5	8	13	17	38
65+	342	7.6	25	2	3	6	9	14	20	28
B. *Operated*										
0-19 YRS	59	6.7	20	<1	1	6	8	13	17	20
20-34	113	7.3	25	1	2	6	9	14	17	24
35-49	75	11.2	198	1	2	8	12	23	33	98
50-64	109	12.1	127	2	2	10	15	25	32	66
65+	133	11.2	60	2	3	9	14	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	3.8	5	1	2	3	5	6	8	12
B. *Operated*	108	5.8	26	1	1	4	8	12	14	27
2. MULTIPLE DX										
A. *Not Operated*	1222	5.9	21	2	2	5	7	11	14	24
B. *Operated*	489	10.0	87	1	2	8	12	19	26	60
1. SINGLE DX	758	4.0	8	1	2	3	5	7	9	14
2. MULTIPLE DX	1711	7.0	43	2	2	5	8	14	18	32
A. NOT OPERATED	1872	5.1	16	1	2	4	6	9	12	20
B. OPERATED	597	9.2	79	1	2	7	12	18	24	48
TOTAL 0-19 YRS	486	4.2	8	1	2	4	5	8	10	16
20-34	767	4.6	10	1	2	4	6	8	11	17
35-49	287	6.9	73	1	2	5	8	12	18	63
50-64	378	8.1	67	2	2	6	10	15	21	50
65+	551	8.1	35	2	3	7	10	17	20	30
GRAND TOTAL	**2469**	**6.1**	**34**	**1**	**2**	**4**	**7**	**12**	**17**	**30**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.8	1	<1	1	2	2	3	3	6
20-34	245	2.0	4	<1	<1	1	2	4	5	12
35-49	288	2.1	4	<1	<1	2	3	4	5	10
50-64	202	2.2	3	<1	1	2	3	4	5	8
65+	89	2.6	6	1	1	2	3	4	5	15
B. *Operated*										
0-19 YRS	11	6.5	5	2	3	7	8	9	9	9
20-34	138	7.3	14	1	3	7	9	11	13	20
35-49	153	7.8	14	2	3	7	9	12	13	21
50-64	177	8.0	17	2	3	8	9	11	15	27
65+	76	8.4	14	2	4	8	10	14	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	3	<1	1	2	4	6	6	7
20-34	178	2.6	5	1	1	2	3	5	7	11
35-49	204	3.0	6	<1	1	2	4	6	8	13
50-64	231	3.3	21	1	1	2	4	6	8	12
65+	173	4.4	12	1	1	3	5	8	12	18
B. *Operated*										
0-19 YRS	19	9.9	45	3	4	7	12	18	27	32
20-34	167	9.1	34	2	2	8	11	15	17	34
35-49	222	9.9	45	2	3	9	12	19	23	41
50-64	326	9.4	38	2	2	9	12	16	20	28
65+	243	11.2	59	2	3	10	14	20	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	858	2.2	4	<1	1	2	3	4	5	10
B. *Operated*	555	7.8	15	2	3	8	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	813	3.3	12	1	1	2	4	6	8	14
B. *Operated*	977	9.9	44	2	3	9	12	17	22	35
1. SINGLE DX	1413	4.4	16	<1	1	3	7	9	11	17
2. MULTIPLE DX	1790	6.9	40	1	1	5	9	14	18	32
A. NOT OPERATED	1671	2.7	8	<1	1	2	3	5	7	12
B. OPERATED	1532	9.2	35	2	3	8	11	15	19	33
TOTAL 0-19 YRS	91	4.3	21	1	1	2	6	9	12	27
20-34	728	4.8	22	<1	1	3	7	10	13	21
35-49	867	5.3	28	<1	1	3	8	11	15	26
50-64	936	6.1	32	1	1	5	9	12	15	24
65+	581	7.5	43	1	2	6	10	14	19	33
GRAND TOTAL	**3203**	**5.8**	**31**	**1**	**1**	**4**	**8**	**12**	**16**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	1.9	1	1	1	1	2	3	4	6
20-34	1296	1.8	3	<1	1	1	2	3	4	6
35-49	1359	1.9	3	<1	1	1	2	3	4	9
50-64	982	2.1	11	<1	1	2	2	4	5	8
65+	301	2.4	2	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	59	6.6	20	1	2	6	9	15	17	92
20-34	612	5.6	11	1	2	5	7	10	12	16
35-49	702	5.5	13	1	2	5	8	10	12	16
50-64	618	5.8	13	1	2	5	8	10	12	17
65+	257	7.2	20	2	2	7	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.2	1	1	1	2	3	4	4	4
20-34	349	2.6	4	1	1	2	3	5	6	10
35-49	428	2.5	5	1	1	2	3	5	6	9
50-64	505	2.8	6	1	1	2	3	5	7	11
65+	293	3.5	8	1	1	3	4	6	9	17
B. *Operated*										
0-19 YRS	25	6.6	12	2	3	6	8	11	15	15
20-34	290	7.1	20	2	2	6	10	12	15	26
35-49	394	7.4	39	1	2	6	9	13	17	34
50-64	568	8.2	38	2	2	7	11	16	19	36
65+	416	10.4	72	2	3	9	13	19	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4053	2.0	5	<1	1	2	2	4	4	8
B. *Operated*	2248	5.8	14	1	2	5	8	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	1608	2.8	6	1	1	2	3	5	7	11
B. *Operated*	1693	8.4	45	2	2	7	11	15	20	36
1. SINGLE DX	6301	3.4	11	1	1	2	4	8	10	15
2. MULTIPLE DX	3301	5.7	33	1	1	4	8	12	16	26
A. NOT OPERATED	5661	2.2	5	<1	1	2	3	4	5	9
B. OPERATED	3941	6.9	29	2	2	6	9	12	16	25
TOTAL 0-19 YRS	232	3.6	12	1	1	2	5	8	11	18
20-34	2547	3.4	11	1	1	2	4	8	10	15
35-49	2883	3.7	15	1	1	2	5	8	10	18
50-64	2673	4.4	22	1	1	3	6	10	12	21
65+	1267	6.3	41	1	1	4	8	13	17	30
GRAND TOTAL	**9602**	**4.1**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	4	<1	<1	2	3	5	7	10
20-34	43	3.1	21	1	1	2	3	5	6	31
35-49	29	2.5	3	<1	<1	2	3	5	6	9
50-64	35	2.9	4	1	1	2	4	5	6	11
65+	35	3.7	10	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	277	5.8	16	<1	<1	7	8	10	12	17
20-34	129	6.4	23	1	1	6	9	11	15	24
35-49	114	5.2	17	<1	1	4	8	10	13	19
50-64	153	4.9	29	1	1	2	8	11	16	35
65+	105	5.6	38	1	1	3	7	14	17	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.2	4	<1	1	3	5	6	7	8
20-34	80	3.6	8	1	1	3	5	7	9	16
35-49	65	5.4	26	1	1	3	7	11	18	24
50-64	99	5.3	13	1	2	4	6	11	14	16
65+	246	8.2	71	2	2	6	10	16	23	43
B. *Operated*										
0-19 YRS	377	6.5	27	<1	1	7	9	12	14	27
20-34	285	8.0	26	1	2	8	10	15	17	23
35-49	247	7.9	37	1	2	7	10	15	21	35
50-64	387	8.9	61	1	2	8	12	17	21	40
65+	475	10.8	102	2	2	8	14	24	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	2.9	9	<1	1	2	4	6	7	13
B. *Operated*	778	5.6	23	<1	1	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	546	6.1	43	1	2	4	7	13	16	32
B. *Operated*	1771	8.6	58	1	1	7	11	17	22	37
1. SINGLE DX	962	5.1	21	<1	1	4	8	10	13	23
2. MULTIPLE DX	2317	8.0	56	1	1	7	10	16	21	37
A. NOT OPERATED	730	5.3	36	1	1	4	6	11	15	30
B. OPERATED	2549	7.7	49	1	1	7	10	15	20	35
TOTAL 0-19 YRS	752	5.8	21	<1	<1	6	8	10	13	19
20-34	537	6.6	26	1	1	6	9	13	16	23
35-49	455	6.5	31	1	1	5	9	13	17	31
50-64	674	7.1	48	1	1	5	10	15	19	37
65+	861	9.1	86	1	2	6	11	20	27	43
GRAND TOTAL	**3279**	**7.2**	**47**	**1**	**1**	**6**	**9**	**14**	**19**	**35**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7	1	1	1	2	2	3	3	3
20-34	100	1.7	1	<1	<1	1	2	3	4	6
35-49	82	2.0	2	<1	1	1	2	4	5	9
50-64	80	2.1	6	<1	1	1	2	4	4	17
65+	24	3.2	5	1	1	2	5	7	7	8
B. *Operated*										
0-19 YRS	7	3.4	6	<1	<1	4	4	7	8	8
20-34	43	5.2	12	1	2	4	7	11	13	14
35-49	56	5.2	27	1	1	3	7	11	14	27
50-64	52	3.9	8	1	1	3	6	8	9	15
65+	49	5.7	17	1	1	4	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	3	<1	<1	3	4	5	6	6
20-34	43	2.2	2	<1	1	2	3	4	5	6
35-49	47	2.7	3	1	1	2	4	5	7	99+
50-64	47	3.4	11	1	1	3	4	6	7	22
65+	41	3.3	5	1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	6	5.3	25	<1	<1	4	10	12	12	12
20-34	42	6.3	20	1	2	5	9	13	16	19
35-49	58	5.6	20	2	2	4	8	11	12	23
50-64	126	6.3	26	2	2	5	8	12	18	27
65+	238	7.7	46	1	2	6	10	14	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	2.0	3	<1	1	1	2	3	5	8
B. *Operated*	207	4.9	16	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	189	2.9	5	1	1	2	4	5	7	17
B. *Operated*	470	6.9	35	1	2	5	9	13	17	29
1. SINGLE DX	505	3.2	11	<1	1	2	4	7	10	15
2. MULTIPLE DX	659	5.8	30	1	1	4	8	12	15	27
A. NOT OPERATED	487	2.3	4	<1	1	2	3	5	6	9
B. OPERATED	677	6.3	30	1	2	5	9	12	15	27
TOTAL 0-19 YRS	36	3.0	7	<1	1	2	4	7	9	12
20-34	228	3.3	10	<1	1	2	4	7	11	16
35-49	243	3.7	15	1	1	2	5	8	11	24
50-64	305	4.4	18	1	1	3	6	9	12	23
65+	352	6.6	37	1	1	5	9	13	15	36
GRAND TOTAL	**1164**	**4.6**	**23**	**1**	**1**	**3**	**6**	**10**	**13**	**24**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.2	2	1	1	2	3	4	5	9
20-34	65	2.5	2	<1	1	2	3	5	6	7
35-49	37	2.9	3	<1	1	2	4	6	6	7
50-64	48	3.3	5	1	1	2	4	7	7	11
65+	46	5.2	23	1	2	4	5	11	14	28
B. *Operated*										
0-19 YRS	48	2.5	21	<1	<1	1	3	5	6	32
20-34	115	2.5	4	<1	1	2	3	5	7	11
35-49	116	3.0	11	<1	1	2	3	6	9	21
50-64	190	2.6	5	<1	1	2	3	5	7	11
65+	191	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	3.2	4	1	1	3	4	6	8	68
20-34	120	4.3	29	1	1	3	5	8	11	34
35-49	104	5.9	42	1	2	4	6	10	17	38
50-64	155	5.5	15	1	2	4	7	10	13	23
65+	378	7.3	38	2	3	5	9	14	18	38
B. *Operated*										
0-19 YRS	167	2.5	4	<1	<1	2	3	5	7	10
20-34	269	4.0	29	<1	1	2	4	8	10	34
35-49	271	4.4	31	1	1	3	5	9	12	26
50-64	403	4.3	18	1	1	3	5	9	12	22
65+	678	6.6	47	1	2	4	8	14	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	3.1	8	1	1	2	4	6	7	14
B. *Operated*	660	2.7	7	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	842	5.9	31	1	2	4	7	11	15	32
B. *Operated*	1788	5.0	33	1	1	3	6	11	14	28
1. SINGLE DX	911	2.8	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	2630	5.3	33	1	1	3	6	11	15	29
A. NOT OPERATED	1093	5.3	27	1	1	4	6	10	14	29
B. OPERATED	2448	4.4	27	<1	1	3	5	9	13	27
TOTAL 0-19 YRS	355	2.6	6	<1	<1	2	3	5	7	10
20-34	569	3.6	22	<1	1	2	4	7	10	27
35-49	528	4.3	28	1	1	3	5	9	12	26
50-64	796	4.0	15	1	1	3	5	9	11	21
65+	1293	6.2	39	1	2	4	8	13	17	32
GRAND TOTAL	**3541**	**4.6**	**27**	**1**	**1**	**3**	**5**	**10**	**13**	**27**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	6	1.8	4	<1	<1	1	1	6	6	6
50-64	13	2.8	4	1	1	2	4	6	6	6
65+	12	2.5	4	1	1	2	3	6	7	7
B. *Operated*										
0-19 YRS	524	1.6	3	<1	<1	1	2	2	4	10
20-34	305	2.7	8	<1	<1	2	3	6	8	16
35-49	199	2.4	4	<1	<1	2	2	5	7	10
50-64	202	2.7	5	<1	1	2	3	5	7	12
65+	248	3.2	10	1	1	2	4	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.2	86	<1	<1	1	2	15	31	32
20-34	11	3.4	12	1	1	2	4	8	13	13
35-49	12	6.7	21	1	2	5	9	15	16	16
50-64	14	1.8	1	<1	<1	1	3	3	3	3
65+	61	5.9	28	1	2	4	7	12	15	28
B. *Operated*										
0-19 YRS	479	1.8	5	<1	<1	1	2	3	5	10
20-34	395	2.8	7	<1	1	2	3	6	9	15
35-49	346	3.6	23	<1	1	2	4	8	11	18
50-64	442	3.7	16	1	1	2	4	8	10	20
65+	684	5.5	27	1	2	4	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.2	3	<1	<1	2	2	5	6	7
B. *Operated*	1478	2.3	6	<1	<1	2	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	109	5.0	30	<1	1	3	6	12	15	30
B. *Operated*	2346	3.7	18	<1	1	2	4	8	11	19
1. SINGLE DX	1520	2.3	6	<1	<1	2	2	4	6	13
2. MULTIPLE DX	2455	3.7	19	<1	1	2	4	8	12	21
A. NOT OPERATED	151	4.2	24	<1	1	3	5	10	14	28
B. OPERATED	3824	3.2	14	<1	<1	2	4	7	10	17
TOTAL 0-19 YRS	1021	1.7	5	<1	<1	1	2	3	5	11
20-34	715	2.7	8	<1	<1	2	3	6	9	15
35-49	563	3.2	17	<1	1	2	4	7	10	17
50-64	671	3.3	13	1	1	2	4	7	8	17
65+	1005	4.9	24	1	2	3	6	10	15	25
GRAND TOTAL	**3975**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**7**	**10**	**17**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	2.8	4	1	1	2	3	5	6	10
20-34	212	2.8	6	1	1	2	3	5	7	17
35-49	106	3.3	6	1	1	3	4	7	8	13
50-64	144	3.6	6	1	1	3	5	7	8	12
65+	260	4.2	12	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	317	2.0	4	<1	<1	1	2	4	7	10
20-34	378	2.8	11	<1	<1	2	3	6	8	17
35-49	273	2.6	6	<1	<1	2	3	6	9	11
50-64	379	3.0	8	<1	1	2	4	6	9	14
65+	430	3.4	8	<1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	503	3.7	9	1	1	3	4	6	9	18
20-34	561	4.3	25	1	1	3	5	8	10	22
35-49	397	5.0	21	1	2	4	6	9	13	28
50-64	651	6.3	44	1	2	5	8	11	16	36
65+	2571	7.8	50	2	2	6	9	15	19	39
B. *Operated*										
0-19 YRS	516	3.1	23	<1	<1	2	3	8	10	20
20-34	528	4.5	35	<1	1	3	5	10	14	35
35-49	531	4.3	17	<1	1	3	6	9	13	22
50-64	955	5.4	29	1	1	4	7	12	15	25
65+	1823	8.5	76	1	2	6	11	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1048	3.3	7	1	1	3	4	6	8	16
B. *Operated*	1777	2.8	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	4683	6.5	42	1	2	5	8	13	17	34
B. *Operated*	4353	6.2	52	<1	1	4	8	14	19	35
1. SINGLE DX	2825	3.0	8	<1	<1	2	4	6	8	14
2. MULTIPLE DX	9036	6.4	47	1	1	4	8	13	18	35
A. NOT OPERATED	5731	5.9	37	1	2	4	7	12	16	31
B. OPERATED	6130	5.2	41	<1	1	3	7	12	16	31
TOTAL 0-19 YRS	1662	3.0	12	<1	<1	2	4	6	8	16
20-34	1679	3.8	23	<1	1	2	4	8	10	24
35-49	1307	4.1	16	<1	1	3	5	8	11	22
50-64	2129	5.2	30	1	1	4	7	10	14	27
65+	5084	7.5	56	1	2	6	9	15	20	38
GRAND TOTAL	**11861**	**5.6**	**39**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	27	3.4	6	<1	1	3	5	6	7	9
65+	62	3.3	8	<1	1	3	5	6	7	17
B. *Operated*										
0-19 YRS	6	3.8	23	<1	<1	2	5	12	13	13
20-34	7	2.1	2	1	1	2	3	5	5	5
35-49	132	3.7	8	1	1	3	5	6	9	13
50-64	1632	4.9	6	1	2	5	6	8	9	12
65+	2931	5.8	11	2	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	<1	<1	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	7.5	48	1	1	6	12	17	17	17
50-64	91	3.8	12	<1	1	3	4	7	12	19
65+	456	5.3	29	1	1	4	7	11	16	22
B. *Operated*										
0-19 YRS	9	7.9	36	2	3	6	8	17	23	23
20-34	6	6.2	22	2	2	4	11	13	13	13
35-49	151	5.1	19	<1	1	5	6	8	10	20
50-64	2503	6.2	16	2	2	5	7	10	14	21
65+	6710	8.0	33	3	4	6	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.3	7	<1	1	3	5	6	7	14
B. *Operated*	4708	5.4	9	1	2	5	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	555	5.1	26	1	1	4	6	11	15	22
B. *Operated*	9379	7.5	29	2	3	6	9	13	17	30
1. SINGLE DX	4799	5.4	9	1	2	5	6	9	10	16
2. MULTIPLE DX	9934	7.4	29	2	3	6	9	13	17	29
A. NOT OPERATED	646	4.8	24	1	1	4	6	10	14	21
B. OPERATED	14087	6.8	23	2	3	6	8	12	15	26
TOTAL 0-19 YRS	18	5.8	29	<1	<1	5	7	12	19	23
20-34	14	4.3	15	1	1	3	5	11	13	13
35-49	289	4.5	15	1	1	4	5	8	9	19
50-64	4253	5.6	12	1	2	5	7	9	12	19
65+	10159	7.2	28	2	3	6	9	13	16	29
GRAND TOTAL	**14733**	**6.7**	**24**	**2**	**2**	**6**	**8**	**12**	**15**	**26**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	37	2.7	3	<1	1	2	4	5	7	8
35-49	39	3.1	2	<1	1	3	4	5	6	6
50-64	37	3.9	3	1	2	4	5	6	7	8
65+	28	3.6	2	1	2	4	5	5	6	7
B. *Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	50	1.8	3	<1	<1	1	2	4	4	11
35-49	47	2.6	10	<1	<1	1	2	7	9	15
50-64	66	2.7	4	1	1	2	3	5	7	11
65+	49	3.7	18	<1	1	2	4	7	10	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	2	2	2	3	3	5	6	6
20-34	59	3.8	5	1	1	3	5	7	7	12
35-49	58	3.9	5	1	2	4	5	6	7	14
50-64	114	4.5	6	1	2	4	6	9	9	11
65+	121	5.3	8	2	2	5	7	9	11	41
B. *Operated*										
0-19 YRS	20	2.6	8	<1	<1	2	3	6	10	13
20-34	78	2.8	8	<1	<1	2	4	6	8	16
35-49	101	4.4	62	<1	<1	2	5	8	12	48
50-64	190	4.9	24	<1	1	4	6	11	14	25
65+	252	6.3	29	1	1	5	8	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.3	3	1	1	3	4	5	6	8
B. *Operated*	222	2.6	8	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	362	4.5	7	1	2	4	6	8	9	15
B. *Operated*	641	5.1	31	<1	1	4	6	11	14	26
1. SINGLE DX	368	2.9	6	<1	<1	2	4	5	7	13
2. MULTIPLE DX	1003	4.9	22	<1	1	4	6	9	13	25
A. NOT OPERATED	508	4.2	6	1	2	4	5	7	9	13
B. OPERATED	863	4.4	26	<1	1	3	6	9	13	26
TOTAL 0-19 YRS	45	2.4	5	<1	1	2	3	4	6	13
20-34	224	2.8	5	<1	<1	2	4	6	7	11
35-49	245	3.8	29	<1	<1	3	5	6	8	19
50-64	407	4.4	14	1	1	3	5	9	11	20
65+	450	5.6	22	1	2	4	7	11	14	26
GRAND TOTAL	**1371**	**4.3**	**19**	**<1**	**1**	**3**	**5**	**8**	**12**	**21**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	267	1.9	1	<1	<1	2	2	3	4	6
20-34	116	2.6	1	1	1	2	3	4	5	5
35-49	118	2.7	3	1	1	2	3	4	5	12
50-64	206	2.8	2	1	1	3	3	5	5	8
65+	140	3.4	6	1	1	3	4	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	5	4.6	42	<1	<1	1	7	16	16	16
50-64	6	3.5	20	<1	<1	1	5	11	12	12
65+	9	5.4	12	<1	<1	6	9	10	10	10
B. *Operated*										
0-19 YRS	260	2.1	2	<1	<1	2	3	4	4	6
20-34	55	3.4	4	1	2	3	4	5	7	11
35-49	78	3.4	5	1	1	3	4	6	7	14
50-64	154	4.3	18	1	2	3	5	7	11	26
65+	156	4.4	13	2	2	3	5	8	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.7	2	<1	<1	1	3	4	4	4
B. *Operated*	847	2.6	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.5	15	<1	<1	1	5	10	12	16
B. *Operated*	703	3.4	9	<1	1	3	4	6	8	20
1. SINGLE DX	858	2.6	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	734	3.4	10	<1	1	3	4	6	8	20
A. NOT OPERATED	42	3.1	12	<1	<1	1	4	9	11	16
B. OPERATED	1550	2.9	6	<1	1	2	3	5	6	13
TOTAL 0-19 YRS	540	2.0	1	<1	<1	2	2	3	4	6
20-34	174	2.8	2	1	1	3	4	5	5	8
35-49	203	3.0	5	1	1	3	3	5	6	14
50-64	368	3.5	10	1	1	3	4	5	7	21
65+	307	4.0	10	1	2	3	5	7	9	17
GRAND TOTAL	**1592**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.7	9	1	1	3	5	7	8	20
20-34	162	3.8	6	1	2	3	5	6	8	9
35-49	51	4.7	5	2	2	4	6	8	9	11
50-64	56	4.1	3	1	2	4	5	6	7	9
65+	33	4.8	6	2	2	4	6	8	11	12
B. *Operated*										
0-19 YRS	32	2.9	7	1	1	2	4	6	11	12
20-34	68	3.6	12	1	1	3	4	8	10	20
35-49	52	4.1	69	1	1	2	4	5	9	59
50-64	43	4.2	7	1	2	4	6	8	10	13
65+	27	3.9	5	1	2	3	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	6	1	2	3	4	8	10	10
20-34	70	4.4	12	1	2	4	5	7	9	22
35-49	50	5.0	5	2	2	5	6	9	10	11
50-64	74	4.9	9	1	2	4	6	9	10	18
65+	105	6.2	12	2	3	5	8	11	12	19
B. *Operated*										
0-19 YRS	25	3.4	5	1	1	3	4	8	8	9
20-34	53	4.5	16	1	1	3	5	10	13	21
35-49	50	4.0	9	<1	1	3	6	10	11	99
50-64	70	5.2	19	1	2	4	7	10	12	25
65+	68	8.9	59	2	3	7	11	17	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	4.1	6	1	2	4	5	7	8	11
B. *Operated*	222	3.8	23	1	1	3	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	322	5.1	10	2	2	4	6	9	11	18
B. *Operated*	266	5.6	29	1	2	4	7	12	15	32
1. SINGLE DX	600	3.9	12	1	1	3	5	7	8	14
2. MULTIPLE DX	588	5.3	19	1	2	4	7	10	13	24
A. NOT OPERATED	700	4.6	8	1	2	4	6	8	10	14
B. OPERATED	488	4.8	27	1	1	3	6	10	13	26
TOTAL 0-19 YRS	156	3.5	8	1	1	3	4	7	9	12
20-34	353	4.0	10	1	1	3	5	7	9	21
35-49	203	4.5	22	1	2	4	6	8	10	37
50-64	243	4.6	10	1	2	4	6	8	10	20
65+	233	6.5	27	2	3	5	8	12	15	26
GRAND TOTAL	**1188**	**4.6**	**16**	**1**	**2**	**4**	**6**	**8**	**11**	**21**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	1.3		<1	<1	1	2	2	2	4
20-34	45	1.6	1	<1	<1	2	2	3	3	4
35-49	33	1.5		<1	<1	1	2	2	3	3
50-64	18	1.7	1	<1	<1	2	2	3	3	3
65+	13	1.8		<1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	336	1.5	3	<1	<1	1	2	2	2	8
20-34	101	1.8	4	<1	<1	1	2	2	3	13
35-49	55	1.5	1	<1	<1	1	2	2	3	5
50-64	43	1.8	2	<1	<1	2	2	2	3	10
65+	31	2.3	2	<1	1	2	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	1.4		<1	<1	1	2	2	3	3
20-34	14	1.4		1	1	1	2	2	3	3
35-49	25	2.3	4	<1	1	1	3	5	7	8
50-64	13	2.2		1	1	2	2	3	4	4
65+	22	2.2	2	<1	1	2	3	3	5	7
B. *Operated*										
0-19 YRS	105	1.5		<1	<1	1	2	2	3	4
20-34	53	1.8	1	<1	<1	1	2	3	4	6
35-49	71	1.9	2	<1	<1	2	2	3	5	9
50-64	61	2.9	8	<1	1	2	3	6	8	19
65+	68	3.8	11	1	1	2	5	7	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	1.4		<1	<1	1	2	2	3	4
B. *Operated*	566	1.6	3	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	119	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	358	2.3	5	<1	<1	2	2	5	6	12
1. SINGLE DX	867	1.6	2	<1	<1	1	2	2	3	7
2. MULTIPLE DX	477	2.2	4	<1	<1	2	2	4	6	11
A. NOT OPERATED	420	1.5	1	<1	<1	1	2	2	3	6
B. OPERATED	924	1.9	4	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	678	1.4	2	<1	<1	1	2	2	2	6
20-34	213	1.7	2	<1	<1	1	2	2	3	7
35-49	184	1.8	2	<1	<1	1	2	3	4	8
50-64	135	2.3	5	<1	1	2	2	4	6	11
65+	134	3.0	7	1	1	2	3	6	7	16
GRAND TOTAL	**1344**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	3	<1	<1	1	2	5	6	7
20-34	41	2.1	2	<1	<1	2	3	4	5	7
35-49	25	2.4	2	<1	<1	2	3	4	5	7
50-64	13	2.2	2	1	1	2	3	4	5	5
65+	8	3.1	8	2	2	2	3	8	10	10
B. *Operated*										
0-19 YRS	436	1.8	1	<1	1	1	2	3	4	6
20-34	397	2.4	24	<1	1	2	2	4	5	12
35-49	212	2.5	7	<1	<1	2	3	4	5	17
50-64	214	2.9	4	<1	1	2	3	5	7	12
65+	112	3.2	7	1	2	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	5	<1	<1	2	3	6	8	9
20-34	30	3.8	8	1	1	2	6	8	9	10
35-49	25	2.9	3	1	1	3	4	5	6	8
50-64	25	3.2	7	<1	1	2	5	8	9	9
65+	37	6.3	52	1	2	4	6	14	22	37
B. *Operated*										
0-19 YRS	177	2.1	2	<1	1	2	3	4	4	7
20-34	230	2.7	8	<1	1	2	3	4	6	15
35-49	181	3.8	21	1	1	2	4	7	11	27
50-64	264	4.2	15	1	1	3	5	8	11	24
65+	190	5.6	35	1	2	4	6	11	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	2.2	3	<1	<1	2	3	4	6	8
B. *Operated*	1371	2.4	10	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	141	4.0	20	<1	1	3	5	8	10	27
B. *Operated*	1042	3.7	17	1	1	3	4	7	10	26
1. SINGLE DX	1491	2.4	9	<1	1	2	3	4	5	10
2. MULTIPLE DX	1183	3.7	18	1	1	3	4	7	10	26
A. NOT OPERATED	261	3.2	13	<1	<1	2	4	7	9	16
B. OPERATED	2413	2.9	14	<1	1	2	3	5	7	19
TOTAL 0-19 YRS	670	1.9	2	<1	1	2	2	4	4	7
20-34	698	2.5	17	<1	1	2	3	4	6	13
35-49	443	3.0	13	<1	1	2	3	5	8	23
50-64	516	3.6	10	1	1	3	4	6	9	19
65+	347	4.8	29	1	2	3	5	9	15	31
GRAND TOTAL	**2674**	**3.0**	**14**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	1.3		<1	<1	1	1	2	3	3
35-49	29	1.9	1	<1	<1	2	2	3	4	6
50-64	11	1.6		<1	<1	2	2	3	3	3
65+	6	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	100	1.6		<1	<1	2	2	2	2	4
20-34	939	2.0	4	<1	<1	2	2	3	4	8
35-49	2027	2.1	3	<1	<1	2	2	3	5	8
50-64	1032	2.2	3	<1	1	2	2	3	4	8
65+	392	2.4	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	4.4	7	1	1	4	6	8	10	10
35-49	18	3.4	14	<1	1	2	4	9	13	15
50-64	19	2.5	2	<1	1	2	4	5	5	5
65+	6	3.0	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	22	2.1	2	<1	<1	2	3	4	5	6
20-34	360	2.8	5	<1	1	2	3	5	7	12
35-49	926	2.9	7	<1	1	2	3	5	7	12
50-64	625	3.2	13	1	1	2	4	6	8	15
65+	360	3.4	8	1	2	2	4	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	1.7	1	<1	<1	2	2	3	3	6
B. *Operated*	4490	2.1	3	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	53	3.2	7	1	1	3	4	6	9	15
B. *Operated*	2293	3.0	8	<1	1	2	3	6	7	13
1. SINGLE DX	4548	2.1	3	<1	<1	2	2	3	4	8
2. MULTIPLE DX	2346	3.0	8	<1	1	2	3	6	7	13
A. NOT OPERATED	111	2.4	4	<1	<1	2	3	5	6	12
B. OPERATED	6783	2.4	5	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	124	1.7	1	<1	<1	2	2	2	3	5
20-34	1319	2.2	4	<1	<1	2	2	4	5	10
35-49	3000	2.4	4	<1	<1	2	3	4	6	10
50-64	1687	2.6	7	<1	1	2	3	4	6	12
65+	764	2.9	5	1	1	2	3	5	7	11
GRAND TOTAL	**6894**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	5	<1	<1	3	4	6	9	10
20-34	53	2.9	6	1	1	2	3	4	7	14
35-49	16	2.1	2	<1	<1	2	3	4	5	5
50-64	11	2.0	2	<1	<1	1	3	4	5	5
65+	9	3.4	7	<1	<1	3	5	8	8	8
B. *Operated*										
0-19 YRS	285	2.5	2	<1	1	2	3	4	5	8
20-34	693	2.5	3	<1	<1	2	3	4	6	8
35-49	428	2.6	6	<1	<1	2	3	5	6	10
50-64	333	2.8	5	<1	1	2	3	5	6	11
65+	172	2.9	6	1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	9	1	1	4	5	10	10	10
20-34	40	3.1	8	<1	<1	2	4	6	9	15
35-49	22	3.0	2	1	1	3	3	5	6	7
50-64	30	3.7	6	<1	<1	3	5	7	9	9
65+	20	7.6	83	<1	1	4	10	21	30	35
B. *Operated*										
0-19 YRS	55	2.8	2	<1	<1	3	4	5	6	7
20-34	278	3.2	5	<1	1	3	4	5	7	12
35-49	319	3.6	5	<1	1	3	5	7	8	12
50-64	278	3.8	8	1	2	3	5	7	9	15
65+	164	4.0	11	1	2	3	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	2.8	5	<1	1	2	3	5	7	13
B. *Operated*	1911	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	118	4.1	21	<1	<1	3	5	8	11	29
B. *Operated*	1094	3.6	6	1	1	3	4	7	8	13
1. SINGLE DX	2017	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	1212	3.6	8	<1	1	3	4	7	8	14
A. NOT OPERATED	224	3.5	14	<1	1	3	4	6	10	19
B. OPERATED	3005	3.0	5	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	363	2.6	3	<1	1	2	3	4	5	10
20-34	1064	2.8	4	<1	<1	2	4	5	6	11
35-49	785	3.0	6	<1	1	2	4	6	7	11
50-64	652	3.3	6	1	1	3	4	6	8	12
65+	365	3.6	13	1	1	3	4	7	10	25
GRAND TOTAL	**3229**	**3.0**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.1	1	<1	1	2	3	4	4	6
20-34	385	2.2	4	<1	1	2	3	4	5	9
35-49	73	2.5	4	1	1	2	3	4	7	10
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	365	3.9	4	1	1	4	5	6	7	10
20-34	1218	4.2	8	1	1	4	5	6	7	11
35-49	288	5.3	4	1	3	5	6	7	9	12
50-64	50	5.9	7	3	4	6	7	8	9	21
65+	25	7.2	5	4	5	7	9	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	2.6	3	1	1	2	3	5	6	7
20-34	225	3.0	41	<1	1	2	3	5	6	11
35-49	60	3.1	5	<1	1	3	4	6	9	11
50-64	7	3.0	3	<1	<1	3	4	6	6	6
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	287	4.7	5	1	2	5	6	7	8	12
20-34	1917	5.3	9	1	2	5	6	8	10	15
35-49	739	6.6	14	2	4	6	7	9	12	26
50-64	131	6.8	5	4	5	6	8	9	11	17
65+	54	9.6	24	5	6	8	11	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	634	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	1946	4.4	7	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	371	2.9	26	<1	1	2	3	5	6	10
B. *Operated*	3128	5.7	11	1	2	5	7	9	10	17
1. SINGLE DX	2580	3.8	7	1	1	4	5	6	7	11
2. MULTIPLE DX	3499	5.4	13	1	2	5	6	8	10	17
A. NOT OPERATED	1005	2.5	12	<1	1	2	3	4	6	10
B. OPERATED	5074	5.2	10	1	2	5	6	8	10	16
TOTAL 0-19 YRS	899	3.7	5	1	1	4	5	6	7	11
20-34	3745	4.5	11	1	1	4	6	7	9	13
35-49	1160	5.8	12	1	2	6	7	9	11	19
50-64	191	6.4	6	3	4	6	7	9	10	18
65+	84	8.6	19	3	5	8	10	13	15	29
GRAND TOTAL	**6079**	**4.7**	**11**	**1**	**1**	**5**	**6**	**8**	**9**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	657	3.8	5	1	2	3	5	7	8	13
20-34	1506	4.2	12	1	2	4	5	7	9	14
35-49	168	4.4	7	1	2	4	5	7	10	14
50-64	20	6.0	19	1	2	5	9	12	15	17
65+	3	4.0	1	3	3	4	52	99+	99+	99+
B. *Operated*										
0-19 YRS	244	4.7	8	1	1	4	6	8	10	16
20-34	1103	4.5	8	<1	1	5	6	8	9	15
35-49	249	6.3	18	1	1	6	8	10	14	17
50-64	35	7.0	38	1	2	6	8	13	13	38
65+	11	8.8	39	1	2	8	13	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	4.6	9	1	2	4	6	8	10	13
20-34	961	4.6	7	1	2	4	6	8	9	15
35-49	145	5.4	10	2	3	5	7	9	11	17
50-64	25	5.2	7	1	1	5	7	9	10	10
65+	14	15.6	269	2	4	11	16	38	57	63
B. *Operated*										
0-19 YRS	356	5.6	11	1	2	5	7	10	12	16
20-34	2845	5.7	16	1	1	5	7	9	12	18
35-49	902	7.6	28	2	4	6	8	12	16	28
50-64	119	9.8	82	3	5	7	11	18	22	55
65+	51	16.3	258	4	5	11	21	31	36	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2354	4.1	10	1	2	4	5	7	8	14
B. *Operated*	1642	4.9	11	<1	1	5	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	1472	4.8	11	1	2	4	6	8	10	16
B. *Operated*	4273	6.3	25	1	2	6	7	10	14	25
1. SINGLE DX	3996	4.4	10	1	1	4	6	8	9	15
2. MULTIPLE DX	5745	5.9	22	1	2	5	7	10	13	23
A. NOT OPERATED	3826	4.4	10	1	2	4	5	7	9	15
B. OPERATED	5915	5.9	21	1	1	5	7	10	13	23
TOTAL 0-19 YRS	1584	4.5	8	1	2	4	6	8	10	15
20-34	6415	5.0	13	1	1	5	6	8	10	16
35-49	1464	6.8	23	2	2	6	8	11	15	25
50-64	199	8.3	61	2	3	6	9	13	20	46
65+	79	14.7	226	3	4	10	19	31	49	98
GRAND TOTAL	**9741**	**5.3**	**18**	**1**	**2**	**5**	**6**	**9**	**11**	**19**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	4	1	1	3	5	6	6	6
20-34	54	2.6	2	<1	<1	2	3	5	6	6
35-49	13	5.1	8	<1	1	6	7	9	10	10
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	33	2.9	4	<1	1	2	5	6	6	7
20-34	840	4.4	9	<1	<1	5	6	7	8	14
35-49	450	5.4	4	1	2	6	7	7	8	11
50-64	40	5.5	8	<1	1	6	7	9	10	11
65+	5	6.0	12	1	1	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	59	3.7	7	<1	<1	3	5	7	8	14
35-49	39	4.3	9	1	1	4	6	7	11	15
50-64	4	4.8	5	2	2	5	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	56	3.9	4	<1	1	4	6	6	7	7
20-34	2461	5.5	9	1	2	6	7	8	9	14
35-49	2481	6.5	7	3	4	6	7	9	10	16
50-64	376	6.9	4	4	5	7	8	9	10	15
65+	45	7.0	17	2	4	6	8	9	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.2	4	<1	<1	3	5	6	7	10
B. *Operated*	1368	4.7	8	<1	1	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	103	4.0	8	<1	1	4	6	7	9	15
B. *Operated*	5419	6.1	8	1	3	6	7	8	10	15
1. SINGLE DX	1444	4.6	7	<1	1	5	6	7	8	12
2. MULTIPLE DX	5522	6.0	8	1	3	6	7	8	10	15
A. NOT OPERATED	179	3.6	6	<1	1	3	5	7	8	14
B. OPERATED	6787	5.8	8	1	2	6	7	8	10	15
TOTAL 0-19 YRS	98	3.5	4	<1	1	4	5	6	7	7
20-34	3414	5.2	9	<1	1	5	6	8	9	14
35-49	2983	6.3	7	2	4	6	7	9	10	15
50-64	421	6.7	5	4	5	7	8	9	10	15
65+	50	6.9	17	2	3	6	8	9	14	28
GRAND TOTAL	**6966**	**5.7**	**8**	**1**	**2**	**6**	**7**	**8**	**10**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	2.6	6	<1	<1	2	3	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	12	3.2	6	1	1	2	5	7	7	7
20-34	131	2.6	4	<1	<1	2	4	6	7	8
35-49	96	2.6	5	<1	<1	2	4	6	7	8
50-64	38	1.7	2	<1	<1	1	2	3	5	6
65+	14	1.9	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	9	3.0	4	<1	<1	2	5	6	6	6
35-49	4	4.0	7	<1	<1	4	6	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	25	2.2	4	<1	<1	2	2	4	8	8
20-34	632	4.4	8	<1	1	5	6	7	8	14
35-49	614	4.8	10	<1	1	5	6	8	10	14
50-64	196	4.1	11	<1	<1	2	7	8	10	14
65+	61	5.3	29	<1	1	2	7	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*	291	2.5	4	<1	<1	2	3	[illegible]	7	8
2. MULTIPLE DX										
A. *Not Operated*	18	3.1	4	<1	<1	3	5	6	7	7
B. *Operated*	1528	4.5	10	<1	1	5	6	8	9	14
1. SINGLE DX	300	2.5	4	<1	<1	2	3	6	7	8
2. MULTIPLE DX	1546	4.5	10	<1	1	5	6	8	9	14
A. NOT OPERATED	27	3.0	4	<1	<1	2	5	6	7	7
B. OPERATED	1819	4.2	10	<1	1	4	6	8	9	14
TOTAL 0-19 YRS	42	2.5	4	<1	<1	2	3	6	7	8
20-34	777	4.1	8	<1	1	4	6	7	8	13
35-49	715	4.5	10	<1	1	5	6	8	9	14
50-64	236	3.7	10	<1	<1	2	6	8	10	13
65+	76	4.6	25	<1	1	2	7	11	13	26
GRAND TOTAL	**1846**	**4.2**	**10**	**<1**	**1**	**4**	**6**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.1	3	1	2	3	4	5	6	9
20-34	130	2.9	2	1	1	3	4	5	5	8
35-49	28	3.7	6	<1	1	3	6	7	8	8
50-64	6	2.5	4	<1	<1	2	3	6	6	6
65+	5	2.8	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	76	2.2	10	<1	<1	1	2	3	7	20
20-34	538	2.1	21	<1	<1	1	2	3	5	13
35-49	228	1.9	2	<1	<1	1	2	4	5	9
50-64	87	1.8	2	<1	<1	1	2	3	4	8
65+	21	3.9	35	<1	1	2	4	6	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.7	10	1	1	3	5	6	8	21
20-34	137	3.7	5	1	1	3	5	6	8	14
35-49	35	3.9	5	<1	2	3	5	7	10	10
50-64	16	5.0	14	<1	1	4	6	8	14	17
65+	21	6.1	14	2	2	5	8	12	14	16
B. *Operated*										
0-19 YRS	56	3.7	14	<1	<1	2	5	8	12	17
20-34	436	3.9	13	<1	1	3	6	8	9	20
35-49	258	4.0	9	<1	1	3	6	8	10	12
50-64	87	4.0	25	<1	<1	2	4	8	12	29
65+	63	6.6	38	1	1	4	8	18	22	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.0	3	1	1	3	4	5	6	8
B. *Operated*	950	2.1	14	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	271	4.0	8	1	1	3	5	7	9	16
B. *Operated*	900	4.1	15	<1	1	3	6	8	11	21
1. SINGLE DX	1182	2.3	12	<1	<1	2	3	4	5	10
2. MULTIPLE DX	1171	4.1	14	<1	1	3	6	8	10	20
A. NOT OPERATED	503	3.6	6	1	1	3	4	6	8	13
B. OPERATED	1850	3.1	16	<1	<1	2	4	7	9	20
TOTAL 0-19 YRS	257	3.1	9	<1	1	2	4	6	8	17
20-34	1241	3.0	15	<1	<1	2	4	6	8	16
35-49	549	3.1	7	<1	<1	2	5	7	9	12
50-64	196	3.0	14	<1	<1	2	3	7	8	21
65+	110	5.8	32	<1	1	4	7	14	18	26
GRAND TOTAL	**2353**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**7**	**8**	**18**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49	12	5.0	6	1	2	5	6	9	9	9
50-64	10	3.7	9	<1	<1	3	6	7	8	8
65+	14	4.1	8	<1	<1	4	7	7	8	8
B. *Operated*										
0-19 YRS	6	3.3	5	<1	<1	3	6	6	6	6
20-34	343	5.7	6	2	3	6	7	8	9	14
35-49	554	6.3	13	3	4	6	7	9	10	18
50-64	651	6.6	9	3	4	6	7	9	11	14
65+	503	7.1	8	4	4	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.4	11	<1	<1	2	6	8	11	12
35-49	51	4.3	15	<1	1	4	6	7	8	25
50-64	54	3.8	12	<1	<1	3	6	8	9	19
65+	55	4.0	7	1	1	4	6	7	10	11
B. *Operated*										
0-19 YRS	14	5.4	12	<1	1	5	7	12	12	12
20-34	1318	6.3	6	4	4	6	7	9	10	15
35-49	2293	6.9	7	4	5	6	8	9	11	16
50-64	1841	7.4	9	4	5	7	8	11	12	17
65+	1388	8.3	20	4	5	7	9	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.0	7	<1	<1	4	6	7	8	9
B. *Operated*	2057	6.5	10	3	4	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	174	4.0	11	<1	1	3	6	8	9	17
B. *Operated*	6854	7.2	10	4	5	7	8	10	12	18
1. SINGLE DX	2099	6.4	10	3	4	6	7	9	11	16
2. MULTIPLE DX	7028	7.1	11	4	4	7	8	10	12	18
A. NOT OPERATED	216	4.0	10	<1	1	3	6	8	9	14
B. OPERATED	8911	7.0	10	4	4	7	8	10	12	18
TOTAL 0-19 YRS	21	4.7	10	<1	1	4	6	9	12	12
20-34	1680	6.1	6	3	4	6	7	9	10	15
35-49	2910	6.7	8	4	4	6	8	9	11	16
50-64	2556	7.1	9	3	4	7	8	10	12	17
65+	1960	7.9	17	4	5	7	9	12	14	22
GRAND TOTAL	**9127**	**7.0**	**10**	**3**	**4**	**6**	**8**	**10**	**12**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	17	1.8	1	<1	<1	2	2	3	4	5
35-49	5	1.6		1	1	2	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	8	2.0	2	<1	<1	2	2	4	5	5
20-34	144	1.9	7	<1	<1	1	2	4	6	20
35-49	171	1.6	3	<1	<1	1	2	2	5	7
50-64	28	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	14	1.9	4	<1	<1	1	2	3	8	9
35-49	10	1.5	1	<1	<1	1	2	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	7	2.9	4	1	1	2	4	6	6	6
20-34	187	3.3	12	<1	<1	2	5	7	8	12
35-49	281	3.6	13	<1	<1	2	6	7	9	20
50-64	46	3.6	11	<1	<1	2	6	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.7	1	<1	<1	2	2	3	3	5
B. *Operated*	351	1.7	4	<1	<1	1	2	2	5	8
2. MULTIPLE DX										
A. *Not Operated*	30	1.7	2	<1	<1	1	2	3	3	9
B. *Operated*	521	3.5	12	<1	<1	2	6	7	9	17
1. SINGLE DX	379	1.7	4	<1	<1	1	2	2	5	8
2. MULTIPLE DX	551	3.4	12	<1	<1	2	5	7	8	16
A. NOT OPERATED	58	1.7	2	<1	<1	1	2	3	3	9
B. OPERATED	872	2.8	10	<1	<1	1	4	6	8	16
TOTAL 0-19 YRS	24	2.1	2	<1	1	2	3	5	5	6
20-34	362	2.6	9	<1	<1	1	3	6	7	13
35-49	467	2.8	10	<1	<1	1	4	7	8	17
50-64	77	2.7	8	<1	<1	1	3	7	7	15
GRAND TOTAL	**930**	**2.7**	**9**	**<1**	**<1**	**1**	**3**	**6**	**7**	**15**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.8	1	<1	<1	1	2	3	4	5
20-34	181	1.8	2	<1	<1	1	2	3	4	10
35-49	71	1.8	1	<1	<1	1	2	3	4	7
50-64	7	2.4	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	208	1.5	1	<1	<1	1	2	2	3	5
20-34	2191	1.8	3	<1	<1	1	2	4	6	8
35-49	1845	1.9	3	<1	<1	1	2	5	6	8
50-64	276	1.7	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	2.4	3	<1	1	2	3	4	6	8
20-34	178	2.2	3	<1	1	2	3	5	6	8
35-49	128	2.6	9	<1	<1	1	3	6	7	14
50-64	12	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	198	2.3	3	<1	1	2	3	5	5	11
20-34	3064	3.7	9	<1	<1	3	6	7	8	12
35-49	4154	4.2	13	<1	<1	4	6	8	9	14
50-64	514	4.0	9	<1	<1	2	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	4520	1.8	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	386	2.4	5	<1	<1	2	3	5	6	9
B. *Operated*	7930	3.9	11	<1	<1	3	6	7	8	13
1. SINGLE DX	4829	1.8	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	8316	3.9	11	<1	<1	3	6	7	8	13
A. NOT OPERATED	695	2.1	4	<1	<1	1	2	4	6	8
B. OPERATED	12450	3.2	9	<1	<1	2	5	7	8	12
TOTAL 0-19 YRS	524	2.0	2	<1	<1	2	2	4	5	8
20-34	5614	2.8	7	<1	<1	2	5	6	7	11
35-49	6198	3.4	11	<1	<1	2	6	7	8	12
50-64	809	3.2	8	<1	<1	2	6	7	8	11
GRAND TOTAL	**13145**	**3.1**	**9**	**<1**	**<1**	**2**	**5**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	11	2.5	2	<1	<1	2	4	5	5	5
50-64	24	1.6	1	<1	<1	1	2	3	4	4
65+	5	2.4	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	2.2	5	<1	<1	1	2	5	8	9
35-49	220	1.9	39	<1	<1	1	2	2	3	8
50-64	768	1.6	12	<1	<1	1	2	2	3	7
65+	279	1.8	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49	20	2.9	7	<1	<1	2	4	5	9	12
50-64	44	2.9	5	<1	<1	2	4	7	7	8
65+	27	3.9	12	<1	<1	3	5	7	10	17
B. *Operated*										
0-19 YRS										
20-34	25	3.9	4	<1	1	4	5	7	7	7
35-49	233	3.0	8	<1	<1	2	4	7	8	19
50-64	986	2.7	7	<1	<1	2	3	7	8	13
65+	426	3.3	27	<1	1	2	3	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.0	1	<1	<1	1	3	4	4	5
B. *Operated*	1283	1.7	14	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	94	3.2	7	<1	<1	2	4	7	8	15
B. *Operated*	1670	2.9	12	<1	<1	2	3	7	8	15
1. SINGLE DX	1326	1.7	14	<1	<1	1	2	2	3	7
2. MULTIPLE DX	1764	2.9	12	<1	<1	2	3	7	8	15
A. NOT OPERATED	137	2.8	6	<1	<1	2	4	6	7	13
B. OPERATED	2953	2.4	13	<1	<1	2	2	6	7	12
TOTAL 0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	44	3.3	5	<1	<1	3	5	6	7	9
35-49	484	2.5	23	<1	<1	1	2	6	7	13
50-64	1822	2.2	9	<1	<1	1	2	5	7	11
65+	737	2.7	17	<1	<1	2	2	6	8	16
GRAND TOTAL	**3090**	**2.4**	**13**	**<1**	**<1**	**2**	**2**	**6**	**7**	**12**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.3	4	<1	<1	2	3	4	5	11
20-34	93	2.4	3	<1	1	2	3	5	6	10
35-49	26	2.0	3	<1	<1	1	2	5	5	6
50-64	17	1.9	2	<1	<1	1	2	4	6	7
65+	8	2.8	6	1	1	2	3	7	8	8
B. *Operated*										
0-19 YRS	145	2.4	4	<1	<1	2	3	5	6	12
20-34	1427	2.6	12	<1	<1	2	3	6	7	11
35-49	978	2.6	7	<1	<1	1	3	6	7	11
50-64	713	2.7	12	<1	<1	2	3	6	7	13
65+	224	3.1	11	<1	1	2	3	7	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.8	1	<1	<1	1	3	3	4	5
20-34	104	2.8	13	<1	<1	2	3	6	10	58
35-49	58	2.3	4	<1	<1	1	3	6	8	92
50-64	36	5.0	34	1	1	4	6	8	12	34
65+	41	7.6	58	2	2	5	10	22	32	99+
B. *Operated*										
0-19 YRS	129	3.4	4	<1	1	3	5	6	7	9
20-34	1836	4.1	12	<1	<1	4	6	7	9	17
35-49	2209	4.5	12	<1	<1	5	6	8	10	15
50-64	1523	4.6	15	<1	<1	5	7	8	10	17
65+	459	6.2	50	1	1	3	8	13	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	2.3	3	<1	<1	2	3	5	6	10
B. *Operated*	3487	2.7	10	<1	<1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	268	3.6	23	<1	<1	2	4	8	12	86
B. *Operated*	6156	4.5	16	<1	<1	4	6	8	10	20
1. SINGLE DX	3664	2.6	10	<1	<1	2	3	6	7	11
2. MULTIPLE DX	6424	4.5	16	<1	<1	4	6	8	10	21
A. NOT OPERATED	445	3.1	15	<1	<1	2	4	6	9	34
B. OPERATED	9643	3.9	15	<1	<1	2	6	8	9	17
TOTAL 0-19 YRS	336	2.8	4	<1	<1	2	4	6	7	10
20-34	3460	3.4	12	<1	<1	2	5	7	8	14
35-49	3271	3.9	11	<1	<1	3	6	8	9	14
50-64	2289	4.0	15	<1	<1	2	6	8	10	16
65+	732	5.3	41	<1	1	3	7	12	18	31
GRAND TOTAL	**10088**	**3.8**	**15**	**<1**	**<1**	**2**	**6**	**7**	**9**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	2.1	24	1	1	1	2	3	4	53
20-34	243	2.1	4	<1	<1	1	2	4	5	8
35-49	67	2.4	3	<1	<1	2	3	4	6	8
50-64	26	3.3	13	<1	<1	2	5	7	11	17
65+	11	2.0	1	<1	<1	2	2	4	5	5
B. *Operated*										
0-19 YRS	120	2.1	2	<1	<1	2	3	4	5	8
20-34	1124	2.9	8	<1	<1	2	5	6	7	9
35-49	445	5.7	9	<1	1	6	8	9	10	15
50-64	332	7.6	32	3	4	7	9	10	12	15
65+	143	8.1	8	4	5	8	10	12	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.4	6	<1	<1	2	3	5	7	13
20-34	258	2.5	6	<1	<1	2	3	5	6	11
35-49	73	2.5	3	<1	<1	2	3	5	7	8
50-64	37	3.2	11	<1	<1	1	4	8	12	13
65+	30	9.2	227	<1	1	4	8	20	32	80
B. *Operated*										
0-19 YRS	122	3.5	8	<1	1	2	5	7	8	15
20-34	2500	4.7	12	<1	1	5	6	8	9	14
35-49	1311	6.4	9	1	2	6	8	9	11	17
50-64	548	7.8	9	4	4	7	9	12	13	18
65+	263	9.2	27	4	5	8	10	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	2.2	11	<1	<1	2	2	4	5	10
B. *Operated*	2164	4.5	15	<1	<1	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	473	3.0	22	<1	<1	2	3	5	7	20
B. *Operated*	4744	5.7	13	<1	1	6	7	9	11	17
1. SINGLE DX	2677	4.1	15	<1	<1	3	6	8	10	13
2. MULTIPLE DX	5217	5.5	15	<1	1	6	7	9	11	17
A. NOT OPERATED	986	2.6	16	<1	<1	2	3	5	6	15
B. OPERATED	6908	5.3	14	<1	1	5	7	9	11	16
TOTAL 0-19 YRS	483	2.5	12	<1	1	2	3	5	6	13
20-34	4125	3.9	11	<1	<1	4	6	7	8	12
35-49	1896	5.9	9	1	1	6	7	9	11	16
50-64	943	7.4	19	1	4	7	9	11	13	16
65+	447	8.7	34	2	4	8	10	12	16	29
GRAND TOTAL	**7894**	**5.0**	**15**	**<1**	**1**	**5**	**7**	**9**	**10**	**16**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	3	<1	<1	3	4	5	5	5
20-34	22	2.4	2	<1	1	2	4	5	5	6
35-49	3	5.0	16	1	1	5	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	109	4.4	2	3	3	4	5	6	7	9
20-34	1256	4.5	3	3	3	4	5	6	7	10
35-49	71	4.9	3	3	3	5	6	6	7	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	3.4	3	<1	<1	4	4	6	7	7
35-49										
50-64										
B. *Operated*										
0-19 YRS	96	4.9	5	3	3	5	5	6	7	16
20-34	1126	5.0	4	3	3	5	6	7	8	13
35-49	134	5.4	5	3	3	5	6	9	10	12
50-64	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.8	4	<1	1	2	4	5	6	9
B. *Operated*	1436	4.5	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	10	3.2	4	<1	<1	3	4	6	7	7
B. *Operated*	1358	5.0	4	3	3	5	6	7	8	13
1. SINGLE DX	1465	4.5	3	2	3	4	5	6	7	10
2. MULTIPLE DX	1368	5.0	4	3	3	5	6	7	8	13
A. NOT OPERATED	39	2.9	4	<1	<1	2	4	5	7	9
B. OPERATED	2794	4.8	4	3	3	4	5	7	8	12
TOTAL 0-19 YRS	210	4.6	3	3	3	4	5	6	7	10
20-34	2413	4.7	3	3	3	4	5	6	8	12
35-49	208	5.3	4	3	3	5	6	8	10	12
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**2833**	**4.7**	**4**	**3**	**3**	**4**	**5**	**6**	**8**	**12**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	1.3		<1	<1	1	1	2	3	3
20-34	46	2.0	21	<1	<1	1	1	2	4	32
35-49	9	1.2		<1	<1	1	1	2	2	2
50-64										
B. *Operated*										
0-19 YRS	1294	1.2	1	<1	<1	1	1	2	2	5
20-34	2318	1.2	1	<1	<1	<1	1	2	2	5
35-49	184	1.3	1	<1	<1	<1	1	2	3	6
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5	1	<1	<1	1	2	4	5	5
20-34	28	2.4	3	<1	<1	2	3	5	7	7
35-49	9	3.2	24	<1	<1	1	3	11	16	16
50-64										
B. *Operated*										
0-19 YRS	393	1.7	13	<1	<1	1	1	3	4	9
20-34	1556	2.0	8	<1	<1	1	2	4	5	9
35-49	420	2.0	6	<1	<1	1	2	4	6	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	1.6	10	<1	<1	1	1	2	3	18
B. *Operated*	3797	1.2	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	54	2.3	6	<1	<1	1	3	4	7	16
B. *Operated*	2369	1.9	9	<1	<1	1	2	4	5	9
1. SINGLE DX	3900	1.2	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	2423	1.9	8	<1	<1	1	2	4	5	9
A. NOT OPERATED	157	1.8	8	<1	<1	1	2	3	4	15
B. OPERATED	6166	1.5	4	<1	<1	1	1	2	4	7
TOTAL 0-19 YRS	1752	1.3	4	<1	<1	1	1	2	2	6
20-34	3948	1.5	4	<1	<1	1	1	2	4	7
35-49	622	1.8	4	<1	<1	1	2	3	5	8
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**6323**	**1.5**	**4**	**<1**	**<1**	**1**	**1**	**2**	**4**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*	6	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	9	1.9	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX	6	2.2	1	1	1	2	3	4	4	4
A. NOT OPERATED	8	2.0	1	1	1	2	3	4	4	4
B. OPERATED	7	2.0	1	<1	<1	2	3	4	4	4
TOTAL 0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	8	2.0	1	1	1	2	3	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
GRAND TOTAL	**15**	**2.0**	**1**	**<1**	**1**	**2**	**3**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	1.4	1	<1	<1	1	2	2	3	6
20-34	783	1.6	11	<1	<1	1	2	2	3	6
35-49	79	1.4	1	<1	<1	1	2	2	3	4
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1232	1.3	1	<1	<1	1	1	2	3	5
20-34	6031	1.3	2	<1	<1	1	1	2	3	5
35-49	742	1.4	2	<1	<1	1	1	2	3	5
50-64	5	2.0	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.1	3	1	1	1	2	4	5	9
20-34	146	2.0	4	<1	1	1	2	4	5	8
35-49	18	2.2	18	<1	<1	1	1	3	13	19
50-64										
B. *Operated*										
0-19 YRS	229	2.2	6	<1	<1	1	2	4	5	12
20-34	1151	2.0	10	<1	<1	1	2	4	5	11
35-49	234	1.9	2	<1	<1	1	2	4	5	8
50-64	2	1.0		<1	<1	<1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1091	1.5	8	<1	<1	1	2	2	3	5
B. *Operated*	8010	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	214	2.1	5	<1	1	1	2	4	5	13
B. *Operated*	1616	2.0	8	<1	<1	1	2	4	5	10
1. SINGLE DX	9101	1.3	2	<1	<1	1	1	2	3	5
2. MULTIPLE DX	1830	2.0	8	<1	<1	1	2	4	5	10
A. NOT OPERATED	1305	1.6	8	<1	<1	1	2	3	4	6
B. OPERATED	9626	1.4	3	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1739	1.5	2	<1	<1	1	2	2	3	6
20-34	8111	1.4	4	<1	<1	1	1	2	3	6
35-49	1073	1.5	2	<1	<1	1	1	2	4	6
50-64	8	1.6	1	<1	<1	1	2	3	4	4
GRAND TOTAL	**10931**	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.0	5	<1	1	2	4	5	7	13
20-34	170	2.2	2	<1	<1	2	3	4	5	8
35-49	16	1.5	2	<1	<1	1	2	2	5	6
50-64										
B. *Operated*										
0-19 YRS	124	2.0	2	<1	<1	1	2	4	5	8
20-34	1009	1.5	2	<1	<1	1	2	2	3	7
35-49	90	1.5	1	<1	<1	1	2	2	4	7
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.8	25	1	1	3	5	13	18	20
20-34	57	2.9	5	<1	1	2	4	6	7	11
35-49	10	2.5	4	<1	<1	2	3	6	6	6
50-64										
B. *Operated*										
0-19 YRS	42	3.0	11	1	1	2	3	6	7	21
20-34	281	2.8	22	<1	<1	2	3	6	8	18
35-49	60	2.3	5	<1	<1	1	3	6	8	10
50-64	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	2.3	3	<1	<1	2	3	4	6	8
B. *Operated*	1224	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	85	3.3	9	<1	1	3	4	6	8	18
B. *Operated*	385	2.8	18	<1	<1	2	3	6	8	18
1. SINGLE DX	1465	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	470	2.9	16	<1	<1	2	3	6	8	18
A. NOT OPERATED	326	2.6	5	<1	1	2	3	5	6	11
B. OPERATED	1609	1.9	6	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	239	2.6	7	<1	<1	2	3	5	6	16
20-34	1517	1.9	6	<1	<1	1	2	3	5	9
35-49	176	1.8	3	<1	<1	1	2	3	6	9
50-64	3	2.7	1	2	2	2	4	4	4	4
GRAND TOTAL	**1935**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	1.7	1	<1	<1	1	2	3	4	4
20-34	679	1.9	3	<1	<1	1	2	3	4	9
35-49	40	2.2	1	<1	1	2	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34	39	1.9	4	<1	<1	1	2	4	8	99+
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.9	5	1	1	2	4	6	7	12
20-34	133	3.4	69	<1	1	2	3	5	7	27
35-49	10	2.5	1	1	1	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	6	2.2	1	<1	<1	2	2	4	4	4
20-34	30	2.3	3	<1	<1	2	3	5	5	9
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	875	1.9	3	<1	<1	1	2	3	4	8
B. *Operated*	54	1.9	3	<1	<1	1	2	4	5	96
2. MULTIPLE DX										
A. *Not Operated*	173	3.3	54	<1	1	2	3	5	7	13
B. *Operated*	36	2.3	3	<1	<1	2	3	5	5	9
1. SINGLE DX	929	1.9	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	209	3.1	45	<1	1	2	3	5	7	12
A. NOT OPERATED	1048	2.1	11	<1	<1	2	2	4	5	10
B. OPERATED	90	2.0	3	<1	<1	1	2	4	5	64
TOTAL 0-19 YRS	203	1.9	2	<1	<1	2	2	3	4	6
20-34	881	2.2	13	<1	<1	2	2	4	5	11
35-49	54	2.2	1	1	1	2	3	4	5	5
50-64										
GRAND TOTAL	**1138**	**2.1**	**11**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.3		<1	<1	1	2	2	2	2
20-34	66	2.5	13	<1	<1	2	2	3	6	22
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	20	2.1	3	<1	<1	2	3	4	6	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	2.4	5	<1	<1	1	4	6	6	6
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.2	11	<1	<1	1	2	3	5	22
B. *Operated*	6	2.0	2	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	26	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	6	2.8	5	<1	<1	2	5	6	6	6
1. SINGLE DX	89	2.2	10	<1	<1	1	2	3	5	22
2. MULTIPLE DX	32	2.2	3	<1	<1	2	3	5	6	7
A. NOT OPERATED	109	2.2	9	<1	<1	1	2	4	5	21
B. OPERATED	12	2.4	4	<1	<1	2	4	5	6	6
TOTAL 0-19 YRS	21	1.6	1	<1	<1	1	2	3	4	5
20-34	96	2.4	10	<1	<1	1	3	4	6	22
35-49	4	1.8	2	<1	<1	1	3	4	4	4
50-64										
GRAND TOTAL	**121**	**2.2**	**8**	**<1**	**<1**	**1**	**2**	**4**	**6**	**21**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.6	3	<1	1	2	3	4	6	10
20-34	623	2.9	19	<1	1	2	3	5	7	11
35-49	43	3.2	4	<1	1	3	4	6	7	9
50-64										
B. *Operated*										
0-19 YRS	15	3.3	7	1	1	3	3	8	9	10
20-34	75	2.9	8	<1	<1	2	4	6	7	16
35-49	7	1.9	2	<1	<1	<1	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.2	4	<1	<1	3	4	5	7	12
20-34	210	3.2	7	<1	1	3	4	6	8	15
35-49	23	4.1	28	<1	<1	3	4	9	16	26
50-64										
B. *Operated*										
0-19 YRS	17	3.6	3	1	1	3	5	5	7	8
20-34	56	4.4	14	<1	1	4	6	11	13	94
35-49	4	6.3	28	2	2	4	9	14	14	14
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	807	2.8	16	<1	1	2	3	5	7	10
B. *Operated*	97	2.9	7	<1	<1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	274	3.3	8	<1	1	3	4	6	8	15
B. *Operated*	77	4.3	12	<1	1	4	5	8	13	77
1. SINGLE DX	904	2.9	15	<1	<1	2	3	5	7	11
2. MULTIPLE DX	351	3.5	9	<1	1	3	4	7	9	19
A. NOT OPERATED	1081	3.0	14	<1	1	2	3	5	7	12
B. OPERATED	174	3.5	10	<1	<1	3	4	7	12	18
TOTAL 0-19 YRS	214	2.9	4	<1	1	2	3	5	7	11
20-34	964	3.0	16	<1	<1	2	4	6	7	15
35-49	77	3.5	12	<1	<1	3	4	6	9	23
50-64										
GRAND TOTAL	**1255**	**3.0**	**13**	**<1**	**<1**	**2**	**4**	**5**	**7**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.9	4	1	1	3	3	5	6	10
20-34	730	3.5	10	1	1	3	4	6	8	14
35-49	26	3.3	5	1	2	3	4	6	7	12
50-64										
B. *Operated*										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	20	2.8	5	<1	1	2	4	6	7	8
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	2.9	4	1	1	2	4	5	7	12
20-34	295	3.7	12	1	1	3	4	6	8	18
35-49	11	3.9	17	1	1	3	4	11	14	14
50-64										
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	22	3.5	6	1	1	3	4	6	9	12
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	3.4	9	1	1	3	4	6	8	13
B. *Operated*	25	2.6	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	382	3.6	10	1	1	3	4	6	8	15
B. *Operated*	25	3.5	6	1	1	3	4	5	8	12
1. SINGLE DX	961	3.4	9	1	1	3	4	6	7	13
2. MULTIPLE DX	407	3.6	10	1	1	3	4	6	8	15
A. NOT OPERATED	1318	3.4	9	1	1	3	4	6	8	14
B. OPERATED	50	3.1	5	<1	1	3	4	6	7	12
TOTAL 0-19 YRS	262	2.9	4	1	1	2	3	5	6	10
20-34	1067	3.6	11	1	1	3	4	6	8	15
35-49	39	3.4	8	1	1	3	4	6	11	14
50-64										
GRAND TOTAL	**1368**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1337	1.2	1	<1	<1	<1	1	1	2	4
20-34	4782	1.1	1	<1	<1	<1	1	1	2	4
35-49	260	1.1		<1	<1	<1	1	1	1	4
50-64	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	97	1.1		<1	<1	1	1	2	2	3
20-34	465	1.2	1	<1	<1	<1	1	1	2	6
35-49	23	1.2		<1	<1	1	1	2	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	1.5	1	<1	<1	1	2	3	4	6
20-34	394	1.7	5	<1	<1	1	2	3	4	15
35-49	32	1.5	1	<1	<1	1	1	3	5	5
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS		1.3		<1	<1	1	2	2	2	2
20-34	6[illegible]	2.2	7	<1	<1	1	3	4	6	17
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6383	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	585	1.2	1	<1	<1	1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	556	1.6	4	<1	<1	1	2	3	4	11
B. *Operated*	69	2.1	6	<1	<1	1	2	4	5	16
1. SINGLE DX	6968	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	625	1.7	4	<1	<1	1	2	3	4	12
A. NOT OPERATED	6939	1.2	1	<1	<1	<1	1	1	2	5
B. OPERATED	654	1.3	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1570	1.2	1	<1	<1	<1	1	1	2	5
20-34	5701	1.2	1	<1	<1	<1	1	1	2	5
35-49	317	1.1		<1	<1	<1	1	1	2	4
50-64	5	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**7593**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	3	<1	<1	2	4	5	6	7
20-34	338	2.7	12	<1	<1	2	3	5	7	17
35-49	36	2.5	6	<1	<1	2	3	5	5	14
50-64										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	42	3.1	11	<1	1	2	4	6	11	16
35-49	7	3.4	6	1	1	3	4	7	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	2	1	1	3	5	5	5	5
20-34	87	3.8	16	<1	1	2	4	10	14	17
35-49	13	3.3	5	<1	<1	3	5	7	8	8
50-64										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	3.4	9	<1	<1	2	5	8	10	11
35-49	3	7.0	21	2	2	8	10	11	11	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	2.7	11	<1	<1	2	3	5	7	15
B. *Operated*	50	3.2	10	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	110	3.7	14	<1	1	2	4	9	13	17
B. *Operated*	20	3.9	11	<1	<1	2	6	9	11	11
1. SINGLE DX	455	2.7	10	<1	<1	2	3	5	7	16
2. MULTIPLE DX	130	3.7	13	<1	1	2	5	9	12	16
A. NOT OPERATED	515	2.9	11	<1	<1	2	3	5	8	16
B. OPERATED	70	3.4	10	<1	1	2	4	8	11	16
TOTAL 0-19 YRS	43	2.6	3	<1	<1	2	4	5	6	7
20-34	483	3.0	13	<1	<1	2	3	6	9	16
35-49	59	3.0	7	<1	<1	2	4	6	8	14
50-64										
GRAND TOTAL	**585**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	1.5	1	<1	<1	1	2	3	3	6
20-34	441	1.9	11	<1	<1	1	2	3	4	10
35-49	18	1.8	2	<1	<1	1	2	3	5	6
50-64										
B. *Operated*										
0-19 YRS	5	4.6	10	2	2	4	6	10	10	10
20-34	45	2.0	1	<1	1	2	3	4	4	5
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.1	3	<1	<1	2	2	3	4	11
20-34	104	2.3	5	<1	<1	2	3	5	6	13
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64										
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	20	2.9	4	<1	1	2	5	6	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	554	1.8	9	<1	<1	1	2	3	4	9
B. *Operated*	52	2.2	3	<1	<1	2	3	4	4	10
2. MULTIPLE DX										
A. *Not Operated*	145	2.2	4	<1	<1	2	3	4	5	11
B. *Operated*	24	2.7	4	<1	1	2	4	6	6	7
1. SINGLE DX	606	1.9	9	<1	<1	1	2	3	4	9
2. MULTIPLE DX	169	2.3	4	<1	<1	2	3	5	6	11
A. NOT OPERATED	699	1.9	8	<1	<1	1	2	3	5	9
B. OPERATED	76	2.4	3	<1	1	2	3	5	6	9
TOTAL 0-19 YRS	139	1.8	2	<1	<1	1	2	3	4	10
20-34	610	2.0	9	<1	<1	1	2	4	5	9
35-49	26	1.8	2	<1	<1	1	2	3	4	6
50-64										
GRAND TOTAL	**775**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	3.0	3	<1	<1	3	4	5	7	8
20-34	286	2.8	3	<1	<1	2	4	5	5	8
35-49	6	3.2	5	<1	<1	3	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	22	2.4	2	<1	1	2	3	5	6	6
20-34	30	3.1	3	<1	<1	3	4	5	7	7
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.4	3	<1	1	3	4	6	6	9
20-34	266	3.7	10	1	1	3	4	6	8	14
35-49	10	3.7	5	1	1	3	4	7	9	9
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	32	4.5	12	<1	1	4	5	10	13	14
20-34	87	4.9	11	1	1	4	6	9	11	18
35-49	5	7.6	36	2	2	7	11	17	17	17
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	2.8	3	<1	<1	2	4	5	6	8
B. *Operated*	52	2.8	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	425	3.5	8	1	1	3	4	6	7	11
B. *Operated*	124	4.9	12	1	1	4	6	9	12	18
1. SINGLE DX	511	2.8	3	<1	<1	2	4	5	6	8
2. MULTIPLE DX	549	3.9	9	1	1	3	5	6	8	14
A. NOT OPERATED	884	3.2	5	<1	1	3	4	5	6	9
B. OPERATED	176	4.3	10	1	1	4	6	8	11	16
TOTAL 0-19 YRS	369	3.2	4	<1	1	3	4	6	7	10
20-34	669	3.4	7	<1	1	3	4	6	7	14
35-49	21	4.5	14	<1	1	4	5	9	13	17
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1060**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	6	<1	<1	2	3	4	9	11
20-34	143	3.5	6	<1	1	3	5	7	9	11
35-49	11	2.2	1	<1	<1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	28	2.0	2	<1	<1	1	3	4	5	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	6	<1	1	3	4	6	7	16
20-34	333	3.4	11	<1	<1	3	4	7	8	15
35-49	28	3.2	4	1	1	3	4	6	7	10
50-64										
B. *Operated*										
0-19 YRS	6	1.8	2	1	1	1	3	4	4	4
20-34	40	4.5	23	<1	1	2	5	9	18	21
35-49	4	5.3	20	1	1	5	9	10	10	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.4	6	<1	<1	3	5	6	8	11
B. *Operated*	30	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	421	3.3	10	<1	1	3	4	6	8	15
B. *Operated*	50	4.2	20	1	1	2	5	9	18	21
1. SINGLE DX	199	3.2	5	<1	<1	3	4	6	8	11
2. MULTIPLE DX	471	3.4	11	<1	1	3	4	7	9	17
A. NOT OPERATED	590	3.3	9	<1	1	3	4	6	8	13
B. OPERATED	80	3.4	14	<1	<1	2	4	7	10	20
TOTAL 0-19 YRS	82	2.9	6	<1	1	2	4	6	7	15
20-34	544	3.4	10	<1	<1	3	4	7	9	16
35-49	44	3.1	5	<1	1	3	4	6	9	10
50-64										
GRAND TOTAL	**670**	**3.4**	**9**	**<1**	**<1**	**3**	**4**	**6**	**8**	**16**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	2.0	7	<1	<1	1	2	4	5	12
20-34	1264	2.0	7	<1	<1	1	2	4	6	11
35-49	54	1.9	4	<1	<1	1	2	3	8	10
50-64										
B. *Operated*										
0-19 YRS	70	2.0	1	<1	<1	2	3	4	4	6
20-34	613	2.4	5	<1	<1	2	3	4	6	11
35-49	45	2.2	4	<1	<1	2	3	4	4	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	2.9	14	<1	<1	2	3	6	9	19
20-34	557	3.0	20	<1	<1	2	3	6	8	19
35-49	40	2.9	6	<1	1	2	3	6	10	11
50-64										
B. *Operated*										
0-19 YRS	45	3.8	8	<1	1	4	5	6	8	16
20-34	353	3.6	14	<1	<1	3	5	6	8	25
35-49	41	3.2	5	<1	<1	3	5	6	7	10
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1687	2.0	7	<1	<1	1	2	4	5	11
B. *Operated*	728	2.3	4	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	750	3.0	18	<1	<1	2	3	6	8	19
B. *Operated*	440	3.6	13	<1	<1	3	5	6	8	18
1. SINGLE DX	2415	2.1	6	<1	<1	1	2	4	5	11
2. MULTIPLE DX	1190	3.2	16	<1	<1	2	4	6	8	19
A. NOT OPERATED	2437	2.3	10	<1	<1	1	3	4	7	13
B. OPERATED	1168	2.8	8	<1	<1	2	4	5	7	14
TOTAL 0-19 YRS	637	2.3	8	<1	<1	1	3	5	6	16
20-34	2787	2.5	10	<1	<1	2	3	5	7	13
35-49	180	2.5	5	<1	<1	2	3	5	7	11
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**3605**	**2.5**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.4	4	<1	1	2	3	3	5	12
20-34	156	3.3	59	1	1	2	3	4	5	23
35-49	15	2.9	3	1	2	3	3	5	7	8
50-64										
B. *Operated*										
0-19 YRS	18	2.8	1	1	2	3	3	4	5	5
20-34	88	3.8	21	1	2	3	4	6	8	31
35-49	9	3.9	37	1	1	2	3	13	20	20
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.5	3	1	1	2	3	4	6	9
20-34	204	2.7	2	1	1	2	3	4	5	8
35-49	15	2.9	3	1	1	3	4	6	7	7
50-64										
B. *Operated*										
0-19 YRS	54	4.3	16	2	2	3	5	6	9	27
20-34	435	5.3	33	2	2	4	5	9	15	30
35-49	44	5.4	11	2	2	5	7	9	12	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	3.1	47	1	1	2	3	4	5	21
B. *Operated*	115	3.6	19	1	2	3	4	5	8	28
2. MULTIPLE DX										
A. *Not Operated*	263	2.7	2	1	1	2	3	4	5	9
B. *Operated*	533	5.2	30	2	2	4	5	8	14	29
1. SINGLE DX	312	3.3	37	1	1	2	3	5	6	21
2. MULTIPLE DX	796	4.3	22	1	2	3	5	7	10	28
A. NOT OPERATED	460	2.9	21	1	1	2	3	4	5	12
B. OPERATED	648	4.9	28	1	2	4	5	8	12	29
TOTAL 0-19 YRS	142	3.2	8	1	1	3	3	5	7	16
20-34	883	4.2	30	1	2	3	4	6	10	28
35-49	83	4.4	12	1	2	3	5	8	10	19
50-64										
GRAND TOTAL	**1108**	**4.1**	**26**	**1**	**2**	**3**	**4**	**6**	**9**	**27**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7880	2.2	2	1	1	2	3	3	3	5
20-34	42814	2.2	3	1	1	2	3	3	3	5
35-49	1926	2.2	3	1	1	2	3	3	4	5
50-64	15	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-19 YRS	2119	2.3	1	1	1	2	3	3	4	5
20-34	10989	2.5	5	1	1	2	3	3	4	5
35-49	555	2.6	2	1	1	3	3	4	4	6
50-64	6	2.7	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	466	2.6	2	1	1	2	3	4	4	7
20-34	2371	2.6	3	1	1	2	3	4	4	7
35-49	119	2.8	5	1	1	2	3	4	5	45
50-64	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	271	3.0	2	1	2	3	3	4	5	8
20-34	4712	3.0	3	2	2	3	3	4	5	7
35-49	590	3.3	2	2	2	3	4	5	5	8
50-64	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52635	2.2	3	1	1	2	3	3	3	5
B. *Operated*	13669	2.4	4	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2958	2.6	3	1	1	2	3	4	4	8
B. *Operated*	5575	3.1	3	2	2	3	4	4	5	7
1. SINGLE DX	66304	2.2	3	1	1	2	3	3	4	5
2. MULTIPLE DX	8533	2.9	3	1	2	3	3	4	5	7
A. NOT OPERATED	55593	2.2	3	1	1	2	3	3	4	5
B. OPERATED	19244	2.6	4	1	1	2	3	4	4	6
TOTAL 0-19 YRS	10736	2.3	2	1	1	2	3	3	4	5
20-34	60886	2.3	3	1	1	2	3	3	4	5
35-49	3190	2.5	3	1	1	2	3	4	4	6
50-64	25	2.7	2	1	1	2	3	4	5	7
GRAND TOTAL	**74837**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	2	1	1	3	4	5	5	5
20-34	45	3.4	16	1	1	2	3	4	14	23
35-49	5	3.0	4	<1	<1	3	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	14	5.2	13	2	2	4	5	10	14	15
20-34	233	5.8	55	2	3	5	5	7	12	34
35-49	20	4.9	8	2	2	4	5	9	12	13
50-64	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	24	2.6	2	1	1	2	3	5	6	6
35-49	7	3.4	4	1	1	3	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	18	4.8	7	2	2	4	5	6	11	14
20-34	369	6.3	27	2	3	5	6	11	16	33
35-49	68	6.9	31	3	4	5	7	11	15	39
50-64	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.3	14	1	1	2	3	5	11	23
B. *Operated*	268	5.7	49	2	3	5	5	7	13	32
2. MULTIPLE DX										
A. *Not Operated*	33	2.8	2	1	1	2	3	5	6	6
B. *Operated*	456	6.3	27	2	3	5	6	11	15	34
1. SINGLE DX	324	5.3	44	2	2	4	5	7	13	32
2. MULTIPLE DX	489	6.1	26	2	3	5	6	11	15	32
A. NOT OPERATED	89	3.1	9	1	1	2	3	5	6	20
B. OPERATED	724	6.1	35	2	3	5	6	10	15	33
TOTAL 0-19 YRS	40	4.6	8	2	2	4	5	7	12	15
20-34	671	5.8	36	2	2	5	6	9	15	32
35-49	100	6.1	25	2	3	5	6	11	13	33
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**813**	**5.8**	**33**	**2**	**2**	**5**	**6**	**9**	**15**	**32**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.9	1	1	1	2	2	3	4	4
20-34	184	2.3	1	1	1	2	3	3	4	6
35-49	10	2.1		2	2	2	2	3	3	3
50-64										
B. *Operated*										
0-19 YRS	37	3.8	5	1	2	4	5	5	5	15
20-34	179	3.7	3	1	2	4	5	6	6	10
35-49	9	3.9	3	2	2	4	5	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	2	<1	1	2	3	4	5	8
20-34	139	2.8	6	1	1	2	3	5	5	11
35-49	15	2.6	3	1	1	2	3	4	7	8
50-64										
B. *Operated*										
0-19 YRS	83	4.6	9	1	2	4	6	8	10	17
20-34	406	4.0	6	1	2	4	5	6	8	11
35-49	32	5.5	22	2	2	4	5	10	16	25
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	2.2	1	1	1	2	3	3	4	5
B. *Operated*	225	3.8	3	1	2	4	5	6	6	10
2. MULTIPLE DX										
A. *Not Operated*	187	2.7	5	1	1	2	3	5	5	9
B. *Operated*	522	4.2	7	1	2	4	5	7	8	15
1. SINGLE DX	450	3.0	3	1	1	3	4	5	6	7
2. MULTIPLE DX	709	3.8	7	1	1	3	5	6	8	14
A. NOT OPERATED	412	2.4	3	1	1	2	3	4	5	7
B. OPERATED	747	4.0	6	1	2	4	5	6	7	14
TOTAL 0-19 YRS	184	3.6	7	1	1	3	5	6	8	15
20-34	908	3.4	5	1	1	3	4	6	7	10
35-49	66	4.1	13	1	2	3	5	6	9	24
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1159**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	1	1	1	2	3	4	4	4
20-34	47	2.2	1	1	1	2	3	4	4	4
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	71	2.3	1	1	1	2	3	3	4	5
20-34	550	2.5	17	1	1	2	3	4	4	7
35-49	31	2.5	1	<1	1	3	3	4	4	5
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	26	2.7	2	1	1	3	4	4	5	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	56	2.6	1	1	1	2	3	4	5	6
20-34	334	3.0	13	1	1	3	3	5	6	10
35-49	28	3.1	3	1	1	3	4	5	6	9
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.2	1	1	1	2	3	4	4	4
B. *Operated*	653	2.5	14	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	32	2.6	1	1	1	2	3	4	4	6
B. *Operated*	419	3.0	10	1	1	3	3	5	6	9
1. SINGLE DX	715	2.5	13	1	1	2	3	4	4	6
2. MULTIPLE DX	451	2.9	10	1	1	3	3	5	6	9
A. NOT OPERATED	94	2.4	1	1	1	2	3	4	4	5
B. OPERATED	1072	2.7	13	1	1	2	3	4	5	8
TOTAL 0-19 YRS	141	2.4	1	1	1	2	3	4	5	5
20-34	957	2.7	14	1	1	2	3	4	5	8
35-49	66	2.8	2	1	1	3	3	5	5	9
50-64	2	3.5	13	1	1	3	6	6	6	6
GRAND TOTAL	**1166**	**2.7**	**12**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	1	1	2	2	3	4	4	6
20-34	193	2.3	1	1	1	2	3	3	4	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	25	2.6	2	<1	1	2	3	4	5	8
20-34	120	2.6	1	1	1	3	3	4	4	5
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	1	1	2	2	3	4	5	6
20-34	122	2.6	1	1	1	2	3	4	4	6
35-49	7	4.1	10	2	2	3	5	10	11	11
50-64										
B. *Operated*										
0-19 YRS	29	2.6	1	1	2	3	3	3	4	5
20-34	180	3.1	3	1	2	3	4	5	5	8
35-49	15	3.5	2	1	2	3	4	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.3	1	1	1	2	3	4	4	5
B. *Operated*	151	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	153	2.7	2	1	1	2	3	4	4	7
B. *Operated*	224	3.1	3	1	2	3	3	5	5	7
1. SINGLE DX	382	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	377	2.9	2	1	2	3	3	4	5	7
A. NOT OPERATED	384	2.5	1	1	1	2	3	4	4	6
B. OPERATED	375	2.9	2	1	1	3	3	4	5	7
TOTAL 0-19 YRS	114	2.6	1	1	2	2	3	4	4	7
20-34	615	2.6	2	1	1	3	3	4	5	6
35-49	30	3.3	4	1	2	3	4	5	6	11
50-64										
GRAND TOTAL	**759**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	1	1	1	3	3	5	58	99+
20-34	121	3.6	71	1	2	3	3	4	5	35
35-49	10	3.2	2	1	1	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	8	2.9	1	2	2	3	4	4	4	4
20-34	85	3.6	3	1	2	3	4	5	6	11
35-49	5	4.8	2	3	3	5	6	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	3	1	1	3	4	6	6	6
20-34	122	3.1	2	1	2	3	4	5	6	8
35-49	5	3.2	4	1	1	3	4	6	6	6
50-64										
B. *Operated*										
0-19 YRS	54	4.2	10	2	2	3	5	7	12	19
20-34	526	4.4	10	2	2	4	5	7	8	16
35-49	40	5.2	20	2	2	4	5	8	14	26
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	3.5	58	1	2	3	3	4	5	94
B. *Operated*	98	3.6	3	1	2	3	4	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	138	3.2	2	1	2	3	4	5	6	8
B. *Operated*	621	4.4	11	2	2	4	5	7	8	19
1. SINGLE DX	247	3.5	36	1	2	3	4	5	6	14
2. MULTIPLE DX	759	4.2	10	2	2	4	5	6	8	18
A. NOT OPERATED	287	3.3	31	1	2	3	4	5	6	11
B. OPERATED	719	4.3	10	2	2	4	5	7	8	18
TOTAL 0-19 YRS	91	3.7	7	1	2	3	4	6	11	66
20-34	854	4.0	17	1	2	3	5	6	7	14
35-49	60	4.7	15	1	2	4	5	7	8	25
50-64	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**1006**	**4.0**	**16**	**1**	**2**	**3**	**5**	**6**	**7**	**17**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	1	1	1	2	2	3	4	5
20-34	274	2.2	1	1	1	2	3	3	4	5
35-49	22	2.0	1	<1	1	2	3	3	4	4
50-64										
B. *Operated*										
0-19 YRS	259	4.0	3	2	2	4	5	5	6	8
20-34	1603	3.9	2	1	2	4	5	5	6	8
35-49	59	4.0	3	2	2	4	5	6	7	10
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	1	1	1	2	3	4	5	5
20-34	107	2.7	13	1	1	2	3	4	6	21
35-49	8	2.6	1	1	1	3	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	230	4.9	6	2	2	4	6	8	9	13
20-34	1847	4.6	10	2	2	4	5	7	8	12
35-49	179	4.6	3	2	2	5	5	7	7	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.1	1	1	1	2	3	3	4	5
B. *Operated*	1922	3.9	2	2	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	129	2.6	11	1	1	2	3	4	5	15
B. *Operated*	2256	4.6	9	2	2	4	5	7	8	12
1. SINGLE DX	2251	3.7	3	1	2	4	5	5	6	8
2. MULTIPLE DX	2385	4.5	9	2	2	4	5	7	8	12
A. NOT OPERATED	458	2.3	4	1	1	2	3	3	4	7
B. OPERATED	4178	4.3	6	2	2	4	5	6	7	11
TOTAL 0-19 YRS	535	4.2	5	1	2	4	5	7	8	12
20-34	3831	4.1	7	1	2	4	5	6	7	11
35-49	268	4.2	3	2	2	4	5	6	7	10
50-64	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**4636**	**4.1**	**6**	**1**	**2**	**4**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.3	1	1	1	2	3	3	4	4
20-34	670	2.3	4	1	1	2	3	3	4	6
35-49	30	2.4	1	1	1	2	3	3	4	4
50-64										
B. *Operated*										
0-19 YRS	358	3.0	2	1	2	3	3	4	5	7
20-34	2126	3.0	2	1	2	3	4	5	5	7
35-49	103	3.4	3	1	2	3	4	5	7	10
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.6	2	1	1	2	3	4	5	8
20-34	381	2.5	1	1	1	2	3	4	4	6
35-49	19	3.2	4	1	2	3	3	5	8	10
50-64										
B. *Operated*										
0-19 YRS	628	3.5	3	2	2	3	4	5	6	9
20-34	3690	3.6	5	2	2	3	4	6	6	10
35-49	272	4.4	9	2	2	4	5	6	8	17
50-64	2	6.5	25	3	3	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	769	2.3	3	1	1	2	3	3	4	6
B. *Operated*	2587	3.0	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	463	2.5	1	1	1	2	3	4	5	6
B. *Operated*	4592	3.6	5	2	2	3	4	6	6	10
1. SINGLE DX	3356	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX	5055	3.5	5	1	2	3	4	6	6	10
A. NOT OPERATED	1232	2.4	3	1	1	2	3	3	4	6
B. OPERATED	7179	3.4	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	1118	3.2	3	1	2	3	4	5	6	8
20-34	6867	3.2	4	1	2	3	4	5	6	9
35-49	424	3.9	7	2	2	3	5	6	7	14
50-64	2	6.5	25	3	3	6	10	10	10	10
GRAND TOTAL	**8411**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	6	2	2	3	4	8	10	10
20-34	56	3.2	3	1	2	3	4	5	6	13
35-49	5	2.4	1	1	1	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	583	4.6	2	3	3	4	5	6	6	9
20-34	2433	4.6	5	3	3	5	5	6	6	9
35-49	81	5.0	2	3	4	5	6	7	7	9
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	2	1	1	3	4	5	5	5
20-34	66	3.6	3	1	2	3	5	5	7	9
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	937	5.3	4	3	3	5	6	7	9	14
20-34	3976	5.0	6	3	3	5	6	7	8	11
35-49	231	5.1	3	3	3	5	6	7	8	14
50-64	4	7.5	14	4	4	7	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.2	4	1	2	3	4	5	6	12
B. *Operated*	3098	4.6	5	3	3	5	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	80	3.6	3	1	2	3	5	5	7	9
B. *Operated*	5148	5.1	5	3	3	5	6	7	8	12
1. SINGLE DX	3168	4.6	5	3	3	4	5	6	6	9
2. MULTIPLE DX	5228	5.1	5	3	3	5	6	7	8	12
A. NOT OPERATED	150	3.4	3	1	2	3	4	5	6	10
B. OPERATED	8246	4.9	5	3	3	5	5	6	7	11
TOTAL 0-19 YRS	1540	5.0	4	3	3	5	6	7	8	12
20-34	6531	4.9	6	3	3	5	5	6	7	11
35-49	320	5.0	3	3	3	5	6	7	8	13
50-64	5	6.8	13	4	4	5	10	12	12	12
GRAND TOTAL	**8396**	**4.9**	**5**	**3**	**3**	**5**	**5**	**6**	**7**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.4	1	1	1	2	3	4	4	6
20-34	712	2.5	3	1	1	2	3	4	4	5
35-49	23	2.7	1	1	2	3	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	219	3.2	3	1	2	3	4	5	6	9
20-34	995	3.2	2	1	2	3	4	5	6	7
35-49	43	3.3	3	1	2	3	5	6	6	7
50-64	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	2.9	2	1	1	3	3	4	6	8
20-34	398	2.8	21	1	1	3	3	4	5	7
35-49	17	3.1	2	2	2	3	3	5	6	6
50-64										
B. *Operated*										
0-19 YRS	389	3.9	5	2	2	3	5	6	8	12
20-34	1941	3.7	4	2	2	3	5	6	7	9
35-49	120	4.9	73	2	2	4	5	6	7	39
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	867	2.5	3	1	1	2	3	4	4	5
B. *Operated*	1259	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	514	2.9	17	1	1	3	3	4	5	7
B. *Operated*	2450	3.8	7	2	2	3	5	6	7	10
1. SINGLE DX	2126	2.9	3	1	1	3	4	5	5	7
2. MULTIPLE DX	2964	3.7	9	1	2	3	4	6	7	9
A. NOT OPERATED	1381	2.6	8	1	1	2	3	4	4	6
B. OPERATED	3709	3.6	6	1	2	3	4	6	6	9
TOTAL 0-19 YRS	839	3.3	4	1	2	3	4	6	7	10
20-34	4046	3.3	5	1	2	3	4	5	6	8
35-49	203	4.1	45	2	2	3	5	6	7	11
50-64	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**5090**	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	1	1	1	2	3	4	4	4
20-34	83	2.7	13	<1	1	2	3	4	5	25
35-49	8	2.4		2	2	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	48	3.4	2	1	2	3	5	5	6	99+
20-34	271	4.0	22	1	2	4	5	5	6	14
35-49	15	4.4	4	2	2	4	6	7	7	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	10	3	3	4	7	10	10	10
20-34	45	2.6	1	<1	1	3	3	4	4	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	70	4.7	5	2	2	4	6	7	9	14
20-34	478	4.7	8	2	2	4	6	7	8	15
35-49	61	5.0	3	2	3	5	6	7	8	89
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	2.6	11	1	1	2	3	4	4	19
B. *Operated*	334	3.9	18	1	2	4	5	6	6	18
2. MULTIPLE DX										
A. *Not Operated*	51	2.8	2	<1	1	3	4	4	5	10
B. *Operated*	609	4.7	7	2	2	4	6	7	8	15
1. SINGLE DX	435	3.6	17	1	1	3	4	5	6	18
2. MULTIPLE DX	660	4.5	7	2	2	4	5	7	8	15
A. NOT OPERATED	152	2.7	8	1	1	2	3	4	4	10
B. OPERATED	943	4.4	11	2	2	4	5	7	8	15
TOTAL 0-19 YRS	132	4.1	4	2	2	4	5	6	8	29
20-34	877	4.1	13	1	2	4	5	6	7	15
35-49	86	4.6	4	2	2	5	6	7	8	67
50-64										
GRAND TOTAL	**1095**	**4.2**	**11**	**1**	**2**	**4**	**5**	**6**	**7**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	60	3.8	3	1	2	4	5	6	6	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
B. *Operated*										
0-19 YRS	286	4.8	2	3	3	5	5	6	7	9
20-34	4443	4.8	2	3	3	5	5	6	6	8
35-49	224	4.8	1	3	4	5	6	6	7	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	43	4.5	3	1	2	5	6	6	8	9
35-49	8	5.1	4	2	3	5	6	8	8	8
50-64										
B. *Operated*										
0-19 YRS	239	5.1	2	3	4	5	6	7	8	10
20-34	4625	5.2	6	3	4	5	6	7	7	12
35-49	435	5.8	15	3	4	5	6	7	9	16
50-64	3	6.7	1	6	6	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.6	3	1	1	4	5	6	6	6
B. *Operated*	4953	4.8	2	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	53	4.6	3	1	2	5	6	7	8	9
B. *Operated*	5302	5.2	7	3	4	5	6	7	8	13
1. SINGLE DX	5017	4.8	2	3	3	5	5	6	6	8
2. MULTIPLE DX	5355	5.2	7	3	4	5	6	7	8	13
A. NOT OPERATED	117	4.1	3	1	2	4	5	6	7	9
B. OPERATED	10255	5.0	5	3	3	5	6	6	7	11
TOTAL 0-19 YRS	529	4.9	2	3	3	5	5	6	7	9
20-34	9171	5.0	4	3	3	5	6	6	7	10
35-49	669	5.5	10	3	4	5	6	7	8	14
50-64	3	6.7	1	6	6	6	8	8	8	8
GRAND TOTAL	**10372**	**5.0**	**5**	**3**	**3**	**5**	**6**	**6**	**7**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	2.5	2	<1	1	2	3	4	5	9
20-34	1200	2.4	2	1	1	2	3	4	4	9
35-49	70	2.4	2	<1	1	2	3	4	5	7
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	206	3.1	5	1	2	3	3	5	6	14
20-34	1071	2.8	3	1	1	3	3	4	5	8
35-49	69	3.1	3	1	1	3	4	5	6	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	2.8	3	1	1	3	3	5	5	10
20-34	658	2.9	5	1	1	2	3	4	6	14
35-49	45	3.7	17	1	1	3	4	5	7	28
50-64										
B. *Operated*										
0-19 YRS	406	3.8	4	2	2	3	5	6	7	11
20-34	2445	3.8	9	1	2	3	5	6	7	12
35-49	215	4.2	6	2	2	4	5	7	10	14
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1503	2.4	2	<1	1	2	3	4	4	8
B. *Operated*	1346	2.9	3	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	849	2.9	6	1	1	3	3	4	6	14
B. *Operated*	3067	3.8	8	1	2	3	5	6	7	12
1. SINGLE DX	2849	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	3916	3.6	8	1	2	3	4	6	7	12
A. NOT OPERATED	2352	2.6	3	1	1	2	3	4	5	10
B. OPERATED	4413	3.5	7	1	2	3	4	6	7	12
TOTAL 0-19 YRS	990	3.2	4	1	1	3	4	5	6	10
20-34	5374	3.2	6	1	1	3	4	5	6	11
35-49	399	3.7	6	1	1	3	4	6	7	13
50-64	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	**6765**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	2.3	1	1	1	2	3	3	4	5
20-34	4078	2.2	2	1	1	2	3	3	4	5
35-49	184	2.3	1	1	1	2	3	3	4	6
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	364	2.4	1	1	1	2	3	3	4	6
20-34	1962	2.5	3	1	1	2	3	3	4	5
35-49	103	2.7	1	1	2	3	3	4	5	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	2.6	1	1	1	2	3	4	4	7
20-34	972	2.5	2	1	1	2	3	4	4	7
35-49	63	2.7	2	1	1	2	3	4	6	8
50-64										
B. *Operated*										
0-19 YRS	372	2.8	2	1	2	3	3	4	5	9
20-34	2465	2.9	6	1	2	3	3	4	5	7
35-49	172	3.0	1	1	2	3	4	4	5	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4907	2.2	2	1	1	2	3	3	4	5
B. *Operated*	2429	2.5	3	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	1195	2.5	2	1	1	2	3	4	4	7
B. *Operated*	3009	2.9	5	1	2	3	3	4	5	7
1. SINGLE DX	7336	2.3	2	1	1	2	3	3	4	5
2. MULTIPLE DX	4204	2.8	4	1	2	3	3	4	5	7
A. NOT OPERATED	6102	2.3	2	1	1	2	3	3	4	5
B. OPERATED	5438	2.7	4	1	2	3	3	4	5	7
TOTAL 0-19 YRS	1540	2.5	1	1	1	2	3	3	4	7
20-34	9477	2.5	3	1	1	2	3	4	4	6
35-49	522	2.7	1	1	1	3	3	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**11540**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.1	1	1	1	2	3	3	3	6
20-34	714	2.2	10	<1	1	2	2	3	3	8
35-49	54	2.1	1	1	1	2	3	3	4	5
50-64										
B. *Operated*										
0-19 YRS	911	2.2	11	1	1	2	3	3	3	5
20-34	6229	2.1	2	1	1	2	3	3	3	5
35-49	375	2.1	1	1	1	2	3	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	1	1	1	2	3	3	4	4
20-34	230	2.2	2	1	1	2	3	3	4	5
35-49	17	2.9	7	<1	1	2	4	5	10	12
50-64										
B. *Operated*										
0-19 YRS	348	2.7	5	1	1	2	3	4	5	9
20-34	2770	2.6	3	1	1	2	3	4	4	7
35-49	283	2.9	4	1	2	3	3	4	5	14
50-64	4	2.5	1	1	1	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	905	2.1	8	<1	1	2	2	3	3	6
B. *Operated*	7516	2.1	3	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	283	2.3	3	1	1	2	3	3	4	6
B. *Operated*	3405	2.6	3	1	1	2	3	4	4	8
1. SINGLE DX	8421	2.1	3	1	1	2	3	3	3	5
2. MULTIPLE DX	3688	2.6	3	1	1	2	3	4	4	8
A. NOT OPERATED	1188	2.2	7	<1	1	2	3	3	4	6
B. OPERATED	10921	2.3	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	1432	2.3	8	1	1	2	3	3	4	7
20-34	9943	2.2	3	1	1	2	3	3	4	6
35-49	729	2.4	2	1	1	2	3	4	4	8
50-64	5	2.4	1	1	1	3	3	3	3	3
GRAND TOTAL	**12109**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.6	4	1	1	2	3	3	4	10
20-34	502	2.5	13	1	1	2	3	3	4	11
35-49	21	2.2	1	1	1	2	3	3	4	5
50-64										
B. *Operated*										
0-19 YRS	998	2.3	1	1	1	2	3	3	4	5
20-34	3491	2.4	1	1	1	2	3	3	4	5
35-49	76	2.6	1	1	1	2	3	4	4	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.3	1	1	1	2	3	4	4	4
20-34	167	2.6	1	1	1	3	3	4	4	6
35-49	5	3.0	3	1	1	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	594	2.8	3	1	2	3	3	4	5	9
20-34	2270	2.8	3	1	2	3	3	4	5	8
35-49	103	3.1	2	1	2	3	4	5	6	10
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	2.5	11	1	1	2	3	3	4	11
B. *Operated*	4565	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	216	2.5	1	1	1	2	3	4	4	6
B. *Operated*	2968	2.8	3	1	2	3	3	4	5	8
1. SINGLE DX	5215	2.4	2	1	1	2	3	3	4	5
2. MULTIPLE DX	3184	2.8	3	1	2	3	3	4	5	8
A. NOT OPERATED	866	2.5	8	1	1	2	3	3	4	7
B. OPERATED	7533	2.6	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1763	2.5	2	1	2	2	3	4	4	7
20-34	6430	2.6	3	1	1	2	3	4	4	6
35-49	205	2.8	2	1	1	3	3	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**8399**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.1	1	1	1	2	3	3	4	5
20-34	217	2.1	1	1	1	2	3	3	4	6
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	358	2.3	1	1	1	2	3	3	4	4
20-34	1269	2.4	7	1	1	2	3	3	4	6
35-49	45	2.2	1	<1	1	2	3	3	4	8
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	2	1	1	2	3	4	6	6
20-34	85	2.5	3	<1	1	2	3	4	5	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	228	2.7	7	1	1	2	3	4	4	13
20-34	1022	2.8	6	1	1	3	3	4	5	8
35-49	30	3.0	2	1	1	3	4	4	6	8
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	2.1	1	1	1	2	3	3	4	6
B. *Operated*	1673	2.4	6	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	100	2.5	2	1	1	2	3	4	5	9
B. *Operated*	1281	2.8	6	1	1	3	3	4	5	8
1. SINGLE DX	1951	2.4	5	1	1	2	3	3	4	6
2. MULTIPLE DX	1381	2.8	6	1	1	3	3	4	5	8
A. NOT OPERATED	378	2.2	1	1	1	2	3	3	4	7
B. OPERATED	2954	2.6	6	1	1	2	3	4	4	8
TOTAL 0-19 YRS	655	2.4	3	1	1	2	3	3	4	6
20-34	2593	2.6	6	1	1	2	3	4	4	8
35-49	81	2.5	2	1	1	2	3	4	5	8
50-64	3	3.0	3	2	2	2	4	5	5	5
GRAND TOTAL	**3332**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**4**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1022	2.5	14	1	1	2	3	4	4	8
20-34	4866	2.3	5	<1	1	2	3	3	4	7
35-49	249	2.4	1	1	1	2	3	4	4	6
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2652	2.7	3	1	2	2	3	4	4	8
20-34	11341	2.7	2	1	1	2	3	4	5	8
35-49	562	2.9	4	1	1	3	3	5	5	10
50-64	6	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	516	2.7	5	1	1	2	3	4	6	9
20-34	2262	2.8	8	<1	1	2	3	4	5	13
35-49	178	2.9	10	1	1	2	3	5	6	12
50-64	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	2053	3.7	8	1	2	3	4	6	8	14
20-34	9912	3.7	11	1	2	3	4	6	8	15
35-49	840	4.2	9	2	2	4	5	7	9	16
50-64	7	3.6	1	2	2	4	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6138	2.4	6	<1	1	2	3	3	4	7
B. *Operated*	14561	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2959	2.8	7	<1	1	2	3	4	5	12
B. *Operated*	12812	3.8	10	1	2	3	4	6	8	15
1. SINGLE DX	20699	2.6	4	1	1	2	3	4	5	8
2. MULTIPLE DX	15771	3.6	10	1	2	3	4	6	7	15
A. NOT OPERATED	9097	2.5	7	<1	1	2	3	4	4	9
B. OPERATED	27373	3.2	6	1	2	3	4	5	6	12
TOTAL 0-19 YRS	6243	3.0	7	1	1	3	3	5	6	12
20-34	28381	3.0	6	1	1	3	3	5	6	11
35-49	1829	3.4	7	1	1	3	4	6	7	14
50-64	17	3.0	2	1	1	3	4	5	6	6
GRAND TOTAL	**36470**	**3.0**	**7**	**1**	**1**	**3**	**3**	**5**	**6**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.5	3	1	2	3	4	6	7	10
20-34	135	3.8	3	2	2	3	5	6	7	23
35-49	15	4.5	3	2	3	4	5	6	8	9
50-64										
B. *Operated*										
0-19 YRS	11	2.8	2	1	1	2	4	5	5	5
20-34	18	3.9	7	1	1	4	5	7	10	12
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.4	3	2	2	4	6	7	8	8
20-34	85	4.8	11	2	2	4	6	7	8	22
35-49	3	5.3		5	5	5	6	6	6	6
50-64										
B. *Operated*										
0-19 YRS	3	7.0	7	5	5	6	9	10	10	10
20-34	37	5.3	11	1	2	4	7	11	13	14
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	3.8	3	2	2	3	5	6	7	11
B. *Operated*	32	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	113	4.7	9	2	2	4	6	7	8	20
B. *Operated*	40	5.5	11	1	2	5	7	11	13	14
1. SINGLE DX	232	3.7	3	1	2	3	5	6	7	11
2. MULTIPLE DX	153	4.9	10	2	2	4	6	8	10	16
A. NOT OPERATED	313	4.1	5	2	2	4	5	7	8	13
B. OPERATED	72	4.5	9	1	1	4	6	9	12	14
TOTAL 0-19 YRS	89	3.8	4	1	2	3	5	7	8	10
20-34	275	4.3	7	2	2	4	5	7	8	16
35-49	20	4.4	3	1	2	4	5	6	8	9
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**385**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.4	1	<1	<1	1	2	3	3	3
20-34	88	1.7	3	<1	<1	1	2	3	4	12
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	52	1.5	1	<1	<1	1	2	2	3	5
20-34	282	1.7	3	<1	<1	1	2	3	4	6
35-49	19	1.5		<1	<1	1	2	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	1	1	1	1	2	3	4	4
20-34	48	2.2	3	<1	1	2	3	4	5	8
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	35	3.0	6	<1	1	2	4	5	8	13
20-34	174	2.3	3	<1	1	2	3	4	5	10
35-49	11	4.0	17	1	1	3	5	10	15	15
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	1.7	3	<1	<1	1	2	3	3	12
B. *Operated*	353	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	59	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	221	2.5	4	<1	1	2	3	5	6	13
1. SINGLE DX	459	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	280	2.4	4	<1	1	2	3	5	6	12
A. NOT OPERATED	165	1.8	3	<1	1	1	2	3	4	11
B. OPERATED	574	2.0	3	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	111	2.0	3	<1	<1	1	2	4	5	11
20-34	592	1.9	3	<1	<1	1	2	4	5	8
35-49	35	2.4	7	<1	<1	2	3	3	7	15
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**739**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.7	234	1	1	2	4	12	49	61
20-34	97	3.4	7	<1	1	3	4	7	9	14
35-49	8	5.8	11	2	2	6	8	10	10	10
50-64										
B. *Operated*										
0-19 YRS	25	2.3	1	<1	1	2	3	4	4	5
20-34	186	3.1	47	<1	1	2	3	5	7	13
35-49	10	1.6	1	<1	<1	1	2	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.3	24	1	2	5	8	16	18	19
20-34	60	4.1	16	<1	1	3	5	9	12	22
35-49	7	3.6	6	<1	<1	2	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	17	3.8	16	1	1	3	4	6	14	18
20-34	127	4.0	14	<1	1	3	5	8	12	18
35-49	7	5.4	19	<1	<1	4	7	13	14	14
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.0	35	1	1	3	4	8	10	29
B. *Operated*	221	3.0	40	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	90	4.6	18	1	1	3	6	10	15	21
B. *Operated*	151	4.0	14	<1	1	3	5	8	14	18
1. SINGLE DX	341	3.3	39	<1	1	2	3	6	8	13
2. MULTIPLE DX	241	4.2	16	<1	1	3	5	9	14	19
A. NOT OPERATED	210	4.3	28	1	1	3	5	8	11	21
B. OPERATED	372	3.4	30	<1	1	2	4	6	9	18
TOTAL 0-19 YRS	80	4.6	55	1	1	3	4	8	16	48
20-34	470	3.5	26	<1	1	2	4	7	10	17
35-49	32	3.9	11	<1	<1	3	6	9	10	14
50-64										
GRAND TOTAL	**582**	**3.7**	**29**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	487	3.9	8	1	2	3	5	7	8	14
20-34	488	3.8	4	1	2	3	5	6	7	10
35-49	293	4.8	9	1	2	4	6	8	11	16
50-64	236	5.1	11	2	2	4	6	10	13	33
65+	201	6.8	19	2	3	6	8	12	16	24
B. *Operated*										
0-19 YRS	254	4.8	17	1	1	4	6	10	13	25
20-34	261	4.8	15	1	1	4	7	9	12	22
35-49	166	6.0	41	1	1	4	8	13	18	26
50-64	147	7.2	58	1	2	5	9	15	19	32
65+	98	8.4	129	1	2	6	9	17	25	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	4.6	36	1	2	3	5	8	11	21
20-34	568	5.0	13	2	2	4	6	9	11	21
35-49	530	6.5	21	2	2	5	8	13	16	22
50-64	659	7.6	31	2	3	6	9	15	19	31
65+	1090	9.2	57	3	3	7	11	16	22	39
B. *Operated*										
0-19 YRS	214	6.3	44	1	2	5	8	12	14	38
20-34	319	8.4	81	2	2	6	10	18	24	55
35-49	284	10.1	106	1	2	7	13	21	27	50
50-64	335	11.7	99	2	3	9	15	24	32	59
65+	427	16.4	212	3	5	12	20	35	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	4.5	10	1	2	4	5	8	10	18
B. *Operated*	926	5.8	40	1	1	4	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	3256	7.1	39	2	2	5	9	14	18	33
B. *Operated*	1579	11.3	132	2	3	8	14	24	34	65
1. SINGLE DX	2631	5.0	21	1	2	4	6	9	12	23
2. MULTIPLE DX	4835	8.5	73	2	2	6	10	17	23	45
A. NOT OPERATED	4961	6.2	30	2	2	5	7	12	16	28
B. OPERATED	2505	9.3	105	1	2	6	11	20	27	58
TOTAL 0-19 YRS	1364	4.7	24	1	2	4	5	9	11	21
20-34	1636	5.3	26	1	2	4	6	9	13	27
35-49	1273	6.9	43	1	2	5	8	13	18	33
50-64	1377	8.1	52	2	2	6	10	17	22	37
65+	1816	10.6	104	2	3	8	13	21	29	56
GRAND TOTAL	**7466**	**7.3**	**57**	**2**	**2**	**5**	**9**	**14**	**20**	**40**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.7	4	1	2	3	5	7	8	10
20-34	118	4.0	8	1	2	3	5	7	9	17
35-49	52	4.0	15	1	1	3	4	7	10	25
50-64	41	5.6	17	<1	2	4	8	10	14	21
65+	26	6.9	21	3	3	5	9	14	17	21
B. *Operated*										
0-19 YRS	134	4.2	80	<1	<1	2	4	8	13	45
20-34	149	3.8	18	<1	1	3	5	7	10	18
35-49	93	3.9	18	<1	<1	3	5	8	11	25
50-64	63	5.4	73	<1	1	3	5	13	16	57
65+	44	6.3	32	1	1	5	8	14	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	4.6	12	2	2	4	5	8	11	18
20-34	138	5.3	26	1	2	4	7	10	14	51
35-49	122	5.4	10	2	2	5	7	9	10	19
50-64	134	7.1	28	2	2	6	8	15	18	27
65+	193	8.6	76	2	3	7	10	17	21	99
B. *Operated*										
0-19 YRS	121	5.5	25	1	1	4	7	11	14	26
20-34	125	6.6	54	1	1	4	7	15	22	36
35-49	115	9.2	125	1	2	6	12	18	30	60
50-64	141	9.5	82	1	2	6	13	24	29	49
65+	164	13.0	184	2	2	9	15	29	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	4.2	10	1	2	3	5	8	10	19
B. *Operated*	483	4.3	44	<1	1	3	5	8	13	31
2. MULTIPLE DX										
A. *Not Operated*	793	6.2	35	2	2	5	8	12	17	32
B. *Operated*	666	9.0	106	1	2	6	11	21	29	57
1. SINGLE DX	862	4.3	29	<1	1	3	5	8	12	21
2. MULTIPLE DX	1459	7.5	69	1	2	5	9	15	22	45
A. NOT OPERATED	1172	5.6	28	2	2	4	7	10	15	26
B. OPERATED	1149	7.1	85	1	1	4	8	15	23	45
TOTAL 0-19 YRS	603	4.5	28	1	1	3	5	8	11	18
20-34	530	4.9	27	1	1	3	6	9	14	28
35-49	382	6.0	52	1	1	4	7	12	16	32
50-64	379	7.5	57	1	2	5	9	17	23	41
65+	427	9.9	115	2	2	7	12	21	30	72
GRAND TOTAL	**2321**	**6.3**	**56**	**1**	**1**	**4**	**7**	**13**	**18**	**39**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	3	<1	<1	3	4	6	6	6
20-34	9	2.2	1	<1	<1	2	3	4	4	4
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	591	3.2	5	1	1	3	4	5	6	11
20-34	1081	3.2	5	1	1	3	4	5	6	9
35-49	156	3.5	4	1	1	3	4	6	8	12
50-64	41	3.8	4	1	1	4	5	7	8	8
65+	10	4.9	15	1	1	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	1	1	1	2	4	4	4
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	74	3.4	3	1	1	3	4	6	7	9
20-34	173	4.2	11	1	2	3	5	7	10	21
35-49	42	4.0	6	1	2	3	5	7	9	11
50-64	18	6.2	39	1	1	3	7	17	19	21
65+	14	4.8	10	1	2	3	7	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.7	2	<1	<1	3	4	4	6	6
B. *Operated*	1879	3.2	5	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	17	2.3	3	1	1	2	3	5	6	6
B. *Operated*	321	4.1	10	1	2	3	5	7	10	20
1. SINGLE DX	1906	3.2	5	1	1	3	4	5	6	11
2. MULTIPLE DX	338	4.0	10	1	1	3	5	7	10	20
A. NOT OPERATED	44	2.6	2	<1	1	2	4	4	6	6
B. OPERATED	2200	3.4	6	1	1	3	4	5	7	13
TOTAL 0-19 YRS	687	3.2	5	1	1	3	4	5	6	10
20-34	1269	3.3	6	1	1	3	4	5	6	14
35-49	203	3.6	5	1	1	3	4	6	8	12
50-64	60	4.5	15	1	1	4	5	8	14	21
65+	25	4.9	12	1	1	3	7	9	12	13
GRAND TOTAL	**2244**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	5	1.2		<1	<1	<1	1	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	150	1.3		<1	<1	1	2	2	2	4
20-34	176	1.7	1	<1	<1	1	2	3	4	6
35-49	107	2.1	5	<1	<1	1	2	4	7	14
50-64	95	1.7	2	<1	<1	1	2	3	3	10
65+	36	3.1	37	<1	<1	2	3	4	9	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	6.7	44	<1	<1	5	12	14	14	14
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	26	1.7	1	<1	<1	1	2	3	4	5
20-34	53	2.4	6	<1	1	2	2	5	7	16
35-49	54	2.8	10	<1	<1	2	3	6	9	18
50-64	56	3.6	21	<1	<1	2	4	8	13	28
65+	41	4.4	14	1	1	3	6	11	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	564	1.8	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	10	3.9	15	<1	<1	3	5	10	14	14
B. *Operated*	230	3.1	12	<1	<1	2	3	7	10	17
1. SINGLE DX	578	1.8	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	240	3.1	12	<1	<1	2	3	7	10	16
A. NOT OPERATED	24	2.5	8	<1	<1	2	3	5	8	14
B. OPERATED	794	2.1	7	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	182	1.4		<1	<1	1	2	2	3	5
20-34	236	1.8	2	<1	<1	1	2	3	5	7
35-49	166	2.4	7	<1	<1	2	2	5	7	15
50-64	155	2.4	10	<1	<1	2	2	4	7	15
65+	79	3.8	24	<1	<1	2	4	9	11	31
GRAND TOTAL	**818**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	3.9	13	1	1	3	5	9	11	81
20-34	201	3.7	8	<1	1	3	5	7	10	14
35-49	142	4.9	38	1	1	3	5	10	14	39
50-64	129	6.3	71	1	1	5	8	11	17	84
65+	153	8.6	110	1	2	6	10	15	26	64
B. *Operated*										
0-19 YRS	576	2.7	15	<1	<1	2	3	5	8	24
20-34	670	3.8	29	<1	<1	2	4	7	14	30
35-49	556	3.8	24	<1	1	2	4	7	12	27
50-64	673	3.4	26	<1	<1	2	3	7	11	31
65+	404	7.5	108	<1	1	3	9	19	34	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	4.7	28	1	1	3	5	10	12	34
20-34	264	7.4	95	1	1	5	9	16	23	87
35-49	265	7.8	97	1	2	5	9	17	39	99+
50-64	436	8.6	102	1	2	6	10	17	26	54
65+	1093	12.3	148	3	3	9	15	26	43	99+
B. *Operated*										
0-19 YRS	309	4.7	63	<1	1	2	4	10	17	51
20-34	616	9.7	228	1	1	4	9	29	52	99+
35-49	664	8.4	153	1	1	4	8	24	35	73
50-64	925	8.6	159	1	1	3	10	25	34	80
65+	1031	17.8	367	1	2	12	25	47	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	896	5.1	44	1	1	3	6	10	14	48
B. *Operated*	2879	4.0	38	<1	<1	2	4	8	15	34
2. MULTIPLE DX										
A. *Not Operated*	2327	9.6	121	1	2	6	12	21	34	99+
B. *Operated*	3545	11.1	242	1	1	4	14	32	49	98
1. SINGLE DX	3775	4.3	39	<1	<1	2	4	9	15	34
2. MULTIPLE DX	5872	10.5	194	1	1	5	13	28	44	99+
A. NOT OPERATED	3223	8.4	104	1	2	5	10	18	28	96
B. OPERATED	6424	7.9	163	<1	1	3	8	23	35	79
TOTAL 0-19 YRS	1425	3.7	28	<1	<1	2	4	8	12	32
20-34	1751	6.4	114	<1	1	3	6	15	27	76
35-49	1627	6.4	94	<1	1	3	6	15	27	64
50-64	2163	6.8	106	<1	1	3	7	17	28	58
65+	2681	13.5	239	1	2	8	17	34	54	99+
GRAND TOTAL	**9647**	**8.1**	**143**	**<1**	**1**	**4**	**9**	**21**	**34**	**83**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	8	<1	<1	3	4	10	10	10
20-34	48	4.1	8	<1	<1	4	6	8	9	12
35-49	52	5.8	33	<1	1	4	7	11	14	34
50-64	39	7.9	84	1	2	6	9	16	19	55
65+	13	8.2	41	1	2	5	14	18	20	20
B. *Operated*										
0-19 YRS	6	8.2	19	2	2	8	10	14	15	15
20-34	24	7.3	38	1	1	5	10	17	21	25
35-49	17	9.6	48	2	3	7	15	20	24	25
50-64	17	4.3	12	<1	1	4	6	10	11	12
65+	12	9.7	89	2	2	5	17	24	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	7.6	44	1	2	6	10	17	21	26
20-34	117	8.2	67	2	2	6	10	14	25	47
35-49	125	9.0	132	2	2	6	10	16	28	99
50-64	139	9.5	62	2	3	7	12	21	29	36
65+	128	9.9	80	2	3	8	13	19	23	48
B. *Operated*										
0-19 YRS	25	11.9	87	1	2	10	18	26	29	31
20-34	73	12.6	146	2	2	10	17	28	45	90
35-49	68	11.6	109	3	3	8	13	25	38	48
50-64	78	12.7	119	2	2	10	17	24	33	58
65+	71	17.8	171	3	4	16	24	35	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	5.9	38	<1	1	4	7	12	16	33
B. *Operated*	76	7.6	43	1	1	5	10	17	22	28
2. MULTIPLE DX										
A. *Not Operated*	533	9.1	83	2	3	7	11	18	27	46
B. *Operated*	315	13.5	136	2	3	10	18	29	41	58
1. SINGLE DX	242	6.4	40	<1	1	5	8	14	19	29
2. MULTIPLE DX	848	10.7	107	2	3	7	13	23	31	58
A. NOT OPERATED	699	8.3	74	1	2	6	10	16	24	45
B. OPERATED	391	12.3	123	2	2	10	17	26	37	58
TOTAL 0-19 YRS	69	8.4	58	1	2	6	12	19	26	31
20-34	262	8.6	83	1	2	6	10	17	27	50
35-49	262	9.1	104	2	2	6	11	17	28	57
50-64	273	9.8	83	2	2	7	12	21	29	52
65+	224	12.3	120	2	3	9	17	25	35	56
GRAND TOTAL	**1090**	**9.8**	**95**	**2**	**2**	**7**	**12**	**21**	**29**	**53**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.4	18	1	2	4	8	11	12	19
20-34	53	7.1	77	2	2	5	7	13	18	60
35-49	57	5.8	24	1	2	5	7	9	19	25
50-64	138	6.6	24	2	2	6	8	12	15	29
65+	107	7.9	21	2	3	7	11	14	18	55
B. *Operated*										
0-19 YRS	28	6.6	73	<1	1	4	8	13	21	44
20-34	61	9.7	191	1	2	5	11	18	30	88
35-49	165	8.4	85	2	2	6	11	15	19	49
50-64	376	9.2	48	2	2	7	13	18	23	36
65+	209	12.2	114	2	3	10	17	25	31	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	7.0	47	1	2	5	8	15	22	34
20-34	62	7.4	50	1	2	5	9	16	22	39
35-49	127	8.1	93	2	2	6	10	14	19	67
50-64	369	8.1	57	1	2	6	10	16	23	38
65+	570	9.7	73	2	3	7	11	19	28	56
B. *Operated*										
0-19 YRS	18	7.3	40	1	2	5	11	23	66	99+
20-34	71	9.5	155	2	2	5	11	20	24	79
35-49	194	10.3	111	2	2	6	14	22	33	55
50-64	460	11.8	152	2	3	8	15	26	39	66
65+	372	15.8	199	3	3	13	21	32	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	6.7	29	2	2	5	9	12	16	27
B. *Operated*	839	9.7	85	2	2	7	13	19	26	44
2. MULTIPLE DX										
A. *Not Operated*	1168	8.8	69	2	2	7	10	17	25	55
B. *Operated*	1115	12.7	164	2	3	9	16	27	39	77
1. SINGLE DX	1263	8.7	68	2	2	6	11	17	23	41
2. MULTIPLE DX	2283	10.7	119	2	2	7	13	23	31	65
A. NOT OPERATED	1592	8.2	59	2	2	6	10	16	22	53
B. OPERATED	1954	11.4	132	2	2	8	15	24	33	64
TOTAL 0-19 YRS	155	6.3	37	1	2	4	8	12	19	43
20-34	247	8.5	121	1	2	5	9	17	24	62
35-49	543	8.7	92	2	2	6	11	17	24	54
50-64	1343	9.5	87	2	2	7	12	20	27	52
65+	1258	11.7	121	2	3	9	15	24	32	74
GRAND TOTAL	**3546**	**10.0**	**102**	**2**	**2**	**7**	**13**	**21**	**29**	**60**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	7	2	2	5	7	8	8	8
20-34	8	3.0	3	1	1	3	4	5	5	5
35-49	25	4.7	33	<1	1	3	5	7	15	30
50-64	67	4.9	17	<1	1	3	7	11	14	19
65+	181	6.0	24	1	1	5	8	12	15	26
B. *Operated*										
0-19 YRS	29	4.8	15	2	2	3	5	13	13	16
20-34	189	4.7	23	1	1	3	6	9	12	21
35-49	340	6.3	30	1	2	5	9	13	16	29
50-64	1191	9.8	39	2	2	10	14	18	21	30
65+	1847	14.2	40	4	8	14	17	21	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	66	2	2	4	15	21	22	22
20-34	15	4.2	5	2	2	3	6	8	8	8
35-49	67	5.7	14	1	2	4	7	10	14	19
50-64	301	6.3	29	1	2	5	8	13	17	27
65+	1139	7.9	49	2	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	19	5.6	16	1	2	4	9	12	14	15
20-34	146	6.2	46	1	1	4	8	14	16	36
35-49	294	7.0	37	1	2	5	10	15	19	28
50-64	983	11.0	57	2	3	10	15	20	24	39
65+	1975	16.6	78	4	7	15	20	27	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	5.5	22	1	1	4	7	11	14	26
B. *Operated*	3596	11.4	48	2	2	11	15	20	23	34
2. MULTIPLE DX										
A. *Not Operated*	1528	7.5	44	2	2	6	9	15	20	35
B. *Operated*	3417	13.6	80	2	3	13	18	24	29	43
1. SINGLE DX	3881	11.0	48	2	2	11	15	19	23	34
2. MULTIPLE DX	4945	11.7	77	2	3	10	16	23	28	40
A. NOT OPERATED	1813	7.2	41	1	2	5	9	14	19	33
B. OPERATED	7013	12.5	65	2	3	12	16	22	27	39
TOTAL 0-19 YRS	58	5.4	20	2	2	4	6	13	15	22
20-34	358	5.3	32	1	1	4	7	11	14	25
35-49	726	6.5	32	1	2	5	9	14	17	28
50-64	2542	9.7	47	2	2	9	14	18	21	32
65+	5142	13.5	69	2	4	13	17	23	28	40
GRAND TOTAL	**8826**	**11.4**	**65**	**2**	**2**	**11**	**16**	**21**	**26**	**38**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	6.6	23	1	2	5	10	13	16	19
20-34	94	5.4	13	1	2	4	7	11	13	16
35-49	54	6.7	31	1	1	5	10	16	19	22
50-64	58	6.2	25	1	1	4	10	15	17	19
65+	57	5.6	18	1	2	4	7	12	14	18
B. *Operated*										
0-19 YRS	79	9.5	61	2	2	8	14	20	23	41
20-34	238	4.7	19	1	2	3	6	10	12	25
35-49	219	5.6	25	1	2	4	7	11	13	28
50-64	223	7.8	45	1	2	5	11	16	21	32
65+	131	12.4	62	2	3	13	17	22	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	8.5	53	1	2	6	13	19	22	32
20-34	85	6.9	43	2	2	5	8	15	18	39
35-49	76	6.9	39	1	2	5	8	13	17	39
50-64	135	7.6	49	1	2	5	9	14	26	34
65+	337	8.0	48	2	2	6	10	16	25	51
B. *Operated*										
0-19 YRS	72	12.9	109	2	3	10	18	29	35	42
20-34	181	7.1	63	1	2	4	9	15	24	51
35-49	176	8.3	83	1	2	5	10	19	28	49
50-64	222	11.3	120	2	2	8	15	25	31	61
65+	202	18.9	258	3	5	14	23	38	55	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	6.1	21	1	2	4	8	13	16	19
B. *Operated*	890	7.2	44	1	2	5	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	711	7.7	47	2	2	6	9	16	22	41
B. *Operated*	853	11.7	151	2	2	8	15	26	36	60
1. SINGLE DX	1249	6.9	37	1	2	5	10	15	19	30
2. MULTIPLE DX	1564	9.9	108	2	2	7	12	22	31	57
A. NOT OPERATED	1070	7.2	39	1	2	5	9	15	19	33
B. OPERATED	1743	9.4	101	1	2	6	12	21	28	54
TOTAL 0-19 YRS	325	9.1	63	1	2	7	13	19	24	36
20-34	598	5.8	36	1	2	4	7	12	16	38
35-49	525	6.8	48	1	2	5	8	14	20	37
50-64	638	8.9	73	1	2	6	12	19	26	44
65+	727	11.6	130	2	3	8	15	24	33	66
GRAND TOTAL	**2813**	**8.6**	**79**	**1**	**2**	**6**	**11**	**18**	**25**	**46**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.7	1	<1	<1	1	2	3	4	4
20-34	62	2.3	5	<1	<1	1	3	5	6	12
35-49	13	2.8	2	<1	1	3	4	5	6	6
50-64	15	3.9	12	<1	<1	3	6	10	11	11
65+	8	9.0	67	1	2	7	12	23	26	26
B. *Operated*										
0-19 YRS	1335	3.5	10	1	1	3	4	5	6	11
20-34	2905	3.7	6	1	2	3	5	6	7	11
35-49	1345	4.0	6	1	2	4	5	6	8	12
50-64	648	4.7	9	2	2	4	5	8	9	20
65+	134	4.9	12	2	2	4	6	7	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	3	<1	1	1	2	6	6	6
20-34	43	2.9	19	<1	<1	2	3	6	8	28
35-49	33	2.3	4	<1	<1	1	3	5	6	10
50-64	36	3.3	12	1	1	2	4	10	12	12
65+	16	5.6	11	1	2	5	6	10	13	15
B. *Operated*										
0-19 YRS	782	4.0	5	1	2	4	5	6	7	11
20-34	1987	4.3	7	1	2	4	5	7	8	14
35-49	1092	4.6	10	1	2	4	5	8	11	17
50-64	928	5.0	12	2	2	4	6	8	11	20
65+	277	5.9	18	2	2	5	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.8	11	<1	<1	2	3	6	9	18
B. *Operated*	6367	3.9	7	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	146	3.0	12	<1	1	2	4	7	10	16
B. *Operated*	5066	4.5	9	1	2	4	5	8	10	16
1. SINGLE DX	6490	3.8	7	1	2	4	5	6	7	12
2. MULTIPLE DX	5212	4.5	9	1	2	4	5	8	10	16
A. NOT OPERATED	269	3.0	11	<1	<1	2	4	6	10	15
B. OPERATED	11433	4.2	8	1	2	4	5	7	8	14
TOTAL 0-19 YRS	2160	3.7	8	1	1	3	4	6	7	11
20-34	4997	3.9	7	1	2	4	5	6	8	13
35-49	2483	4.3	8	1	2	4	5	7	9	15
50-64	1627	4.8	11	1	2	4	6	8	10	19
65+	435	5.7	17	2	2	5	7	10	13	24
GRAND TOTAL	**11702**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.5	9	<1	1	3	4	7	9	16
20-34	119	3.8	11	<1	<1	3	5	7	11	18
35-49	63	4.5	20	<1	1	3	6	11	13	24
50-64	70	4.8	20	1	1	4	5	8	12	27
65+	94	6.7	34	1	1	5	9	16	20	25
B. *Operated*										
0-19 YRS	1429	3.8	11	1	2	3	4	6	7	12
20-34	2162	3.9	12	1	1	3	5	6	8	13
35-49	603	4.1	13	<1	1	3	5	8	10	20
50-64	318	4.6	28	1	1	3	5	8	13	22
65+	138	7.4	57	1	1	5	10	15	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.0	5	<1	1	3	4	5	7	12
20-34	136	5.5	35	<1	1	4	7	13	18	27
35-49	123	5.5	29	1	1	4	6	12	18	51
50-64	155	6.7	31	1	2	5	9	15	19	26
65+	270	7.2	32	2	2	6	10	14	18	33
B. *Operated*										
0-19 YRS	499	4.3	12	1	2	4	5	7	8	24
20-34	945	4.8	15	1	2	4	6	8	11	20
35-49	434	5.4	37	1	2	4	6	10	15	28
50-64	342	5.9	45	1	2	4	7	12	17	32
65+	228	11.6	172	2	2	7	15	27	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	4.5	19	<1	1	3	5	10	14	21
B. *Operated*	4650	4.1	15	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	779	6.0	30	1	1	4	8	13	17	31
B. *Operated*	2448	5.6	41	1	2	4	6	10	16	35
1. SINGLE DX	5142	4.1	15	1	1	3	5	7	9	18
2. MULTIPLE DX	3227	5.7	38	1	2	4	6	11	16	34
A. NOT OPERATED	1271	5.4	26	1	1	4	7	12	16	26
B. OPERATED	7098	4.6	24	1	2	4	5	8	11	24
TOTAL 0-19 YRS	2169	3.8	11	1	1	3	5	6	8	14
20-34	3362	4.2	14	1	1	4	5	7	9	18
35-49	1223	4.7	24	1	1	4	5	9	13	24
50-64	885	5.5	35	1	1	4	7	11	16	28
65+	730	8.5	84	1	2	6	11	18	25	49
GRAND TOTAL	**8369**	**4.7**	**25**	**1**	**1**	**4**	**5**	**8**	**12**	**25**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	13	6.8	9	2	3	7	10	10	11	11
35-49	10	5.9	10	2	2	5	8	10	12	12
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	4	6.0	2	4	4	6	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	9	5.7	21	1	1	4	10	12	14	14
35-49	4	3.8	4	1	1	4	5	6	6	6
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	3	4	4	5	7	8	8	8
20-34	8	4.5	4	2	2	4	6	8	8	8
35-49	17	6.6	35	1	1	5	8	18	20	21
50-64	17	8.4	23	2	3	8	12	16	17	17
65+	18	7.1	26	1	2	6	10	16	19	20
B. *Operated*										
0-19 YRS										
20-34	6	19.5	534	3	3	11	23	60	64	64
35-49	7	7.0	27	2	2	6	11	15	15	15
50-64	7	24.4	349	11	11	13	39	54	57	57
65+	8	12.8	67	3	3	13	16	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	6.4	8	2	3	6	9	10	11	12
B. *Operated*	17	5.2	20	1	1	4	7	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	65	6.9	24	1	2	5	8	15	18	21
B. *Operated*	28	15.7	245	2	3	12	16	39	58	64
1. SINGLE DX	49	6.0	12	1	2	5	8	10	12	15
2. MULTIPLE DX	93	9.5	105	2	2	7	12	18	23	61
A. NOT OPERATED	97	6.7	18	2	2	6	8	12	17	21
B. OPERATED	45	11.7	183	1	2	7	15	23	47	64
TOTAL 0-19 YRS	7	6.7	5	4	4	7	8	10	10	10
20-34	36	8.1	112	2	2	5	10	14	21	64
35-49	38	6.2	23	1	2	5	8	13	17	21
50-64	30	11.2	144	1	2	8	12	20	44	57
65+	31	8.7	39	2	3	7	12	17	20	28
GRAND TOTAL	**142**	**8.3**	**75**	**1**	**2**	**6**	**10**	**16**	**20**	**58**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	10	3	3	3	8	10	10	10
20-34	35	5.2	17	1	1	5	7	11	13	19
35-49	74	5.5	14	1	2	5	7	10	13	19
50-64	152	6.0	15	1	2	5	8	10	12	21
65+	179	6.6	20	2	2	6	9	12	13	27
B. *Operated*										
0-19 YRS	6	4.5	15	1	1	3	7	11	11	11
20-34	72	5.8	26	1	1	5	8	11	14	31
35-49	257	6.1	21	1	1	5	9	12	14	20
50-64	400	6.6	32	1	2	5	9	13	17	24
65+	181	7.3	43	1	1	5	11	16	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	95	3	3	4	12	26	26	26
20-34	37	5.0	18	1	1	5	7	8	13	23
35-49	199	6.1	15	1	2	5	8	11	14	18
50-64	510	6.8	20	2	2	6	9	12	14	21
65+	1133	8.1	39	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	5	9.4	151	2	2	3	14	31	31	31
20-34	70	9.2	167	1	1	6	10	18	32	83
35-49	280	7.4	30	1	2	6	10	14	17	29
50-64	518	8.1	44	1	1	7	11	16	20	34
65+	386	12.9	118	1	2	10	17	25	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	6.1	17	1	2	5	8	11	13	21
B. *Operated*	916	6.5	31	1	1	5	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	1884	7.5	32	2	3	6	9	14	17	27
B. *Operated*	1259	9.5	76	1	2	8	12	19	25	43
1. SINGLE DX	1361	6.4	26	1	1	5	9	12	16	25
2. MULTIPLE DX	3143	8.3	50	1	2	7	10	16	21	36
A. NOT OPERATED	2329	7.2	29	2	2	6	9	13	16	26
B. OPERATED	2175	8.2	59	1	1	6	11	17	22	38
TOTAL 0-19 YRS	21	6.9	60	1	2	4	7	17	28	31
20-34	214	6.7	72	1	1	5	8	12	17	37
35-49	810	6.5	23	1	2	5	9	12	16	21
50-64	1580	7.1	31	1	2	6	9	14	17	26
65+	1879	8.9	58	2	2	7	11	17	23	39
GRAND TOTAL	**4504**	**7.7**	**44**	**1**	**2**	**6**	**10**	**15**	**19**	**32**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	7.2	20	1	2	7	10	12	16	99+
20-34	844	6.5	16	1	2	6	8	11	14	19
35-49	1200	6.9	18	1	2	6	9	12	14	21
50-64	709	7.0	20	1	2	6	9	12	15	23
65+	241	7.8	23	2	3	7	10	14	17	23
B. *Operated*										
0-19 YRS	163	7.8	28	1	1	7	11	15	18	24
20-34	3199	7.4	30	1	1	7	10	14	17	24
35-49	4337	8.0	35	1	1	7	11	15	19	27
50-64	2207	8.5	41	1	1	8	12	16	20	30
65+	491	10.0	50	1	2	9	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.7	177	2	2	7	10	35	45	47
20-34	339	7.7	28	1	3	7	10	14	17	27
35-49	608	7.9	38	2	3	7	9	14	18	31
50-64	724	8.2	32	2	3	7	10	14	17	32
65+	636	9.2	37	3	3	8	12	17	20	31
B. *Operated*										
0-19 YRS	18	10.7	105	1	2	7	15	23	36	43
20-34	782	9.8	46	1	2	9	13	18	23	32
35-49	1538	10.3	52	1	2	9	13	19	23	36
50-64	1358	11.0	59	2	2	10	15	21	25	37
65+	534	13.8	84	2	3	12	19	26	32	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3042	6.9	19	1	2	6	9	12	14	22
B. *Operated*	10397	8.0	36	1	1	7	11	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	2319	8.4	35	2	3	7	10	15	18	32
B. *Operated*	4230	10.9	59	1	2	10	14	20	25	37
1. SINGLE DX	13439	7.8	32	1	1	7	10	15	18	26
2. MULTIPLE DX	6549	10.0	52	2	3	9	13	19	23	36
A. NOT OPERATED	5361	7.5	26	1	3	7	9	13	16	26
B. OPERATED	14627	8.8	44	1	2	8	12	17	21	31
TOTAL 0-19 YRS	241	8.1	40	1	2	7	11	15	19	43
20-34	5164	7.6	31	1	1	7	10	14	18	26
35-49	7683	8.3	37	1	2	7	11	16	19	29
50-64	4998	8.9	44	1	2	8	12	17	21	32
65+	1902	10.5	57	2	3	9	14	20	24	36
GRAND TOTAL	**19988**	**8.5**	**40**	**1**	**2**	**8**	**11**	**16**	**20**	**30**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	3	1	1	4	4	5	6	6
20-34	183	6.1	13	1	2	6	8	10	12	18
35-49	320	6.5	16	1	2	6	9	11	13	19
50-64	208	6.7	18	1	2	6	8	12	15	22
65+	56	7.4	25	1	2	6	9	14	20	24
B. *Operated*										
0-19 YRS	17	5.1	14	<1	1	4	8	10	13	14
20-34	405	6.5	29	1	1	5	9	13	16	26
35-49	1100	7.0	26	1	1	6	9	13	16	23
50-64	618	6.9	27	1	1	6	9	13	16	26
65+	83	9.2	44	1	2	8	13	20	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	15	1	1	2	8	10	10	10
20-34	104	7.4	37	1	2	6	9	13	21	67
35-49	244	7.3	25	2	2	6	9	13	17	25
50-64	294	7.6	28	2	3	6	10	14	17	26
65+	243	8.0	42	2	3	6	11	15	19	40
B. *Operated*										
0-19 YRS	5	8.0	25	2	2	9	12	14	14	14
20-34	146	8.6	44	1	2	7	12	17	22	47
35-49	463	8.7	40	1	2	7	11	17	21	31
50-64	461	9.5	60	1	2	8	12	19	24	48
65+	124	13.1	142	2	3	9	16	27	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	6.5	17	1	2	6	8	11	14	23
B. *Operated*	2223	7.0	27	1	1	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	890	7.6	32	2	3	6	10	15	18	31
B. *Operated*	1199	9.4	60	1	2	8	12	18	24	44
1. SINGLE DX	3001	6.8	25	1	1	6	9	13	16	24
2. MULTIPLE DX	2089	8.6	49	1	2	7	11	17	22	39
A. NOT OPERATED	1668	7.1	25	1	2	6	9	13	16	25
B. OPERATED	3422	7.8	40	1	1	7	10	15	20	31
TOTAL 0-19 YRS	38	4.8	13	1	1	4	7	10	13	14
20-34	838	6.9	29	1	1	6	9	13	17	28
35-49	2127	7.3	28	1	2	6	10	14	17	26
50-64	1581	7.8	37	1	2	6	10	15	19	30
65+	506	9.4	69	2	2	7	12	19	23	46
GRAND TOTAL	**5090**	**7.6**	**35**	**1**	**2**	**6**	**10**	**14**	**18**	**30**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.3	11	1	1	6	8	10	10	10
20-34	259	7.0	15	2	3	6	9	12	15	20
35-49	253	7.4	17	2	3	7	9	13	16	21
50-64	128	7.5	46	2	3	6	9	12	14	39
65+	33	6.8	18	2	2	6	9	12	15	20
B. *Operated*										
0-19 YRS	15	4.0	10	1	1	3	6	9	10	10
20-34	202	5.6	25	1	1	3	9	12	16	23
35-49	179	6.4	37	1	1	4	10	14	19	32
50-64	58	8.7	70	1	1	6	13	22	27	35
65+	5	5.2	11	2	2	6	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.3	19	1	1	5	9	13	14	14
20-34	163	7.2	19	2	3	6	9	13	17	22
35-49	260	8.0	29	2	3	7	10	14	18	25
50-64	174	8.2	28	2	3	7	10	16	19	25
65+	100	8.4	26	3	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	9	8.9	72	2	2	7	12	23	27	27
20-34	98	9.0	64	1	1	8	12	16	23	46
35-49	158	9.8	57	1	2	8	13	19	24	39
50-64	88	8.9	55	1	2	8	12	19	27	31
65+	11	10.7	58	1	2	10	15	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	7.2	21	2	3	6	9	12	15	21
B. *Operated*	459	6.3	36	1	1	4	9	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	705	7.9	26	2	3	7	10	15	18	25
B. *Operated*	364	9.4	58	1	2	8	12	18	24	39
1. SINGLE DX	1145	6.8	27	1	2	6	9	13	16	25
2. MULTIPLE DX	1069	8.4	37	2	2	7	11	16	20	30
A. NOT OPERATED	1391	7.5	24	2	3	7	9	13	17	24
B. OPERATED	823	7.6	48	1	1	6	11	16	21	33
TOTAL 0-19 YRS	45	5.8	25	1	1	5	8	11	15	27
20-34	722	6.9	26	1	2	6	9	13	16	25
35-49	850	7.8	33	1	2	7	10	15	19	28
50-64	448	8.2	44	2	2	7	11	15	22	31
65+	149	8.1	27	2	3	7	10	15	18	25
GRAND TOTAL	**2214**	**7.6**	**33**	**1**	**2**	**6**	**10**	**14**	**18**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	128	1	1	9	17	17	17	17
20-34	64	6.0	14	1	2	5	8	12	13	15
35-49	85	6.2	13	1	2	6	8	9	12	20
50-64	77	6.7	21	2	3	6	8	11	16	26
65+	44	7.4	24	2	3	6	8	15	19	23
B. *Operated*										
0-19 YRS	9	3.8	11	1	1	2	6	9	10	10
20-34	46	7.1	37	<1	1	6	10	16	19	23
35-49	64	5.3	27	<1	1	3	9	14	16	18
50-64	51	5.3	24	1	1	3	8	15	16	17
65+	16	9.3	70	1	1	7	16	23	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	54	7.0	31	2	2	6	8	12	17	29
35-49	86	7.6	18	2	3	7	9	12	16	24
50-64	119	8.0	24	2	3	7	10	14	16	30
65+	130	8.1	20	3	4	7	10	14	18	22
B. *Operated*										
0-19 YRS	2	7.5	85	1	1	7	14	14	14	14
20-34	40	10.3	61	1	1	9	15	20	26	30
35-49	60	9.0	50	1	2	8	13	18	27	93
50-64	44	7.3	27	1	2	7	10	13	16	26
65+	34	11.9	79	2	3	9	16	26	31	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	6.5	18	1	2	6	8	12	14	23
B. *Operated*	186	6.0	33	1	1	4	9	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	389	7.8	22	2	3	7	10	14	17	27
B. *Operated*	180	9.4	54	1	2	8	14	18	26	37
1. SINGLE DX	458	6.3	24	1	1	5	9	13	17	23
2. MULTIPLE DX	569	8.3	33	2	2	7	11	15	19	31
A. NOT OPERATED	661	7.3	21	2	3	7	9	13	16	25
B. OPERATED	366	7.7	46	1	1	6	12	17	20	32
TOTAL 0-19 YRS	13	5.2	30	1	1	2	8	15	17	17
20-34	204	7.4	35	1	1	6	10	15	19	29
35-49	295	7.0	26	1	1	6	9	14	17	29
50-64	291	7.1	24	1	2	6	10	13	16	26
65+	224	8.6	35	2	3	7	11	17	20	30
GRAND TOTAL	**1027**	**7.4**	**30**	**1**	**2**	**6**	**10**	**14**	**18**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	4.3	17	<1	1	3	6	9	12	23
20-34	1046	6.0	18	1	2	5	8	11	15	20
35-49	1196	6.4	22	1	2	5	8	12	15	23
50-64	680	6.6	32	1	2	6	9	12	15	24
65+	303	6.8	29	1	2	5	9	13	17	24
B. *Operated*										
0-19 YRS	74	4.0	16	1	1	2	5	10	15	18
20-34	912	4.8	22	1	1	3	7	11	14	21
35-49	1220	5.4	27	1	1	3	8	12	15	24
50-64	806	6.0	28	1	1	4	9	13	17	24
65+	345	8.6	50	1	1	7	12	18	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.4	16	1	1	4	6	8	10	23
20-34	948	8.2	40	1	2	7	11	18	19	32
35-49	1416	9.0	42	2	3	7	13	18	20	28
50-64	1221	9.1	47	2	3	7	12	18	22	32
65+	1098	8.3	50	2	3	7	10	15	20	35
B. *Operated*										
0-19 YRS	47	4.8	18	1	1	4	6	11	13	20
20-34	620	7.0	40	1	1	5	10	15	19	30
35-49	1005	8.1	60	1	1	6	11	17	23	39
50-64	896	9.3	69	1	2	8	12	19	24	42
65+	561	13.1	104	2	2	11	18	25	34	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3321	6.3	23	1	2	5	8	12	15	23
B. *Operated*	3357	5.7	29	1	1	4	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	4770	8.6	45	2	2	7	11	18	20	32
B. *Operated*	3129	9.1	70	1	1	7	12	19	24	40
1. SINGLE DX	6678	6.0	26	1	1	5	8	12	16	24
2. MULTIPLE DX	7899	8.8	55	1	2	7	12	18	22	35
A. NOT OPERATED	8091	7.7	37	1	2	6	10	16	19	29
B. OPERATED	6486	7.3	52	1	1	5	10	16	21	34
TOTAL 0-19 YRS	304	4.4	16	1	1	3	6	9	13	19
20-34	3526	6.5	31	1	1	5	8	14	18	25
35-49	4837	7.3	39	1	1	6	10	16	19	28
50-64	3603	8.0	48	1	2	6	11	17	20	32
65+	2307	9.3	65	1	2	7	12	19	24	39
GRAND TOTAL	**14577**	**7.5**	**44**	**1**	**2**	**6**	**10**	**16**	**20**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	3.8	7	1	1	3	5	8	10	12
20-34	95	4.2	12	1	1	3	6	7	10	21
35-49	110	4.1	8	<1	1	3	5	8	10	13
50-64	100	4.7	15	<1	1	3	6	12	14	17
65+	78	4.9	18	1	1	4	7	10	13	23
B. *Operated*										
0-19 YRS	281	2.6	4	<1	<1	2	3	4	5	11
20-34	845	2.8	5	<1	1	2	3	5	7	13
35-49	1021	2.9	5	<1	1	2	4	5	6	12
50-64	1077	2.7	5	<1	<1	2	3	5	7	11
65+	297	3.1	18	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.0	8	1	1	3	6	8	10	12
20-34	79	4.8	9	1	2	4	6	9	10	15
35-49	143	5.9	29	1	1	4	8	12	16	32
50-64	253	5.7	41	1	1	4	7	11	14	38
65+	266	6.8	22	1	2	6	9	13	17	22
B. *Operated*										
0-19 YRS	123	3.7	17	1	1	3	4	6	9	27
20-34	423	3.4	8	1	1	3	4	6	8	16
35-49	567	3.8	14	1	1	3	4	7	9	17
50-64	711	4.3	24	1	1	3	5	8	11	22
65+	311	5.1	17	1	2	4	7	10	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	4.3	11	1	1	3	6	8	11	17
B. *Operated*	3521	2.8	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	792	5.9	28	1	1	5	8	11	15	22
B. *Operated*	2135	4.1	17	1	1	3	5	8	10	20
1. SINGLE DX	4022	3.0	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX	2927	4.6	21	1	1	3	5	9	12	21
A. NOT OPERATED	1293	5.3	22	1	1	4	7	10	13	21
B. OPERATED	5656	3.3	11	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	573	3.2	8	<1	1	2	4	6	8	13
20-34	1442	3.2	7	<1	1	3	4	6	8	14
35-49	1841	3.5	10	<1	1	3	4	6	9	16
50-64	2141	3.7	17	<1	1	3	4	7	10	19
65+	952	4.9	21	<1	1	4	7	10	13	21
GRAND TOTAL	**6949**	**3.7**	**13**	**<1**	**1**	**3**	**4**	**7**	**10**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	7	2.4	2	<1	<1	2	4	5	5	5
50-64	11	3.1	2	<1	1	3	5	5	5	5
65+	8	2.5	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	225	3.6	21	1	2	3	4	5	6	12
20-34	452	3.3	2	1	1	3	4	5	6	8
35-49	460	3.8	7	1	2	3	4	6	7	14
50-64	628	3.7	4	1	2	3	5	6	7	11
65+	368	3.7	5	1	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	11	3.5	23	<1	<1	1	5	10	16	17
35-49	12	1.8	5	<1	<1	1	2	4	8	9
50-64	37	3.5	28	<1	<1	2	4	8	11	31
65+	27	3.0	6	<1	<1	2	5	7	7	8
B. *Operated*										
0-19 YRS	221	3.7	3	2	2	3	4	6	6	8
20-34	659	3.8	4	2	2	3	5	6	7	15
35-49	868	4.1	4	2	2	4	5	6	8	13
50-64	1664	4.4	6	2	2	4	5	7	8	14
65+	1173	4.8	8	2	2	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	2	<1	<1	2	4	5	5	5
B. *Operated*	2133	3.6	6	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	93	3.0	16	<1	<1	1	4	6	9	25
B. *Operated*	4585	4.3	6	2	2	4	5	7	8	14
1. SINGLE DX	2165	3.6	6	1	2	3	4	6	7	11
2. MULTIPLE DX	4678	4.3	6	2	2	4	5	7	8	14
A. NOT OPERATED	125	2.8	13	<1	<1	1	4	6	8	20
B. OPERATED	6718	4.1	6	2	2	4	5	6	8	13
TOTAL 0-19 YRS	453	3.6	12	1	2	3	4	5	6	11
20-34	1127	3.6	4	1	2	3	4	6	6	11
35-49	1347	3.9	5	1	2	4	5	6	8	13
50-64	2340	4.2	6	2	2	4	5	7	8	14
65+	1576	4.5	7	2	2	4	5	7	9	14
GRAND TOTAL	**6843**	**4.1**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.1	2	<1	<1	1	3	5	5	5
20-34	15	1.3		<1	<1	1	2	2	2	2
35-49	8	1.9	2	<1	<1	1	2	4	5	5
50-64	6	2.3	2	<1	<1	2	4	4	4	4
65+	4	3.3	15	<1	<1	1	5	9	9	9
B. *Operated*										
0-19 YRS	512	1.8	4	<1	<1	2	2	3	3	6
20-34	857	1.8	2	<1	<1	1	2	3	4	6
35-49	520	1.9	2	<1	<1	2	2	3	4	8
50-64	346	2.2	2	<1	<1	2	3	4	5	7
65+	139	2.8	4	<1	<1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	3.1	20	<1	<1	<1	2	12	13	13
35-49	7	3.0	11	1	1	1	4	9	10	10
50-64	14	4.1	12	<1	<1	3	5	9	12	13
65+	8	5.3	12	<1	<1	5	7	10	11	11
B. *Operated*										
0-19 YRS	65	2.9	20	<1	<1	2	2	5	9	31
20-34	153	2.6	5	<1	<1	2	3	5	7	14
35-49	157	2.8	3	<1	1	2	3	5	6	11
50-64	178	3.3	9	<1	1	2	4	6	8	20
65+	97	4.5	16	1	1	3	5	10	16	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*	2374	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	42	3.7	13	<1	<1	2	5	10	12	13
B. *Operated*	650	3.2	9	<1	1	2	4	6	9	17
1. SINGLE DX	2418	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	692	3.2	10	<1	1	2	4	6	9	17
A. NOT OPERATED	86	2.8	9	<1	<1	1	3	7	10	13
B. OPERATED	3024	2.2	4	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	590	1.9	6	<1	<1	2	2	3	3	10
20-34	1036	1.9	2	<1	<1	2	2	3	4	9
35-49	692	2.1	3	<1	<1	2	3	4	5	9
50-64	544	2.6	5	<1	<1	2	3	5	6	11
65+	248	3.6	10	<1	1	3	4	8	10	17
GRAND TOTAL	**3110**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	12.4	57	1	4	12	16	21	25	40
20-34	35	8.2	62	1	1	5	11	21	26	33
35-49	23	8.1	38	1	2	6	11	17	23	24
50-64	42	9.2	84	1	1	6	10	20	31	44
65+	18	10.1	54	3	4	8	14	20	27	31
B. *Operated*										
0-19 YRS	136	13.1	121	1	2	9	21	28	35	44
20-34	136	11.0	114	1	2	8	15	26	40	99+
35-49	77	13.6	226	1	2	8	18	30	57	92
50-64	95	10.1	79	2	2	7	15	23	29	37
65+	46	13.0	158	2	2	9	17	32	45	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	16.9	101	2	3	16	24	30	35	37
20-34	31	13.1	160	2	3	8	19	30	39	54
35-49	36	10.3	147	1	1	6	12	25	39	55
50-64	50	11.6	107	2	3	7	16	26	31	46
65+	75	13.7	164	1	2	10	17	29	44	61
B. *Operated*										
0-19 YRS	76	19.4	263	2	3	18	27	47	61	99+
20-34	110	19.0	345	2	3	13	29	49	89	99+
35-49	120	16.1	264	2	2	13	21	35	54	99
50-64	161	17.3	303	2	3	12	23	43	63	99+
65+	149	20.5	290	3	4	17	29	46	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	10.2	63	1	2	8	14	21	26	39
B. *Operated*	490	12.0	131	1	2	8	17	28	36	65
2. MULTIPLE DX										
A. *Not Operated*	241	13.4	139	1	2	10	20	29	37	54
B. *Operated*	616	18.4	296	2	3	14	26	45	65	99+
1. SINGLE DX	685	11.5	112	1	2	8	16	26	33	55
2. MULTIPLE DX	857	17.0	256	2	3	13	23	39	55	99+
A. NOT OPERATED	436	12.0	107	1	2	9	16	27	31	50
B. OPERATED	1106	15.6	233	2	2	11	22	36	53	99+
TOTAL 0-19 YRS	338	14.9	142	1	2	13	21	30	37	66
20-34	312	13.7	209	1	2	9	19	35	50	99+
35-49	256	13.8	221	1	2	9	18	31	49	97
50-64	348	13.5	199	2	2	9	17	31	44	99
65+	288	16.9	235	2	3	13	23	38	52	99+
GRAND TOTAL	**1542**	**14.5**	**200**	**2**	**2**	**10**	**21**	**33**	**46**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	4.7	18	<1	1	3	6	12	14	19
20-34	95	3.4	12	<1	<1	2	4	6	11	18
35-49	128	3.7	13	1	1	2	5	8	13	17
50-64	110	3.9	11	1	1	3	5	8	10	16
65+	213	7.4	33	1	2	6	10	14	18	28
B. *Operated*										
0-19 YRS	862	4.0	10	1	1	3	5	7	9	16
20-34	1112	4.4	14	1	2	3	5	8	10	18
35-49	491	5.3	17	1	2	4	7	11	14	20
50-64	407	6.8	34	1	2	5	9	14	17	28
65+	261	10.7	58	2	2	9	15	21	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	7.1	110	<1	1	4	10	13	24	68
20-34	150	4.4	18	<1	1	3	5	9	12	22
35-49	218	5.3	27	1	1	4	6	13	19	28
50-64	527	7.3	46	1	2	5	9	15	20	36
65+	2096	9.7	52	2	3	8	12	18	24	39
B. *Operated*										
0-19 YRS	338	4.7	25	1	1	3	5	9	15	27
20-34	608	6.5	64	1	2	4	7	13	19	47
35-49	454	8.4	93	2	2	5	11	18	25	56
50-64	567	11.8	123	2	2	9	15	24	35	59
65+	698	16.3	139	3	4	14	21	31	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	5.1	23	1	1	4	7	12	14	22
B. *Operated*	3133	5.3	23	1	2	4	6	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	3042	8.7	51	2	2	7	11	17	22	38
B. *Operated*	2665	10.3	114	2	2	6	14	23	32	57
1. SINGLE DX	3760	5.2	23	1	1	4	6	11	15	23
2. MULTIPLE DX	5707	9.4	81	2	2	7	12	20	26	47
A. NOT OPERATED	3669	8.1	48	1	2	6	11	16	21	36
B. OPERATED	5798	7.6	71	1	2	5	9	17	23	45
TOTAL 0-19 YRS	1332	4.3	18	1	1	3	5	8	11	22
20-34	1965	5.0	31	1	1	4	6	9	13	31
35-49	1291	6.3	47	1	2	4	8	14	18	33
50-64	1611	8.5	74	1	2	6	11	18	24	47
65+	3268	11.1	77	2	3	9	14	21	28	45
GRAND TOTAL	**9467**	**7.8**	**62**	**1**	**2**	**5**	**10**	**17**	**22**	**41**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	26	<1	<1	1	4	13	15	15
20-34	7	1.4	1	<1	<1	1	2	3	3	3
35-49	9	2.0	1	<1	<1	2	3	4	4	4
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	177	3.6	6	<1	1	3	5	7	9	14
20-34	197	3.0	7	<1	<1	2	4	5	8	15
35-49	86	3.4	10	<1	<1	2	4	7	11	70
50-64	73	3.4	11	<1	<1	3	4	6	12	17
65+	31	4.6	19	<1	1	3	5	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	12	<1	<1	2	2	9	10	10
20-34	8	4.5	6	<1	1	4	6	8	8	8
35-49	2	15.0	338	2	2	15	28	28	28	28
50-64	11	5.5	20	<1	<1	5	9	12	14	14
65+	13	17.5	317	1	1	11	30	59	91	99+
B. *Operated*										
0-19 YRS	171	4.6	17	1	2	4	5	8	11	25
20-34	190	4.1	7	1	1	3	5	7	10	14
35-49	115	4.9	19	1	1	3	6	10	15	23
50-64	111	6.4	51	1	2	4	7	13	16	40
65+	78	8.2	47	1	2	6	11	16	20	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.3	8	<1	<1	1	3	4	7	15
B. *Operated*	564	3.4	8	<1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	40	9.3	153	<1	1	5	11	29	51	99+
B. *Operated*	665	5.2	25	1	2	4	6	10	14	25
1. SINGLE DX	589	3.4	8	<1	<1	2	4	7	10	16
2. MULTIPLE DX	705	5.4	33	1	2	4	6	11	15	30
A. NOT OPERATED	65	6.6	108	<1	<1	3	8	17	34	93
B. OPERATED	1229	4.4	18	<1	1	3	5	9	13	22
TOTAL 0-19 YRS	361	4.0	12	1	1	3	5	8	10	24
20-34	402	3.5	7	<1	1	3	4	7	8	14
35-49	212	4.3	18	<1	1	3	5	9	14	25
50-64	195	5.2	36	<1	1	3	6	11	15	24
65+	124	8.2	78	1	2	5	11	16	29	99+
GRAND TOTAL	**1294**	**4.5**	**23**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	18	6.7	26	<1	1	5	11	13	17	19
35-49	37	4.6	8	1	1	4	7	9	10	12
50-64	30	6.4	33	1	1	4	9	16	19	21
65+	16	7.4	79	2	2	5	8	17	31	37
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	29	5.0	17	1	1	4	8	10	12	17
35-49	45	5.2	22	1	1	4	8	10	14	21
50-64	30	5.8	71	1	1	3	6	13	16	45
65+	13	5.7	47	1	1	3	6	15	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	23	4.7	9	<1	1	4	6	9	11	12
35-49	39	5.9	44	1	2	4	7	9	12	43
50-64	55	7.2	34	1	1	6	10	14	17	31
65+	70	8.9	34	2	3	8	12	17	21	28
B. *Operated*										
0-19 YRS										
20-34	16	9.3	66	1	1	8	12	23	28	30
35-49	26	8.6	41	1	2	8	11	17	21	28
50-64	37	9.7	118	2	2	8	11	17	20	67
65+	17	7.4	17	2	3	7	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.0	30	1	1	4	8	12	18	29
B. *Operated*	118	5.4	35	1	1	3	8	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	189	7.2	35	1	2	6	10	13	18	30
B. *Operated*	96	8.9	69	1	2	8	11	15	20	50
1. SINGLE DX	220	5.6	32	1	1	4	8	12	16	29
2. MULTIPLE DX	285	7.8	47	1	2	6	11	14	18	31
A. NOT OPERATED	291	6.8	33	1	2	5	9	13	18	30
B. OPERATED	214	7.0	53	1	1	5	10	14	18	35
TOTAL 0-19 YRS	4	4.3	14	1	1	4	7	8	8	8
20-34	86	6.1	28	1	1	5	9	12	15	28
35-49	147	5.8	29	1	1	4	8	11	14	28
50-64	152	7.4	62	1	2	5	10	15	19	45
65+	116	8.1	39	2	2	7	11	16	20	31
GRAND TOTAL	**505**	**6.9**	**42**	**1**	**1**	**5**	**9**	**13**	**18**	**30**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.8	5	1	1	2	3	6	7	12
20-34	233	4.0	14	1	1	3	5	8	11	22
35-49	255	4.2	11	1	1	3	6	9	11	17
50-64	182	4.4	12	1	1	3	6	10	12	17
65+	133	5.0	15	1	1	4	7	11	14	16
B. *Operated*										
0-19 YRS	559	4.2	18	<1	1	2	5	10	12	22
20-34	816	4.3	43	<1	1	2	5	10	13	29
35-49	548	4.3	26	<1	1	2	5	10	13	24
50-64	691	3.4	13	<1	1	2	4	7	10	23
65+	402	3.3	12	1	1	2	3	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	3.4	8	1	1	3	4	7	9	16
20-34	322	4.9	17	1	1	4	6	10	13	19
35-49	448	6.0	29	1	2	4	8	12	17	29
50-64	476	5.9	29	1	2	4	7	12	18	26
65+	673	6.5	28	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	418	4.5	34	1	1	2	4	9	17	35
20-34	772	4.4	40	1	1	3	4	9	14	33
35-49	586	5.2	32	1	1	3	6	12	17	31
50-64	591	5.9	71	1	1	3	6	13	20	49
65+	443	7.6	83	1	2	4	9	17	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	4.2	12	1	1	3	5	9	11	17
B. *Operated*	3016	3.9	24	<1	1	2	4	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	2008	5.8	26	1	2	4	7	12	16	25
B. *Operated*	2810	5.4	52	1	1	3	6	12	18	37
1. SINGLE DX	3917	4.0	22	1	1	2	5	9	12	22
2. MULTIPLE DX	4818	5.6	41	1	1	4	7	12	17	34
A. NOT OPERATED	2909	5.3	23	1	1	4	7	11	14	23
B. OPERATED	5826	4.7	38	1	1	3	5	10	15	30
TOTAL 0-19 YRS	1164	4.1	22	1	1	2	5	10	13	25
20-34	2143	4.4	35	1	1	3	5	10	13	28
35-49	1837	5.0	27	1	1	3	6	11	14	26
50-64	1940	4.9	36	1	1	3	6	10	15	30
65+	1651	5.9	40	1	2	4	8	12	16	32
GRAND TOTAL	**8735**	**4.9**	**33**	**1**	**1**	**3**	**6**	**11**	**15**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	11	6.4	14	1	2	7	8	11	14	14
50-64	4	3.0	1	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS										
20-34	3	10.3	9	7	7	11	12	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	7.7	54	2	2	5	13	16	16	16
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	4	<1	1	5	6	7	8	8
20-34	19	6.8	33	1	2	5	9	15	20	24
35-49	20	5.8	19	1	2	5	7	9	15	21
50-64	12	5.0	15	1	1	4	7	11	13	13
65+	5	4.6	2	2	2	5	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	4	10.3	112	3	3	6	16	26	26	26
50-64	6	10.5	109	2	2	8	9	29	31	31
65+	5	23.4	215	10	10	16	37	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.6	12	1	2	5	8	9	12	14
B. *Operated*	8	9.3	34	2	2	9	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	64	5.8	19	1	2	5	7	10	14	24
B. *Operated*	19	12.5	148	2	3	8	15	33	39	43
1. SINGLE DX	24	6.8	21	1	2	6	9	14	16	17
2. MULTIPLE DX	83	7.3	55	1	2	5	8	14	25	40
A. NOT OPERATED	80	5.7	17	1	2	5	7	10	14	23
B. OPERATED	27	11.6	114	2	3	8	15	30	36	43
TOTAL 0-19 YRS	8	5.1	4	<1	1	5	6	7	8	8
20-34	27	6.8	26	2	2	5	9	14	16	24
35-49	36	6.4	26	1	2	5	8	10	19	26
50-64	25	6.3	42	1	2	4	9	13	20	31
65+	11	14.3	176	2	4	10	17	38	43	43
GRAND TOTAL	**107**	**7.2**	**47**	**1**	**2**	**5**	**8**	**14**	**21**	**38**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.6	147	<1	1	2	5	27	38	43
20-34	5	2.2	1	1	1	2	3	4	4	4
35-49	2	10.0	128	2	2	10	18	18	18	18
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	63	6.7	38	2	2	5	8	14	23	31
20-34	13	7.3	57	1	1	5	18	31	85	99+
35-49	9	9.2	67	1	1	6	15	21	22	22
50-64	6	5.0	13	2	2	4	5	11	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.0	49	1	1	3	6	10	26	91
20-34	11	5.5	13	2	2	5	8	40	91	99+
35-49	9	5.4	13	<1	1	6	7	11	12	12
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	5	5.0	8	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	88	11.1	93	1	2	9	14	25	29	50
20-34	14	10.5	64	1	2	9	13	26	27	27
35-49	19	22.3	520	1	3	14	29	47	75	98
50-64	15	12.4	75	2	3	13	18	24	29	31
65+	5	18.8	141	3	3	20	29	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.1	98	1	1	2	4	20	30	43
B. *Operated*	91	6.9	41	1	2	5	9	18	23	71
2. MULTIPLE DX										
A. *Not Operated*	92	5.1	38	1	1	3	6	10	22	99+
B. *Operated*	141	13.0	158	2	2	10	17	27	32	54
1. SINGLE DX	118	6.7	54	1	1	4	8	18	23	61
2. MULTIPLE DX	233	9.9	125	1	1	6	13	24	32	98
A. NOT OPERATED	119	5.3	51	1	1	3	6	12	26	99+
B. OPERATED	232	10.6	121	1	2	7	14	24	31	58
TOTAL 0-19 YRS	232	8.0	75	1	1	5	10	20	28	50
20-34	43	7.3	47	1	1	5	11	23	45	99+
35-49	39	14.8	324	1	1	10	19	35	47	98
50-64	25	9.0	65	1	2	5	14	19	26	31
65+	12	10.8	106	1	2	7	15	30	31	31
GRAND TOTAL	**351**	**8.8**	**103**	**1**	**1**	**5**	**12**	**22**	**30**	**96**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.2	1	<1	<1	<1	1	1	1	7
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	513	2.2	3	<1	<1	2	2	4	5	11
20-34	136	2.4	5	<1	<1	2	3	4	5	32
35-49	74	2.2	1	1	1	2	3	3	4	9
50-64	127	2.7	2	1	1	3	3	4	4	7
65+	127	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.3	1	<1	<1	1	1	2	4	6
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	4	4.8	7	2	2	5	7	7	7	7
B. *Operated*										
0-19 YRS	176	2.5	3	<1	<1	2	3	5	7	10
20-34	66	2.6	2	1	1	2	3	4	5	7
35-49	53	2.5	3	1	1	2	3	4	6	10
50-64	101	3.3	12	1	2	3	3	5	7	22
65+	137	2.9	2	1	2	3	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	1.2	1	<1	<1	<1	1	1	2	7
B. *Operated*	977	2.4	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	49	1.6	2	<1	<1	1	1	3	6	7
B. *Operated*	533	2.8	5	1	1	2	3	4	6	10
1. SINGLE DX	1124	2.2	3	<1	<1	2	3	4	4	10
2. MULTIPLE DX	582	2.7	4	<1	1	2	3	4	6	10
A. NOT OPERATED	196	1.3	1	<1	<1	<1	1	1	3	7
B. OPERATED	1510	2.5	3	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	870	2.0	3	<1	<1	2	2	3	5	10
20-34	207	2.5	4	<1	1	2	3	4	5	13
35-49	128	2.3	2	1	1	2	3	4	4	10
50-64	232	3.0	6	1	1	3	3	4	5	12
65+	269	2.9	2	1	2	3	3	4	5	9
GRAND TOTAL	**1706**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.5	19	<1	<1	2	4	7	12	23
20-34	8	4.1	22	1	1	2	5	12	15	15
35-49	5	4.8	17	2	2	4	6	12	12	12
50-64	8	8.0	93	1	1	4	11	25	29	29
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	615	4.3	22	1	1	2	7	9	11	21
20-34	112	6.5	81	1	1	3	8	11	17	52
35-49	57	5.3	29	1	2	2	8	11	13	32
50-64	53	5.8	30	1	2	2	10	14	19	97
65+	24	10.2	151	1	1	7	11	31	41	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	5.3	55	<1	1	3	6	11	22	54
20-34	43	5.3	38	<1	1	3	6	15	18	30
35-49	47	4.6	11	1	1	4	6	11	12	13
50-64	40	8.3	161	1	2	5	8	12	26	78
65+	49	6.6	25	1	2	6	9	12	15	28
B. *Operated*										
0-19 YRS	676	6.9	96	1	1	3	9	14	20	66
20-34	116	7.4	71	1	1	5	10	15	22	73
35-49	74	8.3	60	1	2	7	11	19	23	85
50-64	93	9.4	71	2	2	8	14	19	26	41
65+	53	12.1	159	2	2	10	15	31	34	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.3	29	<1	1	2	5	11	15	29
B. *Operated*	861	4.9	35	1	1	2	7	10	12	33
2. MULTIPLE DX										
A. *Not Operated*	333	5.7	55	1	1	4	7	11	17	50
B. *Operated*	1012	7.6	93	1	1	5	10	16	22	63
1. SINGLE DX	919	4.9	35	1	1	2	7	10	13	32
2. MULTIPLE DX	1345	7.1	84	1	1	4	9	15	21	60
A. NOT OPERATED	391	5.5	52	<1	1	4	6	11	16	44
B. OPERATED	1873	6.4	68	1	1	3	9	13	19	46
TOTAL 0-19 YRS	1480	5.6	61	1	1	2	8	11	16	43
20-34	279	6.6	69	1	1	3	9	14	20	55
35-49	183	6.3	39	1	2	4	9	13	18	39
50-64	194	8.1	80	1	2	5	12	17	23	65
65+	128	9.5	109	1	2	7	12	18	31	54
GRAND TOTAL	**2264**	**6.2**	**65**	**1**	**1**	**3**	**8**	**13**	**19**	**46**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	335	3.9	12	1	1	4	5	6	7	12
20-34	26	2.7	2	1	1	2	3	5	6	6
35-49	5	3.4	2	<1	<1	4	4	4	4	4
50-64	4	4.5	12	<1	<1	4	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	5	<1	<1	1	3	6	8	9
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	187	4.0	6	1	2	4	5	7	8	13
20-34	6	3.2	1	2	2	3	4	4	4	4
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5	1	1	1	1	2	3	3	3
B. *Operated*	370	3.8	11	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	25	2.2	5	<1	<1	1	2	6	8	9
B. *Operated*	198	4.0	6	1	2	4	5	7	8	13
1. SINGLE DX	374	3.8	11	1	1	3	5	6	7	11
2. MULTIPLE DX	223	3.8	6	<1	1	3	5	7	8	12
A. NOT OPERATED	29	2.1	4	<1	<1	1	2	5	8	9
B. OPERATED	568	3.9	9	1	1	3	5	6	8	12
TOTAL 0-19 YRS	549	3.9	10	1	1	3	5	6	8	12
20-34	34	2.7	2	1	1	3	3	4	6	6
35-49	8	3.4	3	<1	<1	4	4	6	6	6
50-64	5	4.2	10	<1	<1	3	7	8	8	8
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**597**	**3.8**	**9**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	1	<1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	256	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	9	<1	<1	2	5	9	10	10
B. *Operated*										
0-19 YRS	77	5.0	14	2	2	4	5	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	1	<1	1	2	3	4	4	4
B. *Operated*	256	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	12	3.4	9	<1	<1	2	5	9	10	10
B. *Operated*	77	5.0	14	2	2	4	5	8	12	23
1. SINGLE DX	273	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX	89	4.8	13	2	2	4	5	8	11	23
A. NOT OPERATED	29	2.7	4	<1	1	2	3	5	8	10
B. OPERATED	333	3.7	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	362	3.6	5	1	2	3	4	6	7	12
GRAND TOTAL	**362**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.7	19	<1	<1	1	3	5	8	30
20-34	7	2.3	2	<1	<1	2	4	4	4	4
35-49	6	3.0	9	<1	<1	2	3	8	9	9
50-64	6	2.0	2	<1	<1	2	3	4	4	4
65+	5	3.8	9	<1	<1	3	7	7	7	7
B. *Operated*										
0-19 YRS	204	3.9	15	<1	1	2	5	9	11	19
20-34	85	3.2	9	<1	<1	2	4	7	8	17
35-49	34	4.8	13	<1	<1	5	8	9	12	12
50-64	19	4.1	6	<1	1	3	6	7	8	9
65+	13	7.5	75	<1	<1	2	13	21	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	6.8	145	1	1	4	8	14	19	82
20-34	15	5.1	30	1	2	3	6	7	20	24
35-49	9	3.8	7	1	1	3	4	8	10	10
50-64	17	5.1	28	1	1	4	6	10	18	23
65+	42	4.7	8	1	2	4	6	7	9	16
B. *Operated*										
0-19 YRS	203	7.6	107	1	2	5	8	15	25	97
20-34	74	8.3	126	1	1	6	9	14	21	74
35-49	53	9.9	106	1	2	7	11	23	29	61
50-64	42	7.0	45	<1	1	4	11	16	19	31
65+	51	12.9	100	2	3	9	20	25	35	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	2.7	15	<1	<1	2	3	5	8	24
B. *Operated*	355	4.0	16	<1	<1	2	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	152	5.7	75	1	1	4	6	10	16	24
B. *Operated*	423	8.6	105	1	2	6	10	19	26	71
1. SINGLE DX	445	3.7	16	<1	<1	2	5	8	11	19
2. MULTIPLE DX	575	7.8	99	1	1	5	9	17	24	66
A. NOT OPERATED	242	4.6	54	<1	1	3	5	9	14	25
B. OPERATED	778	6.5	70	<1	1	4	8	14	20	46
TOTAL 0-19 YRS	542	5.5	70	<1	1	3	6	11	17	56
20-34	181	5.4	64	<1	<1	3	7	10	15	39
35-49	102	7.2	68	<1	1	6	9	13	23	46
50-64	84	5.6	32	<1	1	3	7	14	17	28
65+	111	8.7	72	1	1	6	10	23	25	40
GRAND TOTAL	**1020**	**6.0**	**67**	**<1**	**1**	**4**	**7**	**13**	**19**	**41**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	592	2.6	4	1	1	2	3	4	5	10
20-34	49	2.6	1	1	1	2	3	4	4	5
35-49	12	1.8	1	1	1	2	2	3	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.8	6	<1	<1	1	1	3	8	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	454	2.7	3	1	1	2	3	4	5	9
20-34	68	3.4	5	1	1	3	4	6	8	13
35-49	22	3.4	15	1	1	2	3	7	15	15
50-64	6	2.7	1	1	1	3	4	4	4	4
65+	4	4.8	24	2	2	3	7	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	656	2.6	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	14	1.8	6	<1	<1	1	1	3	8	10
B. *Operated*	554	2.8	4	1	1	2	3	4	6	12
1. SINGLE DX	661	2.5	4	1	1	2	3	4	5	9
2. MULTIPLE DX	568	2.8	4	1	1	2	3	4	6	12
A. NOT OPERATED	19	1.6	4	<1	<1	1	1	2	7	10
B. OPERATED	1210	2.7	4	1	1	2	3	4	5	11
TOTAL 0-19 YRS	1065	2.6	3	1	1	2	3	4	5	10
20-34	117	3.0	4	1	1	3	4	5	7	11
35-49	34	2.8	10	1	1	2	3	4	13	15
50-64	7	2.6	1	1	1	2	4	4	4	4
65+	6	5.3	17	2	2	3	9	12	12	12
GRAND TOTAL	**1229**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	8	<1	<1	2	5	8	9	11
20-34	8	3.4	15	<1	<1	2	6	10	10	10
35-49	12	3.8	4	<1	1	4	5	6	9	9
50-64	8	3.5	11	1	1	2	5	9	10	10
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	473	4.1	17	<1	<1	3	6	9	12	18
20-34	183	4.0	8	<1	1	3	6	7	9	15
35-49	52	5.1	36	<1	1	3	6	10	11	38
50-64	39	3.6	9	<1	1	2	6	8	9	13
65+	18	4.3	7	<1	1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.1	7	<1	<1	2	5	7	9	12
20-34	22	3.3	3	1	1	3	5	5	6	8
35-49	22	4.2	9	1	1	3	6	8	11	13
50-64	23	6.6	35	1	2	5	9	10	18	30
65+	18	5.4	20	2	2	4	7	9	16	21
B. *Operated*										
0-19 YRS	404	4.8	21	<1	1	3	7	10	13	22
20-34	269	5.1	15	1	1	4	7	10	12	19
35-49	112	7.7	113	1	1	5	8	14	30	57
50-64	144	8.0	55	1	2	6	10	18	25	34
65+	56	6.2	24	1	2	6	8	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.3	8	<1	<1	2	4	8	10	11
B. *Operated*	765	4.1	16	<1	1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	127	4.3	15	<1	1	3	5	8	10	23
B. *Operated*	985	5.7	36	<1	1	4	8	12	15	30
1. SINGLE DX	824	4.0	15	<1	<1	3	6	9	11	17
2. MULTIPLE DX	1112	5.6	34	<1	1	4	7	11	15	30
A. NOT OPERATED	186	4.0	13	<1	1	3	5	8	10	18
B. OPERATED	1750	5.0	28	<1	1	4	7	10	13	28
TOTAL 0-19 YRS	947	4.3	18	<1	<1	3	6	9	12	22
20-34	482	4.5	12	<1	1	4	6	9	11	17
35-49	198	6.4	76	1	1	4	7	11	19	38
50-64	214	6.9	46	1	1	5	9	14	23	33
65+	95	5.5	20	1	2	4	7	10	13	26
GRAND TOTAL	**1936**	**4.9**	**27**	**<1**	**1**	**4**	**7**	**10**	**13**	**28**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	262	3.5	8	1	1	3	4	5	7	11
20-34	33	4.8	11	1	2	4	6	10	13	14
35-49	11	6.2	37	2	2	5	6	13	23	24
50-64	9	4.0	3	2	2	4	5	6	6	6
65+	5	3.8	5	<1	<1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4	1	<1	<1	1	1	3	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	162	4.0	4	2	2	4	5	6	7	11
20-34	60	4.8	8	1	2	4	6	9	11	14
35-49	40	4.7	4	2	3	4	6	7	9	11
50-64	62	4.7	5	2	2	4	6	7	9	14
65+	29	4.8	7	2	2	4	6	10	12	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.1		<1	<1	1	1	2	2	2
B. *Operated*	320	3.8	10	1	1	3	5	6	7	17
2. MULTIPLE DX										
A. *Not Operated*	10	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	353	4.4	5	2	2	4	5	7	9	14
1. SINGLE DX	331	3.7	10	1	1	3	5	6	7	16
2. MULTIPLE DX	363	4.3	5	2	2	4	5	7	9	14
A. NOT OPERATED	21	1.2		<1	<1	1	1	2	3	4
B. OPERATED	673	4.1	7	1	2	4	5	6	8	14
TOTAL 0-19 YRS	443	3.6	7	1	1	3	5	6	7	11
20-34	93	4.8	9	1	2	4	6	9	12	14
35-49	51	5.0	11	2	3	4	6	7	11	24
50-64	72	4.6	5	2	2	4	6	7	8	13
65+	35	4.5	7	<1	2	4	6	9	12	99+
GRAND TOTAL	**694**	**4.0**	**7**	**1**	**2**	**4**	**5**	**6**	**8**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.8	9	<1	<1	2	3	6	10	17
20-34	51	4.1	7	1	1	4	6	8	9	10
35-49	21	5.8	13	1	1	5	8	11	13	15
50-64	33	4.3	8	1	1	4	7	8	10	11
65+	15	8.5	32	1	2	8	11	20	20	20
B. *Operated*										
0-19 YRS	1153	3.8	14	<1	1	3	5	8	11	20
20-34	639	3.7	20	<1	<1	2	4	9	12	19
35-49	321	4.8	25	<1	<1	3	7	12	15	23
50-64	181	4.8	18	1	1	3	7	10	14	20
65+	42	7.0	40	1	2	5	9	15	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	5.7	58	<1	1	3	7	11	20	46
20-34	83	4.6	11	1	1	3	6	9	12	15
35-49	66	6.8	22	1	2	6	9	12	16	26
50-64	69	6.6	18	1	2	6	9	13	15	18
65+	74	8.3	30	2	3	7	10	14	20	28
B. *Operated*										
0-19 YRS	435	5.4	35	1	1	4	6	11	17	37
20-34	352	6.1	49	<1	1	4	9	13	18	37
35-49	274	7.0	41	1	1	5	9	15	17	33
50-64	229	7.5	43	1	2	6	10	16	20	34
65+	92	11.2	127	1	2	9	15	23	27	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	3.9	12	<1	1	2	5	8	11	19
B. *Operated*	2336	4.1	18	<1	<1	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	455	6.2	35	1	1	5	8	12	16	29
B. *Operated*	1382	6.6	49	1	1	4	9	15	19	37
1. SINGLE DX	2590	4.0	17	<1	<1	3	5	9	12	20
2. MULTIPLE DX	1837	6.5	46	1	1	4	9	14	18	36
A. NOT OPERATED	709	5.4	28	<1	1	4	7	11	14	26
B. OPERATED	3718	5.0	31	<1	1	3	6	11	15	28
TOTAL 0-19 YRS	1885	4.3	23	<1	1	3	5	9	13	26
20-34	1125	4.5	29	<1	<1	3	6	10	14	23
35-49	682	5.9	32	<1	1	4	9	13	16	30
50-64	512	6.2	30	1	1	5	8	13	17	26
65+	223	9.3	74	1	2	8	12	19	24	36
GRAND TOTAL	**4427**	**5.1**	**31**	**<1**	**1**	**3**	**7**	**11**	**15**	**27**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2771	3.1	13	1	1	2	3	5	6	22
B. *Operated*										
0-19 YRS	86	5.3	31	1	2	3	5	14	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1177	7.9	110	1	2	4	9	21	31	62
B. *Operated*										
0-19 YRS	106	14.9	314	1	2	10	50	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2771	3.1	13	1	1	2	3	5	6	22
B. *Operated*	86	5.3	31	1	2	3	5	14	19	26
2. MULTIPLE DX										
A. *Not Operated*	1177	7.9	110	1	2	4	9	21	31	62
B. *Operated*	106	14.9	314	1	2	10	50	99+	99+	99+
1. SINGLE DX	2857	3.1	14	1	1	2	3	5	7	22
2. MULTIPLE DX	1283	8.5	130	1	2	4	10	26	42	99+
A. NOT OPERATED	3948	4.5	47	1	1	3	4	9	17	40
B. OPERATED	192	10.6	209	1	2	6	20	99+	99+	99+
TOTAL 0-19 YRS	4140	4.8	56	1	1	3	4	10	21	62
GRAND TOTAL	**4140**	**4.8**	**56**	**1**	**1**	**3**	**4**	**10**	**21**	**62**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1046	2.4	4	1	1	2	3	4	6	10
20-34	478	2.7	6	<1	1	2	3	5	7	12
35-49	235	2.9	6	1	1	2	3	5	6	13
50-64	183	3.5	8	1	1	3	4	6	8	72
65+	169	4.1	24	1	1	3	5	7	9	20
B. *Operated*										
0-19 YRS	19	3.8	13	1	1	2	5	8	12	16
20-34	26	4.0	14	1	1	3	4	10	14	15
35-49	20	4.9	26	2	2	3	5	9	17	24
50-64	17	4.8	29	1	2	3	6	8	18	24
65+	6	3.3	4	2	2	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1228	3.0	16	1	1	2	3	5	6	15
20-34	528	3.8	18	1	1	3	4	7	10	18
35-49	501	4.4	18	1	1	3	5	9	12	22
50-64	663	5.3	22	1	1	4	7	10	14	27
65+	787	6.0	31	1	2	4	7	12	15	27
B. *Operated*										
0-19 YRS	43	4.2	9	1	1	3	6	9	11	13
20-34	51	11.5	124	1	2	5	9	21	40	50
35-49	39	7.3	39	1	2	6	10	14	19	33
50-64	53	9.1	87	2	3	6	11	20	27	53
65+	63	13.1	153	2	3	10	17	25	33	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2111	2.8	7	1	1	2	3	5	7	14
B. *Operated*	88	4.3	18	1	2	3	5	8	14	24
2. MULTIPLE DX										
A. *Not Operated*	3707	4.3	22	1	1	3	5	9	12	22
B. *Operated*	249	8.9	98	1	2	5	11	20	26	50
1. SINGLE DX	2199	2.8	8	1	1	2	3	5	7	15
2. MULTIPLE DX	3956	4.6	28	1	1	3	5	9	13	26
A. NOT OPERATED	5818	3.8	17	1	1	3	4	7	10	21
B. OPERATED	337	7.7	81	1	2	5	9	17	24	49
TOTAL 0-19 YRS	2336	2.7	11	1	1	2	3	5	6	13
20-34	1083	3.5	19	1	1	2	4	7	9	21
35-49	795	4.1	17	1	1	3	5	8	12	22
50-64	916	5.1	24	1	1	4	6	10	14	29
65+	1025	6.1	41	1	2	4	7	12	17	29
GRAND TOTAL	**6155**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	2.8	3	1	1	2	3	5	6	10
20-34	131	3.8	5	1	1	3	5	7	9	29
35-49	82	4.5	10	1	2	4	6	8	9	20
50-64	75	5.1	11	2	2	4	6	10	13	17
65+	83	5.1	11	1	2	4	7	10	12	15
B. *Operated*										
0-19 YRS	15	5.4	13	1	2	4	7	12	13	13
20-34	12	10.2	97	<1	1	8	14	23	34	36
35-49	10	8.3	50	2	2	6	8	21	23	23
50-64	8	9.8	112	1	1	4	17	27	30	30
65+	10	10.1	46	2	3	10	16	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	546	3.1	10	1	1	3	4	5	7	11
20-34	233	4.8	48	1	2	3	5	9	12	24
35-49	171	5.6	25	2	2	4	7	10	14	27
50-64	259	6.6	56	2	2	5	8	12	15	28
65+	560	7.2	37	2	2	6	9	13	17	36
B. *Operated*										
0-19 YRS	27	5.1	20	1	2	4	5	9	18	20
20-34	45	10.5	140	2	2	7	12	23	30	70
35-49	52	11.6	122	3	3	9	13	24	37	55
50-64	69	11.9	83	3	4	9	15	21	27	52
65+	107	12.2	84	3	4	9	15	25	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	3.6	7	1	1	3	4	7	9	13
B. *Operated*	55	8.5	58	1	2	6	12	19	22	36
2. MULTIPLE DX										
A. *Not Operated*	1769	5.4	34	1	2	4	6	10	14	28
B. *Operated*	300	11.1	96	2	3	8	14	23	30	53
1. SINGLE DX	845	3.9	11	1	1	3	5	7	10	19
2. MULTIPLE DX	2069	6.2	47	1	2	4	7	12	17	34
A. NOT OPERATED	2559	4.8	27	1	1	4	6	9	12	26
B. OPERATED	355	10.7	91	2	3	8	14	23	30	52
TOTAL 0-19 YRS	1007	3.1	8	1	1	3	4	5	7	11
20-34	421	5.3	50	1	2	4	6	10	14	34
35-49	315	6.4	43	2	2	5	8	11	17	40
50-64	411	7.2	58	2	2	5	9	14	20	32
65+	760	7.7	45	2	2	6	10	15	21	38
GRAND TOTAL	**2914**	**5.5**	**38**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.6	6	1	1	2	3	4	6	11
20-34	401	3.0	6	1	1	2	4	6	8	13
35-49	239	3.4	10	1	1	3	4	7	8	15
50-64	109	3.5	9	1	1	3	4	6	8	18
65+	46	5.8	25	1	2	4	7	15	18	21
B. *Operated*										
0-19 YRS	16	3.4	7	<1	1	3	5	8	9	10
20-34	62	4.0	11	1	1	3	5	9	11	16
35-49	52	3.3	7	1	1	2	4	7	9	12
50-64	27	3.6	8	1	1	2	5	8	9	11
65+	11	4.0	6	2	2	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	3.0	4	1	1	3	4	6	7	10
20-34	489	4.3	17	1	1	3	5	9	11	19
35-49	383	5.6	29	1	2	4	6	12	17	25
50-64	274	5.2	21	1	1	4	6	11	15	24
65+	231	5.6	25	1	2	4	7	12	16	26
B. *Operated*										
0-19 YRS	8	2.8	3	1	1	2	4	6	6	6
20-34	49	5.7	18	1	2	5	7	10	18	19
35-49	67	5.9	27	1	2	4	8	13	18	22
50-64	56	7.7	92	1	2	6	9	13	15	69
65+	32	8.9	49	2	2	7	12	22	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	3.2	9	1	1	2	4	6	8	16
B. *Operated*	168	3.6	8	1	1	2	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	1539	4.8	21	1	1	3	6	10	14	24
B. *Operated*	212	6.7	46	1	2	5	8	14	18	24
1. SINGLE DX	1104	3.3	9	1	1	2	4	6	8	16
2. MULTIPLE DX	1751	5.1	25	1	1	4	6	10	15	24
A. NOT OPERATED	2475	4.2	17	1	1	3	5	8	12	22
B. OPERATED	380	5.3	31	1	1	4	7	11	15	23
TOTAL 0-19 YRS	327	2.8	5	1	1	2	3	5	7	10
20-34	1001	3.9	13	1	1	3	5	8	10	18
35-49	741	4.8	23	1	1	3	5	10	14	23
50-64	466	5.0	27	1	1	4	6	10	13	23
65+	320	5.9	28	1	2	4	7	13	19	25
GRAND TOTAL	**2855**	**4.4**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.0	2	<1	1	1	3	4	5	8
20-34	47	3.1	7	<1	1	3	4	5	7	16
35-49	70	3.3	5	1	1	2	5	7	9	81
50-64	139	3.3	6	1	1	3	4	6	7	12
65+	166	3.2	6	1	1	3	4	6	7	21
B. *Operated*										
0-19 YRS	45	2.0	5	<1	<1	1	2	5	8	11
20-34	42	4.4	17	1	1	3	5	8	10	26
35-49	65	4.5	7	1	2	4	5	8	9	14
50-64	98	4.1	6	1	1	4	5	7	9	13
65+	109	4.3	7	1	1	4	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.4	5	<1	<1	2	3	3	6	13
20-34	49	2.9	3	1	1	3	4	5	7	9
35-49	73	3.6	6	1	1	3	5	7	10	11
50-64	216	4.0	12	1	1	3	5	8	10	17
65+	436	4.4	14	1	1	3	6	8	11	19
B. *Operated*										
0-19 YRS	33	4.1	21	<1	1	2	5	9	17	20
20-34	44	5.1	11	1	2	5	6	8	9	21
35-49	64	5.5	21	1	1	5	7	10	13	25
50-64	175	5.1	42	1	1	4	6	8	11	17
65+	176	5.4	15	1	2	5	7	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	3.2	6	1	1	3	4	6	7	16
B. *Operated*	359	4.0	8	<1	1	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	812	4.0	12	1	1	3	5	8	10	17
B. *Operated*	492	5.2	25	1	1	4	6	9	11	21
1. SINGLE DX	809	3.5	7	<1	1	3	5	7	8	14
2. MULTIPLE DX	1304	4.5	17	1	1	4	6	8	10	20
A. NOT OPERATED	1262	3.7	10	1	1	3	5	7	9	17
B. OPERATED	851	4.7	18	1	1	4	6	8	10	20
TOTAL 0-19 YRS	144	2.6	9	<1	<1	1	3	6	9	18
20-34	182	3.8	10	1	1	3	5	7	8	19
35-49	272	4.2	10	1	1	4	5	8	10	22
50-64	628	4.1	19	1	1	4	5	7	9	14
65+	887	4.4	13	1	1	4	6	8	10	20
GRAND TOTAL	**2113**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.4	3	<1	<1	2	3	5	6	7
20-34	22	2.7	3	<1	<1	2	4	5	6	6
35-49	14	1.9	1	1	1	2	2	3	5	5
50-64	21	2.9	7	1	1	2	3	5	9	13
65+	15	2.1	1	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	157	1.8	1	<1	<1	2	2	3	3	8
20-34	177	2.1	4	<1	<1	2	2	4	5	12
35-49	81	2.0	1	<1	1	2	2	3	4	7
50-64	90	2.4	3	<1	<1	2	3	5	7	9
65+	40	3.9	62	<1	1	2	3	7	9	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.8	15	<1	1	3	5	7	8	22
20-34	38	3.4	7	<1	1	3	4	6	10	13
35-49	52	3.9	18	<1	1	3	4	8	12	26
50-64	108	5.1	80	1	1	3	5	9	12	58
65+	152	9.0	108	1	1	5	12	21	30	57
B. *Operated*										
0-19 YRS	48	3.6	13	1	1	2	5	9	11	99+
20-34	69	5.8	28	1	1	3	9	14	17	22
35-49	48	4.4	20	1	1	3	5	10	15	23
50-64	74	5.3	76	1	1	3	5	10	14	56
65+	76	9.7	180	1	2	4	10	27	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.5	3	<1	1	2	3	4	6	10
B. *Operated*	545	2.2	7	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	382	6.2	75	1	1	3	7	13	21	46
B. *Operated*	315	6.1	76	1	1	3	7	13	21	58
1. SINGLE DX	638	2.2	6	<1	<1	2	2	4	5	9
2. MULTIPLE DX	697	6.2	75	1	1	3	7	13	21	57
A. NOT OPERATED	475	5.5	63	1	1	3	6	12	18	39
B. OPERATED	860	3.6	36	<1	<1	2	3	7	11	40
TOTAL 0-19 YRS	258	2.4	6	<1	<1	2	3	5	7	20
20-34	306	3.1	12	<1	<1	2	3	7	11	18
35-49	195	3.1	11	<1	1	2	3	6	10	21
50-64	293	4.2	51	<1	1	3	4	8	11	42
65+	283	8.1	120	1	1	4	9	20	31	58
GRAND TOTAL	**1335**	**4.3**	**46**	**<1**	**1**	**2**	**4**	**9**	**13**	**40**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64										
65+	11	7.0	49	<1	1	4	9	16	25	26
B. *Operated*										
0-19 YRS	20	5.5	35	1	1	3	6	15	19	22
20-34	33	5.8	35	<1	<1	3	8	14	16	27
35-49	19	6.7	63	<1	<1	3	10	23	24	24
50-64	23	9.2	92	1	2	5	18	25	28	28
65+	58	15.4	95	4	5	13	22	30	36	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	3	16.0	21	11	11	17	19	20	20	20
35-49	7	9.9	18	6	6	9	12	17	18	18
50-64	12	18.7	294	7	7	10	32	70	94	99+
65+	83	12.0	172	1	2	7	14	31	42	89
B. *Operated*										
0-19 YRS	25	6.0	63	<1	1	4	6	24	46	99+
20-34	47	8.4	120	<1	1	5	9	21	34	55
35-49	49	16.6	269	2	3	11	20	44	52	71
50-64	151	18.0	237	2	3	15	25	43	66	99+
65+	412	22.4	245	4	6	18	31	44	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.9	38	<1	2	4	9	12	22	26
B. *Operated*	153	10.0	87	1	1	7	15	24	28	38
2. MULTIPLE DX										
A. *Not Operated*	107	12.5	172	1	3	8	14	33	53	99+
B. *Operated*	684	19.4	250	2	3	16	28	43	54	99+
1. SINGLE DX	168	9.8	83	1	1	7	14	24	28	38
2. MULTIPLE DX	791	18.5	245	2	3	14	26	42	54	99+
A. NOT OPERATED	122	11.8	158	1	3	8	14	31	42	99+
B. OPERATED	837	17.7	233	2	2	14	25	40	50	99+
TOTAL 0-19 YRS	49	5.9	47	<1	1	4	7	19	24	99+
20-34	85	7.5	84	<1	1	4	10	17	28	49
35-49	75	13.5	210	1	2	9	17	32	47	69
50-64	186	16.9	229	2	2	14	24	41	63	99+
65+	564	19.8	234	3	4	16	29	42	53	98
GRAND TOTAL	**959**	**17.0**	**228**	**1**	**2**	**13**	**24**	**40**	**50**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.0	2	<1	1	2	2	4	5	6
20-34	472	2.4	5	<1	1	2	3	4	6	10
35-49	1323	2.5	3	1	1	2	3	4	6	9
50-64	1146	2.8	5	1	1	2	3	5	6	10
65+	556	3.3	9	1	1	3	4	6	8	16
B. *Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	54	3.0	6	<1	1	2	3	7	9	12
35-49	307	2.6	3	1	1	2	3	5	7	11
50-64	351	3.1	37	1	1	2	3	5	6	10
65+	73	3.0	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.2	6	1	1	3	4	6	7	15
20-34	583	3.1	18	1	1	2	4	5	7	11
35-49	2146	3.3	13	1	1	3	4	6	7	15
50-64	3086	3.6	10	1	1	3	4	6	8	14
65+	2484	4.4	15	1	2	3	5	8	11	19
B. *Operated*										
0-19 YRS	10	3.6	8	1	1	2	6	8	8	8
20-34	62	4.6	21	1	2	3	6	10	11	26
35-49	420	4.1	17	1	2	3	5	8	11	17
50-64	677	4.3	15	1	2	3	5	9	12	18
65+	238	6.1	29	1	2	4	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3559	2.7	5	1	1	2	3	5	6	10
B. *Operated*	788	2.9	19	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	8364	3.7	13	1	1	3	4	7	9	15
B. *Operated*	1407	4.6	19	1	2	3	6	10	12	21
1. SINGLE DX	4347	2.7	7	1	1	2	3	5	6	10
2. MULTIPLE DX	9771	3.9	14	1	1	3	5	7	9	17
A. NOT OPERATED	11923	3.4	11	1	1	3	4	6	8	15
B. OPERATED	2195	4.0	19	1	1	2	5	8	11	18
TOTAL 0-19 YRS	140	2.7	5	1	1	2	4	5	7	12
20-34	1171	2.9	13	1	1	2	3	5	7	12
35-49	4196	3.1	10	1	1	2	4	6	7	13
50-64	5260	3.5	12	1	1	3	4	6	8	14
65+	3351	4.3	15	1	1	3	5	8	11	20
GRAND TOTAL	**14118**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**9**	**15**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	2.6	8	<1	1	2	3	5	8	17
20-34	36	2.8	6	<1	1	2	4	8	9	9
35-49	40	2.5	3	<1	1	2	3	5	6	8
50-64	56	3.3	9	<1	1	2	4	7	10	14
65+	56	4.4	16	<1	1	3	5	8	13	21
B. *Operated*										
0-19 YRS	8	2.8	8	1	1	2	3	7	9	9
20-34	30	2.6	5	<1	<1	2	3	5	7	12
35-49	59	3.4	14	<1	<1	2	4	8	11	21
50-64	105	2.8	7	<1	1	2	3	5	8	15
65+	77	2.9	6	<1	<1	2	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	4.1	17	1	1	3	5	8	12	22
20-34	86	3.3	14	<1	1	2	4	7	10	24
35-49	129	4.5	74	1	1	3	5	8	9	33
50-64	307	5.3	33	1	1	4	7	10	15	34
65+	556	6.0	25	1	2	5	8	12	17	26
B. *Operated*										
0-19 YRS	24	6.4	50	1	1	4	10	12	20	34
20-34	34	6.8	153	1	1	4	7	11	14	74
35-49	71	5.4	53	1	1	3	6	10	13	46
50-64	202	5.5	29	1	1	4	8	11	18	30
65+	247	7.4	67	1	1	5	9	15	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	3.0	9	<1	1	2	4	7	9	17
B. *Operated*	279	3.0	8	<1	1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	1280	5.2	31	1	1	4	6	10	14	28
B. *Operated*	578	6.4	57	1	1	4	8	13	18	49
1. SINGLE DX	623	3.0	9	<1	1	2	3	6	9	17
2. MULTIPLE DX	1858	5.6	39	1	1	4	7	11	16	31
A. NOT OPERATED	1624	4.8	27	1	1	3	6	10	14	25
B. OPERATED	857	5.3	43	1	1	3	6	11	15	39
TOTAL 0-19 YRS	390	3.6	16	1	1	2	4	8	11	21
20-34	186	3.8	38	<1	1	2	4	8	10	24
35-49	299	4.2	48	1	1	3	5	8	10	31
50-64	670	4.8	27	1	1	3	6	10	14	31
65+	936	6.0	36	1	1	4	8	13	16	30
GRAND TOTAL	**2481**	**4.9**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.7	1	<1	1	2	2	3	3	4
20-34	135	1.9	2	<1	1	1	2	3	4	8
35-49	112	2.2	3	<1	<1	2	3	4	5	8
50-64	101	2.3	4	<1	1	2	3	4	6	12
65+	97	2.7	4	1	1	2	4	5	6	11
B. *Operated*										
0-19 YRS	91	1.5	3	<1	<1	1	2	2	3	13
20-34	29	3.6	8	<1	<1	2	5	8	9	11
35-49	41	5.1	14	<1	<1	4	7	11	12	14
50-64	40	6.2	19	<1	1	5	9	13	15	16
65+	68	5.8	27	1	1	4	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.9	4	1	1	2	4	5	6	10
20-34	131	3.2	12	<1	1	2	4	5	8	22
35-49	109	3.2	14	1	1	2	4	6	7	22
50-64	193	3.7	17	1	1	3	4	8	10	26
65+	417	5.9	30	1	1	5	7	11	17	29
B. *Operated*										
0-19 YRS	130	1.7	5	<1	<1	1	2	2	3	13
20-34	48	6.9	167	<1	1	4	8	11	14	91
35-49	75	7.1	61	1	2	6	9	11	15	47
50-64	168	7.3	26	1	2	6	9	14	17	24
65+	386	9.2	48	2	3	8	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	2.2	3	<1	1	2	3	4	5	10
B. *Operated*	269	4.1	17	<1	<1	2	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	900	4.5	23	1	1	3	5	9	13	27
B. *Operated*	807	7.3	51	1	1	6	9	14	19	35
1. SINGLE DX	750	2.9	9	<1	<1	2	3	6	9	14
2. MULTIPLE DX	1707	5.8	38	1	1	4	8	12	16	32
A. NOT OPERATED	1381	3.7	17	1	1	2	4	8	11	21
B. OPERATED	1076	6.5	45	<1	1	5	9	13	17	32
TOTAL 0-19 YRS	307	1.9	4	<1	<1	1	2	3	4	11
20-34	343	3.2	32	<1	1	2	4	6	9	18
35-49	337	4.0	24	<1	1	3	5	8	11	34
50-64	502	4.8	21	1	1	3	7	10	14	21
65+	968	6.9	39	1	2	5	9	13	18	32
GRAND TOTAL	**2457**	**4.9**	**31**	**<1**	**1**	**3**	**6**	**11**	**14**	**28**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1592	2.0	2	<1	1	2	2	4	4	7
20-34	1812	2.6	5	1	1	2	3	5	6	11
35-49	927	2.9	6	<1	1	2	4	5	7	12
50-64	677	3.2	6	1	1	3	4	6	7	13
65+	500	3.9	13	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	251	3.5	5	1	2	3	4	5	6	11
20-34	361	3.7	9	<1	1	3	5	7	9	12
35-49	158	4.8	21	<1	1	4	6	10	13	24
50-64	84	4.9	12	1	1	4	7	10	12	16
65+	50	6.7	28	1	1	6	10	13	14	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	821	2.6	4	<1	1	2	3	5	6	13
20-34	1612	3.5	11	1	1	3	4	6	9	19
35-49	1136	4.1	13	1	1	3	5	8	11	17
50-64	1237	4.6	15	1	1	4	6	8	12	21
65+	1801	5.4	18	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	149	4.3	11	1	2	4	5	8	8	16
20-34	413	5.8	28	1	1	5	7	11	14	29
35-49	261	7.9	62	1	2	6	9	15	22	42
50-64	232	7.4	29	1	2	6	9	14	17	28
65+	228	9.4	44	2	3	7	13	18	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5508	2.7	6	<1	1	2	3	5	7	11
B. *Operated*	904	4.1	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	6607	4.2	14	1	1	3	5	8	11	20
B. *Operated*	1283	7.0	38	1	2	5	8	14	18	31
1. SINGLE DX	6412	2.9	7	1	1	2	4	5	7	13
2. MULTIPLE DX	7890	4.7	19	1	1	3	6	9	12	23
A. NOT OPERATED	12115	3.5	11	1	1	3	4	7	9	16
B. OPERATED	2187	5.8	29	1	1	4	7	11	15	29
TOTAL 0-19 YRS	2813	2.4	4	<1	1	2	3	4	6	9
20-34	4198	3.4	11	1	1	3	4	6	9	17
35-49	2482	4.1	18	1	1	3	5	8	11	22
50-64	2230	4.5	15	1	1	3	6	9	12	21
65+	2579	5.5	21	1	2	4	7	11	14	24
GRAND TOTAL	**14302**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.6	4	<1	1	2	3	4	6	12
20-34	88	3.0	4	1	1	3	4	6	6	9
35-49	95	3.4	14	<1	1	2	4	6	10	23
50-64	86	3.3	6	<1	1	2	5	6	8	13
65+	119	3.6	13	1	1	3	4	7	9	19
B. *Operated*										
0-19 YRS	15	2.3	3	<1	<1	2	3	5	6	6
20-34	40	4.2	9	<1	1	3	6	9	10	11
35-49	34	4.1	7	<1	1	4	6	8	9	10
50-64	46	6.5	49	1	1	4	8	16	23	30
65+	39	5.6	24	1	1	5	8	12	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	3.1	8	1	1	2	4	6	7	15
20-34	207	3.6	13	<1	1	3	5	6	8	24
35-49	251	5.0	23	1	1	4	6	10	11	24
50-64	422	5.7	32	1	2	4	7	12	16	27
65+	840	6.1	29	1	2	5	7	12	16	27
B. *Operated*										
0-19 YRS	29	6.2	39	1	2	4	7	12	16	33
20-34	77	7.3	66	1	1	6	8	11	18	54
35-49	98	7.4	41	1	1	7	9	15	24	69
50-64	127	7.7	43	1	2	6	10	15	18	35
65+	167	10.2	88	1	2	8	13	21	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	3.2	9	<1	1	2	4	6	8	14
B. *Operated*	174	4.9	23	<1	1	4	7	10	15	26
2. MULTIPLE DX										
A. *Not Operated*	2030	5.2	25	1	1	4	6	10	14	25
B. *Operated*	498	8.3	62	1	2	6	10	17	24	41
1. SINGLE DX	660	3.7	13	<1	1	3	5	7	10	21
2. MULTIPLE DX	2528	5.8	34	1	1	4	7	12	16	30
A. NOT OPERATED	2516	4.8	23	1	1	3	6	10	13	24
B. OPERATED	672	7.4	54	1	1	6	9	15	21	36
TOTAL 0-19 YRS	452	3.1	9	1	1	2	4	6	8	15
20-34	412	4.2	22	<1	1	3	5	8	10	24
35-49	478	5.1	25	1	1	4	7	10	14	26
50-64	681	5.8	33	1	1	4	7	13	16	28
65+	1165	6.4	38	1	2	5	8	13	18	31
GRAND TOTAL	**3188**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	845	3.5	13	1	1	2	4	7	10	19
20-34	484	3.0	10	1	1	2	3	6	7	22
35-49	455	3.1	15	<1	1	2	4	6	8	17
50-64	616	3.6	19	1	1	3	4	7	9	26
65+	841	4.4	23	1	1	3	5	9	13	21
B. *Operated*										
0-19 YRS	92	2.6	4	<1	<1	2	3	6	7	11
20-34	177	2.5	5	<1	1	2	3	5	8	12
35-49	191	3.0	9	<1	1	2	3	7	9	19
50-64	228	4.3	50	<1	1	2	4	10	16	31
65+	214	5.5	54	1	1	3	6	13	19	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1032	5.3	38	1	1	4	6	10	15	30
20-34	811	3.7	15	1	1	3	5	7	10	24
35-49	954	4.2	23	1	1	3	5	9	11	22
50-64	1971	5.0	23	1	1	4	6	10	14	25
65+	5008	6.1	34	1	2	4	7	12	16	30
B. *Operated*										
0-19 YRS	124	7.2	103	1	1	4	8	15	22	68
20-34	229	4.1	28	1	1	3	5	8	13	38
35-49	274	4.9	33	1	1	3	6	11	17	33
50-64	435	7.3	77	1	1	5	9	17	24	99+
65+	671	10.6	123	2	2	8	13	23	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3241	3.6	17	1	1	3	4	7	10	21
B. *Operated*	902	3.8	30	<1	1	2	4	8	12	27
2. MULTIPLE DX										
A. *Not Operated*	9776	5.4	30	1	1	4	7	11	15	28
B. *Operated*	1733	7.8	89	1	1	5	10	18	25	62
1. SINGLE DX	4143	3.7	20	1	1	2	4	7	10	22
2. MULTIPLE DX	11509	5.7	40	1	1	4	7	12	16	33
A. NOT OPERATED	13017	4.9	27	1	1	3	6	10	14	26
B. OPERATED	2635	6.4	73	1	1	3	8	15	22	53
TOTAL 0-19 YRS	2093	4.5	32	1	1	3	5	9	14	26
20-34	1701	3.4	14	1	1	2	4	7	9	23
35-49	1874	3.9	21	1	1	3	5	8	11	22
50-64	3250	5.0	32	1	1	3	6	10	15	30
65+	6734	6.3	44	1	2	4	8	13	18	34
GRAND TOTAL	**15652**	**5.2**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**30**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	376	2.2	5	1	1	2	3	4	6	10
20-34	39	4.0	13	<1	<1	3	6	8	10	18
35-49	10	2.1	1	1	1	2	2	4	5	5
50-64	11	5.2	40	<1	1	2	7	15	21	22
65+	13	6.5	31	1	1	4	10	15	17	18
B. *Operated*										
0-19 YRS	96	4.9	15	1	2	4	6	8	12	22
20-34	38	6.2	14	1	2	5	8	13	14	14
35-49	13	4.9	15	1	1	4	7	10	14	15
50-64	5	11.0	233	2	2	4	15	38	38	38
65+	2	10.0	18	7	7	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	3.4	10	1	1	2	4	7	10	15
20-34	102	4.7	14	1	2	4	6	12	37	99+
35-49	47	5.0	22	1	1	4	6	11	13	25
50-64	39	10.3	205	1	1	5	10	23	42	74
65+	31	10.4	52	2	3	10	13	21	24	32
B. *Operated*										
0-19 YRS	147	12.8	249	1	2	7	15	41	57	99+
20-34	160	12.6	164	2	2	9	16	38	54	99+
35-49	58	13.4	294	1	2	8	14	31	50	96
50-64	33	17.8	471	<1	2	11	23	67	90	99+
65+	17	27.2	430	6	10	23	32	58	77	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	2.6	8	1	1	2	3	5	7	18
B. *Operated*	154	5.5	22	1	2	4	7	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	530	4.7	33	1	1	3	6	11	15	78
B. *Operated*	415	13.8	254	1	2	9	17	42	58	99+
1. SINGLE DX	603	3.3	13	1	1	2	4	7	9	20
2. MULTIPLE DX	945	8.7	150	1	1	5	10	23	43	99+
A. NOT OPERATED	979	3.7	23	1	1	2	4	8	12	26
B. OPERATED	569	11.5	205	1	2	7	14	28	50	99+
TOTAL 0-19 YRS	930	4.6	59	1	1	2	5	9	15	52
20-34	339	8.5	99	1	2	6	11	21	47	99+
35-49	128	8.6	162	1	1	5	9	18	28	69
50-64	88	12.5	298	1	1	6	16	34	67	98
65+	63	14.1	209	2	3	11	17	29	39	83
GRAND TOTAL	**1548**	**6.6**	**104**	**1**	**1**	**3**	**7**	**15**	**25**	**99**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	2.7	9	1	1	2	3	5	6	12
20-34	68	3.7	11	1	1	2	5	8	10	15
35-49	23	3.8	12	<1	1	3	5	8	12	15
50-64	15	4.1	16	1	1	3	4	13	14	14
65+	8	4.5	24	2	2	2	5	13	16	16
B. *Operated*										
0-19 YRS	24	5.5	19	1	2	5	7	9	14	22
20-34	27	5.6	18	1	1	4	7	12	16	17
35-49	6	21.5	420	2	3	11	45	49	50	50
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	4.8	33	1	1	3	6	10	15	38
20-34	160	5.3	27	1	1	4	7	10	14	28
35-49	54	6.1	32	1	2	4	7	14	18	30
50-64	43	8.1	132	1	2	6	8	13	18	76
65+	42	10.1	55	2	2	8	14	22	24	27
B. *Operated*										
0-19 YRS	113	14.9	281	1	1	9	23	47	59	99+
20-34	140	13.5	305	1	2	8	15	39	87	99+
35-49	49	10.2	134	2	2	6	14	27	40	99+
50-64	23	17.8	220	2	4	13	24	40	53	56
65+	23	17.4	443	2	2	10	25	73	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	3.1	10	1	1	2	4	6	9	15
B. *Operated*	62	7.1	73	1	2	5	8	12	19	49
2. MULTIPLE DX										
A. *Not Operated*	541	5.7	42	1	1	4	7	12	18	31
B. *Operated*	348	14.0	278	1	2	8	18	39	62	99+
1. SINGLE DX	413	3.7	22	1	1	2	4	8	10	19
2. MULTIPLE DX	889	9.0	151	1	1	5	10	21	38	98
A. NOT OPERATED	892	4.7	31	1	1	3	6	10	14	27
B. OPERATED	410	13.0	253	1	2	8	16	38	58	99+
TOTAL 0-19 YRS	616	5.9	87	1	1	3	6	13	24	58
20-34	395	7.9	139	1	1	4	9	17	35	99+
35-49	132	7.9	95	1	2	5	9	18	30	70
50-64	83	10.0	155	1	2	6	13	19	34	69
65+	76	11.5	182	2	2	7	16	25	34	95
GRAND TOTAL	**1302**	**7.3**	**116**	**1**	**1**	**4**	**8**	**17**	**30**	**82**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	1.6	1	<1	<1	1	2	3	4	6
20-34	86	2.2	8	<1	<1	1	2	4	6	71
35-49	27	1.9	3	<1	<1	1	2	3	5	10
50-64	14	1.4		1	1	1	2	2	2	2
65+	12	3.5	12	<1	<1	2	5	8	12	13
B. *Operated*										
0-19 YRS	900	2.0	2	<1	<1	2	2	3	5	8
20-34	1157	2.3	4	<1	1	2	3	4	6	10
35-49	282	2.7	5	1	1	2	3	5	6	10
50-64	121	2.8	5	1	1	2	3	6	8	12
65+	42	3.7	13	<1	1	3	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.9	12	<1	<1	2	3	5	10	22
20-34	165	2.7	8	<1	<1	2	3	5	7	19
35-49	80	2.0	3	<1	<1	1	2	4	5	11
50-64	42	3.9	24	<1	<1	2	4	9	10	30
65+	114	5.4	17	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	658	3.8	27	1	1	3	5	7	10	27
20-34	1235	4.8	33	1	1	3	6	9	13	26
35-49	456	5.1	45	1	1	3	6	10	13	39
50-64	199	5.3	32	1	1	3	7	12	17	40
65+	141	8.9	104	1	1	6	12	21	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	2.0	5	<1	<1	1	2	4	5	18
B. *Operated*	2502	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	514	3.3	13	<1	<1	2	4	7	10	20
B. *Operated*	2689	4.8	38	1	1	3	6	10	14	33
1. SINGLE DX	2699	2.3	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	3203	4.6	35	1	1	3	5	9	13	30
A. NOT OPERATED	711	2.9	11	<1	<1	2	3	6	9	20
B. OPERATED	5191	3.6	23	<1	1	2	4	7	11	23
TOTAL 0-19 YRS	1729	2.8	13	<1	<1	2	3	5	7	16
20-34	2643	3.5	19	<1	1	2	4	7	10	21
35-49	845	3.9	28	1	1	2	4	7	11	29
50-64	376	4.2	23	1	1	3	5	9	12	28
65+	309	6.7	60	1	1	4	8	14	21	34
GRAND TOTAL	**5902**	**3.5**	**22**	**<1**	**1**	**2**	**4**	**7**	**10**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	4.1	12	1	1	3	5	8	10	20
20-34	468	4.7	12	1	1	4	6	9	11	16
35-49	226	5.9	22	1	2	5	7	10	13	28
50-64	235	6.3	17	2	2	5	9	11	13	28
65+	395	8.1	22	2	3	7	10	15	18	22
B. *Operated*										
0-19 YRS	21	11.0	36	4	5	8	15	19	23	26
20-34	61	12.4	105	2	3	10	18	23	26	59
35-49	25	12.7	286	3	4	9	10	20	40	90
50-64	18	16.6	486	3	4	11	17	33	74	98
65+	14	14.7	120	3	4	11	20	34	38	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	5.7	40	1	1	4	7	12	15	72
20-34	490	6.4	38	1	2	5	8	12	15	40
35-49	248	7.0	24	1	2	6	9	13	17	20
50-64	421	8.7	53	2	3	7	11	16	19	39
65+	1679	10.6	57	3	4	9	13	18	23	39
B. *Operated*										
0-19 YRS	107	13.1	130	2	3	10	17	33	41	99+
20-34	237	13.8	168	2	3	10	18	29	40	73
35-49	82	12.8	99	2	4	10	15	24	34	87
50-64	87	18.2	236	4	5	13	22	42	50	79
65+	164	19.0	125	5	7	17	24	35	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1542	5.9	19	1	2	5	8	11	14	21
B. *Operated*	139	13.0	175	2	4	9	17	23	31	91
2. MULTIPLE DX										
A. *Not Operated*	3055	9.1	53	2	3	7	12	17	21	39
B. *Operated*	677	15.4	158	3	4	12	20	32	42	73
1. SINGLE DX	1681	6.5	35	1	2	5	8	12	16	26
2. MULTIPLE DX	3732	10.2	78	2	3	8	13	19	26	50
A. NOT OPERATED	4597	8.0	44	2	2	6	10	15	19	32
B. OPERATED	816	15.0	161	3	4	12	20	31	41	74
TOTAL 0-19 YRS	563	6.7	57	1	1	4	8	14	21	58
20-34	1256	7.4	68	1	2	5	9	15	22	46
35-49	581	7.6	51	1	2	6	10	15	19	40
50-64	761	9.3	86	2	3	7	11	17	23	50
65+	2252	10.8	62	3	4	9	14	20	24	40
GRAND TOTAL	**5413**	**9.1**	**68**	**2**	**2**	**7**	**11**	**18**	**23**	**44**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	12	<1	<1	2	5	10	11	11
20-34	25	8.1	55	1	2	5	12	16	22	34
35-49	4	5.5	26	2	2	3	8	13	13	13
50-64	14	10.9	177	2	2	7	12	21	47	54
65+	10	8.3	24	1	1	8	13	14	15	15
B. *Operated*										
0-19 YRS	20	15.3	124	2	3	13	19	29	41	50
20-34	22	15.7	98	2	6	13	22	29	35	43
35-49	10	13.3	61	5	6	11	19	25	30	30
50-64	3	9.0	25	4	4	9	13	14	14	14
65+	2	15.5	145	7	7	15	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.2	133	3	4	10	20	40	68	99+
20-34	26	9.7	49	1	2	8	17	20	34	99+
35-49	17	10.8	400	2	3	5	8	16	62	87
50-64	14	8.1	33	1	3	7	10	19	21	21
65+	58	11.2	64	3	4	8	14	24	26	37
B. *Operated*										
0-19 YRS	34	40.4	645	10	15	36	30	99+	99+	99+
20-34	77	27.8	346	5	10	24	76	83	99+	99+
35-49	23	31.4	788	5	6	22	70	99+	99+	99+
50-64	15	24.9	598	3	4	22	63	99+	99+	99+
65+	15	25.9	377	7	8	25	56	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	7.9	70	1	2	6	11	15	17	51
B. *Operated*	57	14.8	95	2	4	12	19	28	31	50
2. MULTIPLE DX										
A. *Not Operated*	136	10.8	108	2	3	8	15	23	29	99+
B. *Operated*	164	30.5	511	5	9	28	57	99+	99+	99+
1. SINGLE DX	120	11.2	93	1	2	9	14	23	30	51
2. MULTIPLE DX	300	21.6	424	3	4	17	36	82	99+	99+
A. NOT OPERATED	199	9.9	98	2	2	7	13	21	26	93
B. OPERATED	221	26.5	450	4	7	21	45	93	99+	99+
TOTAL 0-19 YRS	85	23.5	519	2	3	18	37	84	99+	99+
20-34	150	19.6	284	2	3	17	30	59	99+	99+
35-49	54	19.6	568	3	3	12	24	84	99+	99+
50-64	46	14.5	303	2	3	9	18	59	99+	99+
65+	85	13.5	145	2	4	9	19	31	56	99+
GRAND TOTAL	**420**	**18.6**	**351**	**2**	**3**	**13**	**26**	**63**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	4	<1	<1	2	4	5	7	10
20-34	78	2.7	8	1	1	2	3	5	7	19
35-49	89	3.0	5	<1	1	2	4	5	7	12
50-64	92	3.6	7	1	1	3	4	7	10	13
65+	132	5.5	24	1	2	4	7	10	14	27
B. *Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	8	2.8	4	1	1	2	4	6	7	7
35-49	4	12.0	67	4	4	10	18	23	23	23
50-64	4	7.0	55	2	2	4	11	18	18	18
65+	3	6.7	12	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.1	5	1	1	3	4	6	8	10
20-34	323	4.2	14	1	1	3	6	8	11	25
35-49	349	5.2	33	1	1	4	7	10	12	30
50-64	508	6.0	20	1	2	5	8	12	15	21
65+	1078	8.1	38	2	2	7	11	16	20	30
B. *Operated*										
0-19 YRS	60	8.8	97	1	2	6	11	16	21	66
20-34	175	8.7	81	2	2	6	9	17	23	50
35-49	136	10.3	96	2	3	7	12	22	30	49
50-64	153	11.6	138	2	4	8	13	23	39	66
65+	156	14.1	104	3	4	11	19	28	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	3.9	13	1	1	3	5	8	10	22
B. *Operated*	22	5.9	32	1	1	4	7	14	20	23
2. MULTIPLE DX										
A. *Not Operated*	2348	6.5	31	1	2	5	8	13	17	26
B. *Operated*	680	10.9	107	2	3	8	14	22	31	59
1. SINGLE DX	434	4.0	14	1	1	3	5	8	11	22
2. MULTIPLE DX	3028	7.5	52	1	2	6	9	15	20	39
A. NOT OPERATED	2760	6.1	29	1	1	5	8	12	16	26
B. OPERATED	702	10.8	105	2	3	7	13	22	30	58
TOTAL 0-19 YRS	174	5.1	44	1	1	3	6	11	15	25
20-34	584	5.4	38	1	1	4	6	10	15	42
35-49	578	6.1	50	1	1	4	7	12	20	41
50-64	757	6.9	48	1	2	5	9	13	17	39
65+	1369	8.5	49	2	2	7	11	17	22	34
GRAND TOTAL	**3462**	**7.1**	**48**	**1**	**2**	**5**	**9**	**14**	**20**	**27**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	6.9	59	1	1	5	8	15	18	46
20-34	106	8.0	76	2	2	6	9	14	20	52
35-49	61	9.3	146	2	3	7	11	15	19	87
50-64	84	10.4	139	2	2	8	11	19	34	65
65+	322	10.5	66	2	3	8	13	21	28	39
B. *Operated*										
0-19 YRS	6	13.3	150	2	2	11	16	34	36	36
20-34	11	19.4	222	1	5	19	26	39	55	56
35-49	4	26.0	401	9	9	20	38	55	55	55
50-64	1	35.0		35	35	35	35	35	35	35
65+	6	16.8	169	1	2	14	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	9.4	107	1	2	6	12	21	28	53
20-34	224	10.1	84	2	3	8	12	18	26	59
35-49	113	12.2	113	2	3	9	17	23	31	59
50-64	169	12.7	134	3	4	10	16	24	31	88
65+	983	13.5	88	4	5	11	17	24	29	52
B. *Operated*										
0-19 YRS	86	19.5	277	2	4	16	25	49	54	92
20-34	148	23.0	341	4	6	17	31	49	58	95
35-49	58	29.4	393	5	8	22	47	59	74	98
50-64	65	30.9	467	8	8	25	49	63	73	84
65+	99	24.2	239	7	8	20	30	48	56	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	663	9.5	85	2	2	7	11	18	26	47
B. *Operated*	28	19.0	211	1	3	17	27	36	55	56
2. MULTIPLE DX										
A. *Not Operated*	1648	12.5	98	3	4	10	16	24	30	58
B. *Operated*	456	24.5	343	4	6	19	35	52	63	94
1. SINGLE DX	691	9.9	93	2	2	7	12	19	28	55
2. MULTIPLE DX	2104	15.1	176	3	4	11	19	30	45	76
A. NOT OPERATED	2311	11.6	96	2	3	9	15	23	29	54
B. OPERATED	484	24.2	336	4	6	19	35	52	62	94
TOTAL 0-19 YRS	341	11.4	161	1	2	7	14	25	41	66
20-34	489	13.7	202	2	3	9	16	31	46	70
35-49	236	15.9	256	2	3	10	20	40	54	81
50-64	319	15.9	262	2	4	10	18	37	55	83
65+	1410	13.6	104	3	4	11	17	25	32	54
GRAND TOTAL	**2795**	**13.8**	**160**	**2**	**3**	**10**	**17**	**28**	**41**	**66**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	4.0	27	<1	1	2	4	13	17	21
20-34	52	2.8	8	<1	1	2	3	6	7	17
35-49	41	3.3	8	1	1	2	4	6	8	16
50-64	82	3.7	10	<1	1	3	4	8	9	18
65+	335	5.1	20	1	1	4	6	10	15	26
B. *Operated*										
0-19 YRS	947	4.0	25	1	1	2	4	11	16	23
20-34	139	4.3	14	1	1	4	5	7	11	21
35-49	93	5.2	29	1	1	4	6	10	14	31
50-64	125	5.6	48	1	1	4	7	11	15	35
65+	184	7.6	47	1	1	6	10	16	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.5	41	1	1	3	5	9	13	42
20-34	65	4.6	19	<1	1	4	5	8	13	22
35-49	47	5.3	43	1	1	3	5	13	17	34
50-64	166	6.6	33	1	1	5	9	13	15	30
65+	660	9.1	62	1	2	7	12	18	22	41
B. *Operated*										
0-19 YRS	328	6.9	72	1	1	3	8	17	23	48
20-34	209	10.0	135	1	2	6	13	25	32	68
35-49	85	7.5	92	1	2	4	8	14	25	56
50-64	189	10.3	139	1	2	6	13	23	34	59
65+	392	13.6	170	2	3	9	17	29	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	668	4.4	20	1	1	3	6	9	14	23
B. *Operated*	1488	4.7	30	1	1	3	5	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	1006	7.9	55	1	1	6	10	17	21	39
B. *Operated*	1203	10.2	134	1	2	6	13	24	33	63
1. SINGLE DX	2156	4.6	27	1	1	3	5	11	16	24
2. MULTIPLE DX	2209	9.2	99	1	2	6	12	20	29	54
A. NOT OPERATED	1674	6.5	44	1	1	4	8	15	19	34
B. OPERATED	2691	7.2	84	1	1	4	8	17	24	48
TOTAL 0-19 YRS	1501	4.7	38	1	1	2	5	13	18	27
20-34	465	6.7	77	1	1	4	7	15	23	42
35-49	266	5.6	50	1	1	4	6	13	16	36
50-64	562	7.2	74	1	1	4	9	14	22	44
65+	1571	9.2	87	1	2	6	12	20	27	52
GRAND TOTAL	**4365**	**6.9**	**69**	**1**	**1**	**4**	**8**	**16**	**22**	**42**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.9	6	<1	1	1	2	3	4	17
20-34	49	1.9	2	<1	<1	1	3	5	6	99+
35-49	31	2.2	1	1	1	2	3	4	4	5
50-64	35	2.3	3	<1	1	2	3	5	6	7
65+	64	5.1	39	1	1	3	6	10	17	38
B. *Operated*										
0-19 YRS	1797	1.8	3	<1	1	1	2	3	4	7
20-34	677	3.1	6	1	1	3	4	5	7	10
35-49	391	2.8	4	1	1	2	4	5	6	10
50-64	537	2.8	5	1	1	2	4	5	7	10
65+	463	3.3	12	1	1	2	4	6	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.1	3	<1	1	1	2	4	7	9
20-34	95	3.4	9	<1	1	3	4	7	11	16
35-49	40	3.6	6	1	1	3	5	7	9	11
50-64	84	5.1	26	1	1	3	6	10	18	24
65+	212	6.8	31	1	2	6	8	14	20	29
B. *Operated*										
0-19 YRS	473	4.2	32	1	1	2	5	9	12	36
20-34	496	6.2	80	1	1	4	7	12	18	67
35-49	305	5.9	46	1	1	4	7	12	19	36
50-64	355	4.8	20	1	1	3	6	10	13	27
65+	518	7.7	76	1	2	5	10	17	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.7	13	<1	1	2	3	5	7	22
B. *Operated*	3865	2.4	5	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	511	4.9	23	1	1	3	6	10	15	26
B. *Operated*	2147	5.8	55	1	1	4	7	12	18	41
1. SINGLE DX	4152	2.4	6	<1	1	2	3	5	6	11
2. MULTIPLE DX	2658	5.7	49	1	1	4	7	12	18	38
A. NOT OPERATED	798	4.1	21	1	1	3	5	9	14	25
B. OPERATED	6012	3.6	26	1	1	2	4	7	11	25
TOTAL 0-19 YRS	2458	2.2	9	<1	1	1	2	4	6	13
20-34	1317	4.2	36	1	1	3	5	8	11	33
35-49	767	4.0	23	1	1	3	5	7	11	26
50-64	1011	3.7	13	1	1	3	4	7	10	21
65+	1257	5.8	47	1	1	4	7	13	19	37
GRAND TOTAL	**6810**	**3.7**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	5.7	381	<1	<1	1	2	3	39	93
20-34	41	1.7	1	<1	<1	1	2	3	4	5
35-49	17	1.6	1	<1	<1	1	2	3	4	4
50-64	8	3.0	17	<1	<1	2	3	10	13	13
65+	21	2.5	4	<1	1	2	3	5	8	9
B. *Operated*										
0-19 YRS	658	2.1	27	<1	<1	1	2	3	4	9
20-34	883	1.9	2	<1	<1	2	2	3	4	7
35-49	283	1.8	1	<1	<1	2	2	3	4	5
50-64	145	2.2	3	<1	1	2	3	4	5	8
65+	84	2.2	5	<1	1	2	2	4	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.6	6	<1	<1	2	3	6	7	11
20-34	53	3.2	9	<1	1	3	4	6	8	17
35-49	23	3.1	11	<1	<1	1	4	9	11	11
50-64	31	5.5	19	1	1	4	7	12	16	19
65+	69	7.1	75	1	2	5	7	13	21	91
B. *Operated*										
0-19 YRS	265	2.9	6	<1	1	2	4	7	8	11
20-34	542	3.5	17	<1	1	2	4	7	10	24
35-49	211	3.2	13	1	1	2	4	6	8	27
50-64	182	3.9	43	1	1	2	4	7	11	40
65+	119	6.2	81	1	1	3	6	13	19	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.8	79	<1	<1	1	2	4	5	46
B. *Operated*	2053	2.0	10	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	204	4.8	36	<1	1	3	6	10	13	51
B. *Operated*	1319	3.6	24	1	1	2	4	7	10	29
1. SINGLE DX	2162	2.0	14	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1523	3.8	26	1	1	2	4	7	11	30
A. NOT OPERATED	313	4.1	51	<1	1	2	5	8	12	50
B. OPERATED	3372	2.6	16	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	973	2.4	29	<1	<1	2	2	4	6	11
20-34	1519	2.5	8	<1	<1	2	3	5	7	15
35-49	534	2.4	7	<1	<1	2	3	4	6	14
50-64	366	3.3	25	1	1	2	3	6	10	22
65+	293	5.0	56	1	1	3	5	11	17	52
GRAND TOTAL	**3685**	**2.8**	**19**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	15.9	187	1	1	17	24	30	44	55
20-34	19	6.6	77	1	2	4	6	11	28	41
35-49	13	6.9	148	<1	1	2	5	23	40	44
50-64	49	10.3	74	1	2	8	12	21	26	48
65+	194	11.0	153	1	1	8	14	23	29	89
B. *Operated*										
0-19 YRS	91	12.2	79	3	4	10	16	24	31	47
20-34	78	11.2	124	3	4	8	11	22	40	90
35-49	113	10.5	23	4	5	10	13	17	21	53
50-64	500	12.5	55	5	6	11	15	19	24	48
65+	2737	15.7	61	7	9	14	18	24	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	17.3	309	2	3	14	23	38	60	74
20-34	10	15.3	725	<1	<1	4	6	63	82	82
35-49	15	7.5	30	1	1	8	13	17	75	99+
50-64	74	12.4	92	2	3	9	15	27	34	45
65+	534	14.5	203	2	3	11	18	32	54	99+
B. *Operated*										
0-19 YRS	91	20.2	262	3	5	16	25	46	64	91
20-34	147	18.9	288	5	7	13	22	45	73	99+
35-49	160	19.4	236	5	7	15	23	46	65	99+
50-64	735	17.1	111	7	7	14	20	30	38	65
65+	6052	19.3	124	8	10	16	23	32	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	11.0	142	1	1	8	14	24	30	69
B. *Operated*	3519	14.9	63	6	8	14	17	23	28	50
2. MULTIPLE DX										
A. *Not Operated*	656	14.2	198	2	3	10	18	32	51	99+
B. *Operated*	7185	19.1	130	8	9	16	22	33	42	71
1. SINGLE DX	3830	14.5	71	5	7	13	17	23	29	51
2. MULTIPLE DX	7841	18.7	138	7	9	16	22	32	43	79
A. NOT OPERATED	967	13.2	182	1	2	10	17	28	44	99+
B. OPERATED	10704	17.7	112	7	9	15	21	29	38	69
TOTAL 0-19 YRS	241	16.3	196	2	4	13	21	32	47	77
20-34	254	15.5	254	3	4	10	17	37	65	99+
35-49	301	14.9	154	3	5	12	18	33	51	99+
50-64	1358	14.9	94	5	6	13	18	26	33	58
65+	9517	17.8	115	7	9	15	21	30	39	70
GRAND TOTAL	**11671**	**17.3**	**120**	**6**	**8**	**15**	**20**	**29**	**39**	**71**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	363	17.9	150	1	2	18	25	33	38	49
20-34	48	17.7	468	<1	1	7	29	56	70	99+
35-49	20	18.5	411	2	2	9	35	51	61	63
50-64	26	22.7	474	2	3	12	43	53	62	74
65+	92	22.8	363	1	3	19	35	51	68	93
B. *Operated*										
0-19 YRS	363	15.6	177	1	2	13	23	32	38	60
20-34	150	14.4	192	2	3	10	17	28	46	76
35-49	51	18.6	253	2	4	15	26	47	60	99
50-64	46	17.4	165	5	7	13	21	30	45	63
65+	129	18.6	157	6	7	15	21	41	50	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	22.1	206	2	4	21	30	39	48	77
20-34	46	24.0	439	1	1	21	39	47	64	82
35-49	26	22.8	432	3	4	27	44	93	99+	99+
50-64	65	24.1	473	2	4	15	44	54	59	87
65+	178	22.8	390	2	4	16	36	59	86	99+
B. *Operated*										
0-19 YRS	454	23.1	272	3	4	20	33	46	56	99+
20-34	442	26.1	409	4	6	20	37	60	79	99+
35-49	118	26.7	419	4	6	21	36	57	75	95
50-64	105	27.8	450	5	7	20	42	64	77	99+
65+	349	25.4	287	7	10	21	32	50	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	18.9	240	1	2	18	27	39	50	75
B. *Operated*	739	16.2	182	2	3	13	22	33	45	66
2. MULTIPLE DX										
A. *Not Operated*	518	22.8	333	2	4	20	34	49	66	99+
B. *Operated*	1468	25.2	343	4	6	20	35	54	71	99+
1. SINGLE DX	1288	17.4	208	1	2	15	24	36	47	75
2. MULTIPLE DX	1986	24.6	341	3	5	20	35	52	69	99+
A. NOT OPERATED	1067	20.8	288	1	3	18	30	46	58	99+
B. OPERATED	2207	22.2	307	3	4	18	30	48	64	99+
TOTAL 0-19 YRS	1383	19.6	215	2	3	18	28	38	47	78
20-34	686	22.8	391	2	4	17	33	54	73	99+
35-49	215	23.6	389	3	4	18	35	56	75	99+
50-64	242	24.3	415	3	5	17	39	57	67	90
65+	748	23.3	303	4	7	18	32	50	65	99+
GRAND TOTAL	**3274**	**21.7**	**301**	**2**	**4**	**18**	**30**	**47**	**62**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	330	2.5	5	1	1	2	3	5	5	8
20-34	197	3.6	15	1	1	3	4	7	9	32
35-49	121	4.2	12	1	1	3	5	8	11	17
50-64	107	5.7	58	1	1	4	6	11	15	51
65+	125	7.4	34	1	2	6	9	14	19	32
B. *Operated*										
0-19 YRS	763	4.0	24	1	1	3	5	7	12	21
20-34	745	5.9	27	1	2	4	7	11	15	26
35-49	355	5.9	24	1	2	5	7	11	14	34
50-64	253	7.1	31	2	3	6	9	12	16	31
65+	111	10.9	105	2	3	8	14	20	24	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	4.8	95	1	1	3	5	7	15	65
20-34	144	6.2	55	1	2	4	7	11	16	47
35-49	81	5.5	70	1	1	4	6	10	14	55
50-64	96	9.9	199	1	2	6	10	17	42	83
65+	235	11.5	122	2	3	9	14	22	28	72
B. *Operated*										
0-19 YRS	410	9.9	160	1	2	6	10	20	35	70
20-34	612	11.5	142	2	3	7	13	27	39	62
35-49	313	11.5	195	2	3	8	13	26	47	99+
50-64	279	14.5	206	3	3	10	17	31	46	83
65+	210	17.4	246	4	4	13	21	35	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	4.1	21	1	1	3	5	8	11	25
B. *Operated*	2227	5.6	32	1	1	4	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	659	8.3	115	1	1	5	10	17	25	65
B. *Operated*	1824	12.4	182	2	3	8	14	28	43	79
1. SINGLE DX	3107	5.2	30	1	1	4	6	10	14	27
2. MULTIPLE DX	2483	11.3	168	2	2	7	13	25	39	76
A. NOT OPERATED	1539	5.9	66	1	1	4	7	12	18	47
B. OPERATED	4051	8.7	111	1	2	5	10	18	29	61
TOTAL 0-19 YRS	1606	5.3	67	1	1	3	6	10	15	47
20-34	1698	7.7	78	1	2	5	9	15	26	53
35-49	870	7.8	98	1	2	5	9	15	24	78
50-64	735	10.1	136	2	2	7	11	20	31	67
65+	681	12.5	154	2	3	9	16	25	33	79
GRAND TOTAL	**5590**	**7.9**	**100**	**1**	**1**	**5**	**9**	**16**	**26**	**60**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.8	7	<1	1	2	3	5	7	17
20-34	188	3.3	19	<1	1	3	4	6	7	13
35-49	134	3.6	8	1	1	3	4	7	8	16
50-64	142	3.5	7	1	1	3	5	7	9	13
65+	171	5.7	39	1	1	4	7	11	13	32
B. *Operated*										
0-19 YRS	878	3.3	7	1	1	3	4	6	7	12
20-34	1359	4.2	11	1	2	4	5	7	9	15
35-49	822	4.8	11	2	2	4	6	8	10	16
50-64	789	5.6	12	2	2	5	7	10	12	19
65+	456	7.5	23	2	3	7	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.5	13	<1	1	3	4	7	9	22
20-34	203	4.5	20	1	1	3	6	9	14	22
35-49	122	4.5	10	1	1	4	6	8	11	16
50-64	166	6.8	37	1	2	5	9	13	18	39
65+	354	8.2	57	1	2	6	10	16	21	39
B. *Operated*										
0-19 YRS	506	6.2	52	1	2	4	7	12	17	39
20-34	1129	6.8	49	2	2	5	8	14	20	40
35-49	634	7.4	61	2	2	5	8	14	20	47
50-64	626	8.1	60	2	3	6	9	15	19	40
65+	518	10.9	93	3	4	8	13	20	27	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	3.8	18	<1	1	3	5	8	10	16
B. *Operated*	4304	4.8	13	1	2	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	941	6.2	38	1	1	4	8	13	17	35
B. *Operated*	3413	7.7	62	2	2	5	9	15	21	47
1. SINGLE DX	5071	4.6	14	1	1	4	6	8	11	17
2. MULTIPLE DX	4354	7.4	58	1	2	5	9	15	20	43
A. NOT OPERATED	1708	5.1	31	1	1	4	6	10	14	30
B. OPERATED	7717	6.1	37	1	2	4	7	11	15	32
TOTAL 0-19 YRS	1612	4.2	23	1	1	3	5	8	11	29
20-34	2879	5.2	29	1	2	4	6	9	13	28
35-49	1712	5.7	31	1	2	4	6	10	14	31
50-64	1723	6.4	34	1	2	5	8	12	16	29
65+	1499	8.7	60	2	3	7	11	16	21	43
GRAND TOTAL	**9425**	**5.9**	**36**	**1**	**2**	**4**	**7**	**11**	**15**	**32**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.7	24	<1	1	2	3	4	4	32
20-34	35	2.8	13	<1	<1	2	3	5	7	21
35-49	20	2.4	2	<1	1	2	3	5	6	6
50-64	9	2.3	2	1	1	2	3	4	5	5
65+	18	3.9	15	<1	<1	3	6	8	13	16
B. *Operated*										
0-19 YRS	39	2.1	1	1	1	2	2	3	4	7
20-34	44	2.9	3	1	1	3	4	5	6	9
35-49	12	2.4	1	<1	<1	2	3	4	5	5
50-64	9	3.7	8	1	1	3	5	8	10	10
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.5	77	1	1	2	4	6	6	41
20-34	183	3.9	15	1	1	3	6	8	10	30
35-49	83	4.6	13	1	1	4	6	9	12	19
50-64	86	5.5	16	2	2	4	7	10	14	21
65+	171	7.7	43	1	2	5	9	14	22	35
B. *Operated*										
0-19 YRS	60	4.6	22	1	1	3	6	9	11	30
20-34	111	6.8	61	1	1	5	8	15	20	45
35-49	50	8.5	91	1	2	4	11	19	29	44
50-64	29	9.4	71	1	1	7	16	22	37	99+
65+	27	12.1	170	1	2	8	15	23	33	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.8	14	<1	1	2	3	5	7	24
B. *Operated*	106	2.6	3	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	636	5.2	36	1	1	4	6	10	14	25
B. *Operated*	277	7.4	73	1	1	4	9	16	24	48
1. SINGLE DX	228	2.7	9	<1	1	2	3	5	6	17
2. MULTIPLE DX	913	5.8	48	1	1	4	7	13	17	39
A. NOT OPERATED	758	4.8	33	1	1	3	6	10	13	25
B. OPERATED	383	6.1	58	1	1	3	7	15	19	43
TOTAL 0-19 YRS	252	3.4	44	1	1	2	4	6	8	31
20-34	373	4.5	29	1	1	3	6	9	13	36
35-49	165	5.3	39	1	1	3	6	12	15	40
50-64	133	6.0	30	1	2	4	8	14	17	47
65+	218	7.9	59	1	1	6	10	15	22	41
GRAND TOTAL	**1141**	**5.2**	**42**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.0	32	<1	<1	1	2	5	18	23
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	8	5.0	15	1	1	5	8	10	11	11
20-34	5	9.4	76	2	2	8	15	23	23	23
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.3	9	<1	1	3	7	8	9	9
20-34	9	3.7	11	1	1	3	5	9	11	11
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	7	15.4	314	1	2	8	18	46	53	53
B. *Operated*										
0-19 YRS	9	24.4	829	2	3	14	70	89	99+	99+
20-34	14	24.6	654	4	4	13	34	59	84	91
35-49	7	15.0	568	2	2	5	14	58	68	68
50-64	2	9.0	50	4	4	9	14	14	14	14
65+	4	22.3	548	7	7	12	36	57	57	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.2	26	<1	<1	1	3	8	16	23
B. *Operated*	15	6.6	37	1	1	6	10	12	20	23
2. MULTIPLE DX										
A. *Not Operated*	28	7.1	102	1	1	4	8	15	21	53
B. *Operated*	36	21.6	602	3	4	12	29	70	86	99+
1. SINGLE DX	37	4.6	32	<1	<1	2	7	11	19	23
2. MULTIPLE DX	64	15.2	430	1	2	8	15	55	72	99
A. NOT OPERATED	50	5.4	71	<1	<1	2	7	11	18	53
B. OPERATED	51	17.2	479	1	2	9	16	60	77	99+
TOTAL 0-19 YRS	43	8.2	245	<1	<1	3	8	22	72	99+
20-34	32	13.5	392	1	1	7	13	40	55	91
35-49	9	12.6	452	1	1	5	9	47	68	68
50-64	4	7.3	34	<1	<1	7	12	14	14	14
65+	13	16.8	311	1	3	11	17	54	56	57
GRAND TOTAL	**101**	**11.3**	**310**	**<1**	**1**	**6**	**11**	**29**	**61**	**95**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3	1	<1	<1	1	1	3	3	3
20-34	14	3.1	28	<1	<1	1	3	6	18	21
35-49	7	2.4	2	<1	<1	3	4	4	4	4
50-64	8	1.3	1	1	1	1	1	3	3	3
65+	9	2.3	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	153	2.7	2	1	1	3	3	4	5	6
20-34	478	2.9	3	1	1	3	4	4	5	10
35-49	149	3.0	4	<1	1	3	4	5	6	8
50-64	67	2.2	3	<1	<1	2	3	4	5	11
65+	73	1.9	3	<1	1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	3	1	1	3	4	6	6	6
20-34	20	1.8	1	<1	<1	1	3	4	4	4
35-49	10	2.4	3	<1	<1	2	4	5	5	5
50-64	12	4.3	5	1	2	4	5	8	8	8
65+	31	6.5	68	1	1	4	7	13	18	45
B. *Operated*										
0-19 YRS	33	3.8	10	1	1	3	4	7	12	14
20-34	134	4.8	44	1	1	4	5	8	12	27
35-49	61	5.0	24	<1	1	3	6	12	18	21
50-64	67	4.7	27	1	1	3	5	10	12	32
65+	80	5.4	28	1	1	4	6	11	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.2	9	<1	<1	1	3	4	4	21
B. *Operated*	920	2.8	3	<1	1	3	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	86	4.1	29	<1	1	3	5	7	10	35
B. *Operated*	375	4.8	31	1	1	3	5	10	13	24
1. SINGLE DX	966	2.7	3	<1	1	3	3	4	5	10
2. MULTIPLE DX	461	4.7	31	1	1	3	5	9	13	25
A. NOT OPERATED	132	3.4	23	<1	1	2	4	6	9	25
B. OPERATED	1295	3.4	12	1	1	3	4	6	8	16
TOTAL 0-19 YRS	207	2.8	3	1	1	3	4	5	6	10
20-34	646	3.3	12	1	1	3	4	5	6	13
35-49	227	3.5	10	<1	1	3	4	6	8	20
50-64	154	3.4	15	<1	1	2	4	6	10	24
65+	193	4.1	27	1	1	3	5	9	12	29
GRAND TOTAL	**1427**	**3.4**	**13**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.0	1	<1	1	2	3	4	5	5
20-34	51	2.4	4	<1	<1	2	3	5	5	11
35-49	9	2.2	4	<1	<1	1	3	5	7	7
50-64	11	4.1	9	<1	<1	5	7	8	8	8
65+	5	6.0	9	2	2	6	8	10	10	10
B. *Operated*										
0-19 YRS	1092	3.8	11	1	2	4	5	6	6	10
20-34	2221	3.9	4	1	2	4	5	6	7	10
35-49	983	4.2	4	2	2	4	5	6	7	12
50-64	495	4.6	6	2	2	4	5	7	8	13
65+	77	5.5	8	2	3	5	7	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	2	5	6	6
20-34	30	3.5	7	<1	1	3	4	7	8	12
35-49	12	3.7	11	<1	1	3	5	8	12	13
50-64	14	3.3	7	1	1	2	5	6	10	11
65+	7	7.7	26	1	2	7	12	15	15	15
B. *Operated*										
0-19 YRS	553	4.6	9	2	2	4	5	7	9	15
20-34	1275	4.7	10	2	2	4	6	7	9	16
35-49	572	4.9	11	1	2	4	6	8	10	17
50-64	435	5.4	20	2	2	5	6	9	10	18
65+	95	7.6	36	2	3	5	9	16	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.6	4	<1	1	2	3	5	7	10
B. *Operated*	4868	4.0	6	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	77	3.6	10	<1	1	2	5	7	12	15
B. *Operated*	2930	4.9	13	2	2	4	6	8	10	18
1. SINGLE DX	4976	4.0	6	1	2	4	5	6	7	11
2. MULTIPLE DX	3007	4.9	13	1	2	4	6	8	10	18
A. NOT OPERATED	185	3.0	7	<1	1	2	4	6	8	14
B. OPERATED	7798	4.4	9	2	2	4	5	7	8	14
TOTAL 0-19 YRS	1691	4.0	10	1	2	4	5	6	8	12
20-34	3577	4.1	6	1	2	4	5	6	8	13
35-49	1576	4.4	7	2	2	4	5	7	8	14
50-64	955	4.9	13	2	2	4	6	8	9	15
65+	184	6.7	24	2	3	5	8	14	16	24
GRAND TOTAL	**7983**	**4.3**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.6	36	<1	1	2	5	14	21	22
20-34	50	5.0	15	<1	<1	3	8	11	12	15
35-49	32	6.4	34	1	1	4	11	16	23	99+
50-64	11	2.6	5	<1	<1	1	4	6	8	8
65+	11	4.4	8	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	246	3.0	17	<1	1	1	3	6	12	21
20-34	295	4.0	19	<1	1	3	5	10	14	21
35-49	133	4.6	19	1	1	3	6	10	14	22
50-64	96	5.3	28	<1	1	3	7	13	17	24
65+	56	6.5	51	1	1	4	8	15	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.7	94	<1	1	[illegible]	6	16	32	45
20-34	56	5.8	54	<1	1	4	7	11	15	49
35-49	28	5.6	11	1	2	6	8	12	17	99+
50-64	21	4.8	12	1	1	3	7	10	11	13
65+	34	6.0	15	2	3	5	7	10	16	18
B. *Operated*										
0-19 YRS	138	8.6	113	1	1	5	11	22	31	58
20-34	257	8.0	99	1	1	5	9	17	27	61
35-49	119	8.9	91	1	1	6	12	19	29	73
50-64	100	10.4	123	1	1	6	14	25	32	56
65+	79	10.0	150	1	2	6	12	24	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.0	23	<1	1	3	8	12	15	39
B. *Operated*	826	4.1	22	<1	1	2	5	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	172	5.9	41	1	1	4	7	11	16	50
B. *Operated*	693	8.8	110	1	1	5	11	21	30	60
1. SINGLE DX	955	4.3	23	<1	1	2	5	11	15	24
2. MULTIPLE DX	865	8.3	97	1	1	5	10	19	29	59
A. NOT OPERATED	301	5.5	33	<1	1	4	8	11	15	48
B. OPERATED	1519	6.3	68	1	1	3	8	15	22	44
TOTAL 0-19 YRS	442	5.1	59	<1	1	2	5	13	21	44
20-34	658	5.8	56	<1	1	3	7	13	18	42
35-49	312	6.5	51	1	1	5	9	14	20	75
50-64	228	7.4	74	1	1	4	10	18	25	40
65+	180	7.8	88	1	1	5	9	17	25	44
GRAND TOTAL	**1820**	**6.2**	**62**	**1**	**1**	**3**	**8**	**14**	**21**	**45**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.1	3	<1	<1	1	3	4	6	8
20-34	90	2.4	6	<1	1	2	2	5	7	15
35-49	32	2.4	4	1	1	2	3	4	7	10
50-64	33	5.4	13	1	2	4	6	11	14	16
65+	18	5.2	27	1	1	3	6	9	17	23
B. *Operated*										
0-19 YRS	366	3.7	5	1	1	4	5	6	7	11
20-34	542	3.8	4	1	1	4	5	7	8	10
35-49	141	4.3	7	1	1	4	6	7	9	13
50-64	55	5.3	13	1	1	5	7	10	13	16
65+	17	6.8	40	1	1	5	8	12	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	1	2	3	4	9
20-34	49	2.8	7	<1	<1	2	3	6	7	13
35-49	30	4.4	10	1	1	4	5	10	11	12
50-64	42	5.1	19	1	1	4	7	10	15	19
65+	114	7.3	35	2	3	6	9	13	16	34
B. *Operated*										
0-19 YRS	264	4.6	6	1	2	4	6	7	9	13
20-34	577	5.4	21	1	2	5	6	9	11	18
35-49	174	5.6	10	1	2	5	7	9	13	16
50-64	80	6.9	24	1	2	6	8	12	15	31
65+	29	9.2	28	2	3	9	12	17	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.9	9	<1	1	2	4	6	8	16
B. *Operated*	1121	3.9	6	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	268	5.2	24	1	1	4	7	11	13	28
B. *Operated*	1124	5.4	17	1	2	5	6	9	12	18
1. SINGLE DX	1367	3.8	6	1	1	3	5	7	8	13
2. MULTIPLE DX	1392	5.4	18	1	2	5	6	9	12	18
A. NOT OPERATED	514	4.1	18	<1	1	3	5	9	11	21
B. OPERATED	2245	4.7	12	1	2	4	6	8	10	16
TOTAL 0-19 YRS	736	3.8	5	1	1	4	5	6	8	12
20-34	1258	4.4	13	1	1	4	6	7	9	16
35-49	377	4.7	9	1	1	4	6	8	11	14
50-64	210	5.9	19	1	1	5	7	11	14	20
65+	178	7.4	34	2	2	6	9	14	18	30
GRAND TOTAL	**2759**	**4.6**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	4.8	15	<1	1	4	7		12	19
20-34	1026	5.9	19	1	2	5	8	10	12	18
35-49	892	6.2	13	2	2	6	8	11	13	18
50-64	465	6.1	13	2	2	5	8	10	12	19
65+	150	6.7	14	2	2	6	9	12	14	18
B. *Operated*										
0-19 YRS	11	7.7	10	1	4	8	9	12	13	13
20-34	169	6.1	28	1	1	4	9	14	16	22
35-49	148	6.4	31	1	1	5	9	14	18	26
50-64	43	8.2	44	1	2	8	12	16	23	30
65+	3	10.0	49	2	2	13	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	4.9	15	1	1	4	7	9	12	20
20-34	690	6.1	13	1	2	6	8	11	13	18
35-49	901	6.9	17	2	3	6	9	12	15	20
50-64	675	7.4	21	2	3	7	9	12	15	24
65+	597	8.0	31	2	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	8	7.4	21	1	2	7	11	13	14	14
20-34	156	8.8	38	2	2	8	12	18	21	26
35-49	137	9.5	34	2	2	9	12	15	21	31
50-64	83	9.0	45	1	3	7	12	16	19	39
65+	56	15.0	122	3	4	11	22	35	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2631	6.0	15	2	2	5	8	10	12	18
B. *Operated*	374	6.5	31	1	1	5	9	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	2838	7.0	20	2	3	6	9	12	15	22
B. *Operated*	440	9.8	52	2	2	8	12	19	23	37
1. SINGLE DX	3005	6.1	17	1	2	5	8	11	13	20
2. MULTIPLE DX	3278	7.4	25	2	3	6	9	13	16	25
A. NOT OPERATED	5469	6.5	18	2	2	6	8	11	14	21
B. OPERATED	814	8.3	45	1	2	7	11	16	21	35
TOTAL 0-19 YRS	192	5.1	15	1	1	4	7	10	13	20
20-34	2041	6.2	20	1	2	5	8	11	14	21
35-49	1978	6.7	18	2	2	6	9	12	14	21
50-64	1266	7.0	21	2	3	6	9	12	15	24
65+	806	8.3	37	2	3	7	10	15	18	36
GRAND TOTAL	**6283**	**6.8**	**22**	**2**	**2**	**6**	**9**	**12**	**15**	**23**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	216	3.1	7	1	1	2	4	7	8	13
20-34	906	5.2	12	1	1	5	7	10	12	16
35-49	655	5.8	23	1	2	5	8	10	12	18
50-64	288	6.0	15	1	2	5	8	11	13	21
65+	99	5.8	27	1	2	4	7	12	17	28
B. *Operated*										
0-19 YRS	9	7.8	92	<1	<1	7	8	23	32	32
20-34	197	5.9	65	1	1	4	8	12	17	25
35-49	151	6.2	34	1	1	4	9	13	18	31
50-64	41	5.4	20	1	1	5	8	10	16	19
65+	3	10.0	57	2	2	11	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	3.7	9	<1	1	3	5	8	10	13
20-34	1062	5.6	23	1	1	5	7	11	14	18
35-49	885	6.8	20	1	2	6	9	13	16	22
50-64	665	6.9	32	1	2	6	9	12	15	23
65+	569	7.4	27	2	2	6	9	14	18	25
B. *Operated*										
0-19 YRS	19	5.7	21	<1	1	5	9	12	15	17
20-34	194	7.8	68	1	1	6	11	16	20	35
35-49	170	8.4	62	1	1	7	12	17	20	43
50-64	88	7.4	30	1	2	6	12	15	17	24
65+	42	13.1	108	3	4	11	16	25	37	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2164	5.3	17	1	1	5	7	10	12	18
B. *Operated*	401	6.1	49	1	1	4	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	3419	6.3	25	1	2	5	8	12	15	22
B. *Operated*	513	8.3	63	1	1	6	12	17	20	42
1. SINGLE DX	2565	5.4	22	1	1	5	7	10	13	20
2. MULTIPLE DX	3932	6.6	30	1	2	5	9	13	16	24
A. NOT OPERATED	5583	5.9	22	1	2	5	8	11	14	21
B. OPERATED	914	7.3	58	1	1	5	10	16	20	32
TOTAL 0-19 YRS	482	3.6	11	<1	1	2	5	8	10	13
20-34	2359	5.7	27	1	1	5	7	11	14	20
35-49	1861	6.6	27	1	2	6	8	12	16	23
50-64	1082	6.6	27	1	2	6	9	12	15	23
65+	713	7.5	34	2	2	6	9	15	19	29
GRAND TOTAL	**6497**	**6.1**	**27**	**1**	**1**	**5**	**8**	**12**	**15**	**23**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.3	14	<1	<1	1	2	4	5	27
20-34	87	2.5	3	<1	<1	2	3	5	6	8
35-49	70	3.0	10	<1	1	2	4	6	8	20
50-64	54	3.6	8	<1	1	3	4	8	9	13
65+	56	4.7	16	1	1	3	6	10	14	18
B. *Operated*										
0-19 YRS	262	2.5	3	<1	1	2	3	4	6	9
20-34	616	2.7	3	1	1	2	3	5	5	8
35-49	408	3.2	3	<1	1	3	4	5	6	9
50-64	394	4.3	7	1	2	4	5	7	9	14
65+	132	5.2	10	1	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	3	<1	1	2	4	5	7	7
20-34	116	3.7	17	<1	1	2	4	8	13	22
35-49	82	4.4	21	1	1	3	5	9	13	26
50-64	116	4.1	20	1	1	3	5	8	10	29
65+	268	6.9	27	1	2	5	10	14	17	26
B. *Operated*										
0-19 YRS	70	3.1	3	1	1	3	4	5	6	8
20-34	180	3.6	12	1	1	3	4	6	8	24
35-49	117	5.4	36	1	1	4	6	9	16	39
50-64	187	5.5	15	2	2	5	6	10	14	72
65+	89	7.2	25	2	3	5	8	15	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	3.1	10	<1	1	2	4	7	8	16
B. *Operated*	1812	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	626	5.2	24	1	1	4	7	12	15	26
B. *Operated*	643	4.9	20	1	1	4	6	9	14	27
1. SINGLE DX	2139	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1269	5.0	22	1	1	4	6	10	14	26
A. NOT OPERATED	953	4.5	20	1	1	3	6	10	13	25
B. OPERATED	2455	3.7	9	1	1	3	5	7	9	17
TOTAL 0-19 YRS	436	2.6	4	<1	1	2	3	5	6	8
20-34	999	3.0	6	1	1	2	4	5	7	13
35-49	677	3.7	12	<1	1	3	4	6	8	19
50-64	751	4.5	11	1	2	4	5	8	10	21
65+	545	6.3	22	1	2	5	8	13	16	25
GRAND TOTAL	**3408**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2209	1.4	2	<1	1	1	1	2	3	6
20-34	716	1.9	3	<1	<1	1	2	3	5	8
35-49	190	2.1	3	<1	1	1	3	4	6	11
50-64	83	1.9	2	1	1	2	2	3	5	8
65+	48	2.8	8	<1	1	2	3	7	11	12
B. *Operated*										
0-19 YRS	30	1.5	1	<1	<1	1	2	3	3	4
20-34	24	1.8	1	<1	1	1	2	4	5	5
35-49	1	46.0		46	46	46	46	46	46	46
50-64	4	5.5	22	1	1	4	8	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2318	2.2	7	<1	1	1	2	4	6	14
20-34	1887	2.8	11	<1	1	2	3	6	8	15
35-49	645	3.6	13	1	1	2	4	8	11	19
50-64	442	4.1	20	1	1	3	5	9	12	25
65+	490	5.6	31	1	1	4	7	12	15	27
B. *Operated*										
0-19 YRS	564	4.8	71	<1	1	2	4	11	22	45
20-34	739	4.8	68	<1	1	2	5	10	17	51
35-49	228	6.4	93	<1	1	3	7	15	20	55
50-64	152	6.6	79	1	1	3	8	17	24	47
65+	150	9.8	152	1	1	5	12	23	34	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3246	1.6	2	<1	1	1	2	3	4	7
B. *Operated*	59	2.6	36	<1	1	1	2	4	5	43
2. MULTIPLE DX										
A. *Not Operated*	5782	3.0	13	<1	1	2	3	6	9	19
B. *Operated*	1833	5.6	82	<1	1	3	6	13	21	54
1. SINGLE DX	3305	1.6	3	<1	1	1	2	3	4	8
2. MULTIPLE DX	7615	3.6	31	<1	1	2	4	8	11	30
A. NOT OPERATED	9028	2.5	9	<1	1	1	3	5	8	16
B. OPERATED	1892	5.5	81	<1	1	2	5	12	21	54
TOTAL 0-19 YRS	5121	2.1	13	<1	1	1	2	4	6	18
20-34	3366	3.1	23	<1	1	2	3	6	9	23
35-49	1064	4.0	32	<1	1	2	4	8	13	27
50-64	681	4.4	32	1	1	2	5	10	14	30
65+	688	6.3	60	1	1	4	8	14	20	36
GRAND TOTAL	**10920**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**6**	**10**	**23**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	494	2.0	7	<1	1	1	2	4	8	16
20-34	204	3.1	23	<1	<1	2	3	6	10	30
35-49	54	3.6	17	<1	1	2	4	8	15	20
50-64	27	2.4	4	<1	1	2	3	5	7	8
65+	33	4.1	15	<1	1	3	6	10	13	16
B. *Operated*										
0-19 YRS	61	10.6	167	1	1	7	11	24	28	82
20-34	55	11.7	221	1	3	7	10	29	56	65
35-49	20	15.0	358	1	2	8	14	49	60	71
50-64	38	9.5	29	4	4	8	11	19	21	24
65+	44	15.4	180	3	5	10	18	28	53	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	586	4.0	56	<1	1	2	4	9	15	47
20-34	421	4.9	51	<1	1	2	5	12	21	46
35-49	170	4.3	46	<1	1	3	5	10	14	95
50-64	146	6.7	87	1	1	3	9	16	33	99+
65+	217	8.6	115	1	1	5	10	21	27	79
B. *Operated*										
0-19 YRS	271	16.6	397	1	1	9	27	57	95	99+
20-34	303	20.7	545	1	1	12	36	80	99+	99+
35-49	135	16.2	370	1	1	10	21	47	75	99+
50-64	105	16.4	324	1	2	11	26	58	99	99+
65+	157	19.7	257	2	3	16	27	51	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	2.5	12	<1	1	1	2	5	8	18
B. *Operated*	218	12.1	178	1	3	8	13	24	47	67
2. MULTIPLE DX										
A. *Not Operated*	1540	5.2	67	<1	1	2	6	12	21	61
B. *Operated*	971	18.3	411	1	1	11	29	61	97	99+
1. SINGLE DX	1030	4.5	63	<1	1	2	5	10	16	50
2. MULTIPLE DX	2511	10.3	241	1	1	4	12	33	57	99+
A. NOT OPERATED	2352	4.3	50	<1	1	2	4	10	16	45
B. OPERATED	1189	17.2	374	1	2	10	26	56	87	99+
TOTAL 0-19 YRS	1412	6.0	138	<1	1	2	5	17	33	99+
20-34	983	9.8	263	<1	1	3	10	35	61	99+
35-49	379	9.0	207	1	1	4	10	22	48	99+
50-64	316	9.9	174	1	1	6	12	28	55	99+
65+	451	12.8	194	1	1	8	17	31	50	99
GRAND TOTAL	**3541**	**8.6**	**196**	**1**	**1**	**3**	**10**	**26**	**48**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.1	1	<1	1	2	3	3	4	5
20-34	43	3.3	9	1	1	2	4	7	8	17
35-49	24	3.7	8	1	1	3	5	7	10	12
50-64	10	4.2	7	1	1	3	7	8	8	8
65+	6	4.3	7	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	37	5.1	12	1	2	4	7	9	13	17
20-34	73	5.5	14	2	2	5	7	10	12	23
35-49	35	5.5	10	2	2	5	7	10	12	15
50-64	12	4.9	6	<1	1	5	7	8	9	9
65+	4	6.5	10	4	4	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.7	5	1	1	4	5	7	8	10
20-34	124	4.4	20	1	1	4	5	8	10	23
35-49	64	4.3	7	1	1	4	6	8	9	11
50-64	52	5.6	25	1	1	4	7	12	17	23
65+	51	10.0	76	2	3	7	14	21	23	52
B. *Operated*										
0-19 YRS	145	8.6	85	2	2	6	10	17	20	46
20-34	267	10.3	130	2	3	8	11	19	35	99
35-49	110	9.9	88	3	3	7	13	19	27	53
50-64	83	12.0	109	3	3	9	14	25	35	57
65+	61	15.7	246	3	4	11	18	32	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	3.3	7	1	1	2	4	7	8	14
B. *Operated*	161	5.4	12	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	352	5.2	28	1	1	4	6	9	15	23
B. *Operated*	666	10.6	124	2	3	8	12	21	31	77
1. SINGLE DX	270	4.5	11	1	1	4	6	9	11	16
2. MULTIPLE DX	1018	8.7	97	1	2	6	10	17	25	62
A. NOT OPERATED	461	4.8	23	1	1	4	6	9	12	23
B. OPERATED	827	9.6	106	2	3	7	11	18	28	72
TOTAL 0-19 YRS	269	6.4	55	1	1	5	8	12	17	33
20-34	507	7.5	84	1	2	5	9	13	21	72
35-49	233	7.0	53	1	2	5	8	14	19	45
50-64	157	8.9	78	1	2	6	11	18	26	46
65+	122	12.5	166	2	3	8	15	26	34	78
GRAND TOTAL	**1288**	**7.8**	**82**	**1**	**2**	**6**	**9**	**15**	**23**	**56**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	3.3	13	<1	1	2	4	8	9	17
20-34	114	2.8	4	<1	1	2	3	6	7	10
35-49	30	2.9	15	<1	1	2	3	5	8	22
50-64	9	3.1	5	1	1	3	4	6	8	8
65+	6	4.2	4	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	160	6.5	13	2	4	6	7	10	12	27
20-34	203	6.9	15	2	4	6	8	11	14	23
35-49	50	7.4	7	4	4	7	8	10	11	17
50-64	22	6.9	10	1	2	7	8	11	12	13
65+	11	9.3	27	3	3	9	13	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	3.9	17	1	1	3	4	8	10	21
20-34	206	3.3	6	1	1	3	4	7	8	11
35-49	76	3.8	6	1	1	3	5	8	9	11
50-64	50	5.2	18	1	1	4	7	11	12	21
65+	36	6.0	19	1	1	6	8	12	16	19
B. *Operated*										
0-19 YRS	426	12.6	181	3	4	8	13	30	42	73
20-34	660	12.8	165	3	5	9	14	26	47	95
35-49	201	13.2	95	4	5	10	16	28	34	57
50-64	87	18.0	259	4	5	12	21	40	52	93
65+	55	17.8	305	3	5	12	22	51	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	3.1	10	<1	1	2	4	7	9	14
B. *Operated*	446	6.9	13	3	4	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	601	3.9	12	1	1	3	5	8	10	18
B. *Operated*	1429	13.3	173	3	5	9	15	30	43	90
1. SINGLE DX	823	5.2	15	1	1	5	7	9	12	20
2. MULTIPLE DX	2030	10.5	144	1	2	7	12	22	37	77
A. NOT OPERATED	978	3.6	12	1	1	3	4	8	9	17
B. OPERATED	1875	11.8	142	3	4	8	13	24	38	78
TOTAL 0-19 YRS	1037	7.8	100	1	1	5	9	14	26	55
20-34	1183	9.2	114	1	2	7	10	17	29	71
35-49	357	9.5	76	1	2	7	11	20	30	47
50-64	168	12.0	180	1	2	8	13	31	40	80
65+	108	12.2	196	2	2	8	15	30	53	99+
GRAND TOTAL	**2853**	**9.0**	**113**	**1**	**2**	**6**	**10**	**18**	**31**	**68**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	4	1	1	2	4	7	7	7
20-34	16	2.2	3	<1	1	2	3	4	7	8
35-49	4	1.5		1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-19 YRS	189	2.8	5	1	1	2	4	6	7	11
20-34	149	3.7	64	<1	1	2	4	6	8	24
35-49	49	3.1	6	1	1	2	4	7	9	10
50-64	32	2.2	2	1	1	2	3	4	5	5
65+	27	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.6	13	<1	1	3	4	6	10	20
20-34	30	4.5	19	<1	1	3	6	10	11	22
35-49	15	2.4	7	<1	1	2	2	5	9	11
50-64	8	3.4	7	1	1	2	5	7	8	8
65+	13	9.1	164	1	1	3	11	34	40	41
B. *Operated*										
0-19 YRS	194	4.2	15	1	1	3	5	8	10	23
20-34	228	4.3	18	1	1	3	5	8	11	22
35-49	93	4.8	16	<1	1	4	6	8	11	23
50-64	61	3.7	5	1	1	3	5	7	8	11
65+	44	6.4	28	1	2	5	9	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.5	5	1	1	2	3	6	8	10
B. *Operated*	446	3.1	24	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	102	4.4	35	<1	1	3	5	10	12	36
B. *Operated*	620	4.4	16	1	1	3	5	8	11	23
1. SINGLE DX	484	3.0	23	1	1	2	4	6	8	11
2. MULTIPLE DX	722	4.4	19	1	1	3	5	8	11	23
A. NOT OPERATED	140	3.9	27	1	1	2	4	8	11	33
B. OPERATED	1066	3.9	20	1	1	3	5	7	10	20
TOTAL 0-19 YRS	434	3.5	10	1	1	3	5	7	9	19
20-34	423	4.0	34	1	1	3	5	7	10	22
35-49	161	4.0	13	1	1	3	5	8	10	22
50-64	102	3.2	4	1	1	3	4	6	7	10
65+	86	5.7	43	1	1	3	7	13	18	38
GRAND TOTAL	**1206**	**3.9**	**21**	**1**	**1**	**3**	**5**	**7**	**10**	**22**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.9	1	<1	1	1	2	4	5	80
20-34	53	2.6	7	<1	<1	2	3	5	9	14
35-49	34	2.1	2	<1	<1	2	2	4	6	7
50-64	11	2.0	1	1	1	2	3	4	4	4
65+	16	2.5	5	<1	1	2	3	9	68	99+
B. *Operated*										
0-19 YRS	307	2.0	4	<1	<1	1	2	4	6	13
20-34	178	2.8	15	<1	<1	2	3	5	8	24
35-49	62	2.8	7	<1	1	2	4	6	8	14
50-64	38	2.4	6	<1	1	2	3	5	6	14
65+	34	3.2	10	1	1	2	3	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	2.6	27	<1	1	2	3	5	7	26
20-34	271	2.9	9	<1	<1	2	3	5	7	16
35-49	135	3.2	16	<1	<1	2	4	7	10	45
50-64	107	4.4	17	<1	1	3	6	10	12	19
65+	240	5.6	40	1	1	4	7	13	17	26
B. *Operated*										
0-19 YRS	667	2.9	14	<1	1	2	3	6	8	19
20-34	894	4.0	36	<1	1	2	5	8	12	30
35-49	323	4.9	63	<1	1	3	5	11	16	45
50-64	214	4.7	29	<1	1	3	6	11	14	30
65+	293	5.6	41	1	1	3	7	12	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	2.2	4	<1	<1	2	3	4	7	69
B. *Operated*	619	2.4	8	<1	<1	1	2	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	930	3.8	24	<1	1	2	4	8	11	23
B. *Operated*	2391	4.1	34	<1	1	2	5	9	13	29
1. SINGLE DX	803	2.3	7	<1	<1	1	2	5	7	15
2. MULTIPLE DX	3321	4.0	31	<1	1	2	5	9	12	28
A. NOT OPERATED	1114	3.5	21	<1	1	2	4	8	11	23
B. OPERATED	3010	3.7	29	<1	1	2	4	8	12	27
TOTAL 0-19 YRS	1221	2.6	13	<1	<1	1	3	5	7	17
20-34	1396	3.6	27	<1	1	2	4	7	11	24
35-49	554	4.1	42	<1	1	2	5	9	14	43
50-64	370	4.3	23	<1	1	3	5	10	13	24
65+	583	5.4	39	1	1	3	7	12	17	29
GRAND TOTAL	**4124**	**3.7**	**27**	**<1**	**1**	**2**	**4**	**8**	**11**	**26**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.0	5	<1	<1	1	2	4	5	14
20-34	168	2.0	3	<1	<1	1	2	4	5	11
35-49	51	2.9	21	<1	1	2	3	5	8	32
50-64	23	3.0	8	<1	<1	2	3	7	10	11
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	153	3.3	14	<1	1	2	4	6	8	22
20-34	177	3.8	14	<1	1	3	5	7	9	22
35-49	46	4.0	9	<1	1	3	5	8	10	15
50-64	24	5.0	25	1	1	4	6	8	14	26
65+	8	6.4	85	1	1	2	7	23	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.7	6	<1	1	2	3	6	9	13
20-34	150	3.5	14	<1	1	2	4	7	11	19
35-49	66	3.2	5	<1	1	3	4	6	10	85
50-64	33	3.5	8	1	1	3	5	7	11	13
65+	21	7.2	29	1	2	5	11	16	18	20
B. *Operated*										
0-19 YRS	169	6.8	58	1	1	5	8	14	19	40
20-34	392	7.9	62	1	1	6	9	16	23	41
35-49	134	9.0	92	1	2	7	10	16	21	56
50-64	44	9.4	91	1	2	7	11	20	25	56
65+	28	10.3	217	2	3	6	10	18	32	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	2.2	7	<1	<1	1	2	4	6	11
B. *Operated*	408	3.7	15	<1	1	3	5	7	9	25
2. MULTIPLE DX										
A. *Not Operated*	352	3.5	12	<1	1	2	4	7	11	19
B. *Operated*	767	8.0	74	1	1	6	9	16	23	50
1. SINGLE DX	751	3.0	12	<1	1	2	4	6	8	17
2. MULTIPLE DX	1119	6.6	59	1	1	5	8	14	19	44
A. NOT OPERATED	695	2.8	10	<1	1	2	3	6	9	16
B. OPERATED	1175	6.5	58	1	1	5	8	14	19	41
TOTAL 0-19 YRS	502	4.1	30	<1	1	2	5	9	13	31
20-34	887	5.2	39	<1	1	3	7	11	16	33
35-49	297	5.9	55	<1	1	4	7	12	16	50
50-64	124	5.8	48	<1	1	4	7	11	19	34
65+	60	8.2	124	1	2	5	10	16	24	75
GRAND TOTAL	**1870**	**5.2**	**43**	**<1**	**1**	**3**	**6**	**11**	**16**	**33**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.5	3	<1	<1	2	3	5	6	10
20-34	158	2.9	5	<1	1	2	4	6	7	10
35-49	43	2.8	3	<1	1	2	4	5	6	8
50-64	25	3.8	12	<1	1	2	4	9	13	14
65+	9	3.2	6	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	903	2.1	6	<1	<1	1	2	4	6	12
20-34	1357	2.3	6	<1	1	1	3	5	7	13
35-49	462	2.8	17	<1	1	2	3	5	8	21
50-64	308	2.4	6	<1	<1	1	3	5	8	13
65+	122	2.3	7	<1	<1	1	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	3.1	9	<1	<1	2	4	6	9	16
20-34	195	3.4	9	<1	<1	2	5	8	9	16
35-49	71	3.8	11	1	1	3	5	6	7	21
50-64	41	4.6	29	1	1	3	6	11	13	32
65+	52	6.2	19	2	2	5	9	12	16	19
B. *Operated*										
0-19 YRS	669	2.7	7	<1	1	2	3	6	7	14
20-34	1200	3.5	23	<1	1	2	4	7	10	23
35-49	434	3.9	33	1	1	2	4	9	13	31
50-64	248	3.7	24	<1	1	2	4	8	14	29
65+	153	5.4	68	1	1	3	6	11	18	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.9	5	<1	1	2	4	5	7	11
B. *Operated*	3152	2.3	8	<1	1	1	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	440	3.8	13	<1	1	3	5	8	11	19
B. *Operated*	2704	3.5	23	<1	1	2	4	7	11	27
1. SINGLE DX	3481	2.4	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	3144	3.5	22	<1	1	2	4	7	11	24
A. NOT OPERATED	769	3.4	10	<1	1	3	4	7	9	16
B. OPERATED	5856	2.9	15	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	1747	2.4	6	<1	1	2	3	5	7	12
20-34	2910	2.9	13	<1	1	2	3	6	9	17
35-49	1010	3.3	23	<1	1	2	4	7	10	25
50-64	622	3.1	15	<1	1	2	3	7	10	24
65+	336	4.4	39	<1	1	2	5	10	16	30
GRAND TOTAL	**6625**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.9	6	<1	<1	2	4	5	7	14
20-34	144	3.0	4	<1	1	3	4	5	7	9
35-49	34	3.5	11	<1	<1	2	5	7	13	14
50-64	22	3.8	7	<1	1	3	6	7	9	11
65+	18	4.0	14	<1	1	3	6	11	13	13
B. *Operated*										
0-19 YRS	465	3.9	28	<1	1	2	4	7	11	28
20-34	483	3.9	21	1	1	3	5	8	10	28
35-49	142	4.6	29	<1	1	3	5	10	14	28
50-64	85	5.5	38	1	1	3	6	17	21	24
65+	36	10.2	172	1	1	5	12	23	46	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.4	8	<1	1	3	5	6	9	16
20-34	117	4.4	17	1	1	3	5	9	12	49
35-49	55	5.1	14	1	1	3	7	10	12	17
50-64	37	6.3	46	1	2	5	7	11	17	40
65+	45	7.5	36	2	2	6	10	18	26	99+
B. *Operated*										
0-19 YRS	272	6.5	64	1	1	4	7	14	24	42
20-34	373	8.1	81	1	2	5	9	21	28	53
35-49	111	10.3	207	1	1	5	12	27	44	76
50-64	79	11.4	226	1	2	7	13	28	44	82
65+	72	14.6	133	2	3	11	20	33	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	3.1	6	<1	<1	3	4	6	7	14
B. *Operated*	1211	4.3	31	1	1	3	5	9	12	29
2. MULTIPLE DX										
A. *Not Operated*	312	5.0	22	1	1	4	6	10	13	32
B. *Operated*	907	8.7	113	1	1	5	10	21	31	52
1. SINGLE DX	1566	4.0	26	<1	1	3	5	8	12	27
2. MULTIPLE DX	1219	7.7	92	1	1	5	9	19	28	51
A. NOT OPERATED	667	4.0	14	<1	1	3	5	8	11	23
B. OPERATED	2118	6.2	71	1	1	3	7	14	22	48
TOTAL 0-19 YRS	932	4.5	36	<1	1	3	5	9	14	37
20-34	1117	5.2	43	1	1	3	6	10	18	39
35-49	342	6.4	89	1	1	4	7	14	22	48
50-64	223	7.6	111	1	1	4	8	18	23	54
65+	171	10.7	116	1	2	7	14	23	34	55
GRAND TOTAL	**2785**	**5.7**	**58**	**1**	**1**	**3**	**6**	**12**	**20**	**44**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5		<1	<1	1	2	2	2	2
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	4.2	8	2	2	4	5	9	11	11
20-34	36	3.9	16	1	1	3	4	8	15	17
35-49	10	4.2	9	2	2	3	5	9	11	11
50-64	5	4.8	10	2	2	4	7	9	9	9
65+	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	27	1	1	3	4	5	18	22
20-34	10	4.6	53	<1	<1	2	4	15	25	25
35-49	6	3.7	7	1	1	3	6	8	8	8
50-64	5	5.4	15	1	1	4	9	10	10	10
65+	3	7.7	6	5	5	8	9	10	10	10
B. *Operated*										
0-19 YRS	45	10.7	208	1	1	5	11	28	44	69
20-34	89	8.5	121	1	1	5	9	17	31	63
35-49	28	11.1	207	1	1	6	14	43	59	99+
50-64	21	6.8	50	1	1	5	8	19	24	25
65+	9	10.0	61	2	3	11	12	22	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.6		<1	<1	2	2	2	3	3
B. *Operated*	62	4.2	12	1	1	3	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	39	4.5	27	<1	1	3	5	9	17	25
B. *Operated*	192	9.3	143	1	1	6	11	21	34	68
1. SINGLE DX	79	3.6	11	<1	1	2	4	8	11	17
2. MULTIPLE DX	231	8.5	126	1	1	5	10	20	31	67
A. NOT OPERATED	56	3.6	20	<1	1	2	4	8	10	25
B. OPERATED	254	8.0	115	1	1	5	9	18	29	66
TOTAL 0-19 YRS	77	7.6	140	1	1	4	7	20	32	65
20-34	139	6.8	90	<1	1	4	8	15	22	59
35-49	46	8.2	140	1	1	5	10	21	57	99+
50-64	32	6.2	37	1	1	4	8	13	22	25
65+	16	8.2	41	2	2	7	11	12	23	28
GRAND TOTAL	**310**	**7.2**	**101**	**1**	**1**	**4**	**8**	**16**	**28**	**61**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	4.0	36	<1	<1	2	3	11	22	23
20-34	59	5.7	26	<1	1	4	7	14	17	24
35-49	32	6.8	68	1	1	5	8	12	18	46
50-64	13	4.8	16	1	1	4	6	11	13	14
65+	20	6.1	41	1	2	4	7	16	23	24
B. *Operated*										
0-19 YRS	368	3.5	12	<1	1	2	4	7	10	18
20-34	651	3.7	15	1	1	3	4	7	11	24
35-49	293	4.2	21	<1	1	3	5	8	12	21
50-64	157	4.0	20	1	1	3	5	7	11	28
65+	56	6.2	62	1	1	3	9	15	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.8	56	1	1	3	5	7	20	40
20-34	143	6.4	79	1	1	4	8	13	37	99+
35-49	108	7.8	56	1	1	6	9	19	24	36
50-64	73	7.4	35	1	1	6	10	15	18	30
65+	102	9.4	79	2	2	7	13	21	37	99+
B. *Operated*										
0-19 YRS	202	4.6	48	1	1	3	5	9	13	56
20-34	524	6.1	68	1	1	4	7	12	21	58
35-49	267	5.9	47	1	1	4	7	13	18	37
50-64	198	7.6	74	1	2	4	9	19	28	47
65+	111	12.5	144	2	2	10	16	28	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	5.6	38	<1	1	4	7	12	18	25
B. *Operated*	1525	3.9	18	1	1	3	4	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	483	7.3	66	1	1	5	9	17	25	83
B. *Operated*	1302	6.6	72	1	1	4	8	15	23	52
1. SINGLE DX	1673	4.0	20	1	1	3	5	8	12	24
2. MULTIPLE DX	1785	6.8	70	1	1	4	8	15	23	55
A. NOT OPERATED	631	6.9	60	1	1	5	9	16	24	52
B. OPERATED	2827	5.1	44	1	1	3	6	11	16	36
TOTAL 0-19 YRS	651	4.0	28	<1	1	3	4	8	11	29
20-34	1377	5.0	44	1	1	3	5	10	16	45
35-49	700	5.5	40	1	1	3	6	12	17	34
50-64	441	6.2	49	1	1	4	8	14	21	38
65+	289	9.8	104	1	2	7	14	21	32	66
GRAND TOTAL	**3458**	**5.5**	**48**	**1**	**1**	**3**	**6**	**12**	**18**	**39**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	268	3.9	4	1	2	4	5	6	7	11
20-34	128	3.6	7	1	1	3	5	5	8	18
35-49	49	3.1	3	1	1	2	4	5	7	8
50-64	14	3.9	3	1	1	4	5	6	6	6
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	12	7.4	40	2	2	5	10	16	23	24
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	4	6.0	7	3	3	6	8	9	9	9
50-64	4	3.8	3	2	2	3	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	4.2	9	1	1	4	5	7	9	17
20-34	129	3.2	5	<1	1	3	4	5	7	12
35-49	52	4.0	9	1	1	3	5	6	11	17
50-64	31	4.4	6	1	2	4	5	8	9	11
65+	32	7.1	133	1	1	4	8	11	15	67
B. *Operated*										
0-19 YRS	27	5.6	18	1	1	5	8	11	13	19
20-34	45	5.0	18	1	1	4	6	11	13	23
35-49	4	3.3	8	<1	<1	2	5	7	7	7
50-64	11	3.1	2	<1	<1	4	4	5	5	5
65+	7	7.0	40	<1	1	5	9	18	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	3.7	5	1	1	4	5	6	7	11
B. *Operated*	24	6.1	22	2	2	5	7	11	16	24
2. MULTIPLE DX										
A. *Not Operated*	410	4.1	18	1	1	4	5	7	9	16
B. *Operated*	94	5.0	18	<1	1	4	7	10	13	22
1. SINGLE DX	485	3.9	6	1	1	4	5	6	7	13
2. MULTIPLE DX	504	4.3	18	1	1	4	5	8	10	18
A. NOT OPERATED	871	3.9	11	1	1	4	5	6	8	16
B. OPERATED	118	5.2	19	1	1	4	7	10	13	23
TOTAL 0-19 YRS	473	4.2	8	1	1	4	5	7	8	17
20-34	305	3.6	8	<1	1	3	5	6	8	15
35-49	109	3.6	7	1	1	3	5	6	8	14
50-64	60	4.0	4	1	1	4	5	6	8	11
65+	42	6.9	107	1	1	4	8	11	17	67
GRAND TOTAL	**989**	**4.1**	**12**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	1.8	2	<1	<1	1	2	3	4	8
20-34	653	2.3	4	<1	1	2	3	4	6	11
35-49	272	2.6	6	1	1	2	3	5	7	18
50-64	174	3.1	8	<1	1	2	4	6	8	16
65+	255	4.3	13	1	1	3	6	9	12	16
B. *Operated*										
0-19 YRS	111	2.5	4	<1	<1	2	3	6	7	9
20-34	103	3.0	6	<1	1	2	4	6	8	13
35-49	48	3.8	14	1	1	3	4	10	13	17
50-64	37	4.3	17	1	1	3	5	9	15	19
65+	29	6.1	45	1	2	4	5	20	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1087	2.1	4	<1	1	1	3	4	5	10
20-34	1310	3.0	11	<1	1	2	4	6	8	15
35-49	671	3.7	23	1	1	3	5	7	10	17
50-64	676	4.9	20	1	1	3	6	10	14	23
65+	1981	6.7	33	1	2	5	9	13	17	29
B. *Operated*										
0-19 YRS	181	3.4	11	1	1	2	4	8	10	18
20-34	267	5.0	40	<1	1	3	6	11	16	45
35-49	122	5.0	18	<1	1	3	7	11	14	18
50-64	121	5.9	33	1	1	4	8	14	16	29
65+	200	12.6	128	1	2	9	17	28	34	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1954	2.5	6	<1	1	2	3	5	7	12
B. *Operated*	328	3.4	12	<1	1	2	4	6	9	20
2. MULTIPLE DX										
A. *Not Operated*	5725	4.4	23	1	1	3	6	10	13	23
B. *Operated*	891	6.5	61	1	1	4	8	16	21	40
1. SINGLE DX	2282	2.7	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	6616	4.7	29	1	1	3	6	10	14	26
A. NOT OPERATED	7679	3.9	20	<1	1	2	5	9	12	21
B. OPERATED	1219	5.7	50	1	1	3	7	13	19	35
TOTAL 0-19 YRS	1979	2.2	4	<1	1	1	3	4	6	10
20-34	2333	3.0	13	<1	1	2	4	6	8	17
35-49	1113	3.6	18	1	1	2	4	7	10	17
50-64	1008	4.7	20	1	1	3	6	10	14	23
65+	2465	6.9	42	1	2	5	9	14	19	33
GRAND TOTAL	**8898**	**4.2**	**24**	**<1**	**1**	**3**	**5**	**9**	**13**	**24**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.2	2	1	1	2	3	4	5	8
20-34	78	3.3	11	<1	1	2	4	7	9	19
35-49	18	3.4	15	1	1	2	4	10	14	15
50-64	10	5.4	39	<1	<1	2	9	15	20	20
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	54	5.0	35	1	1	3	5	13	17	33
20-34	62	5.8	36	1	1	3	6	15	20	26
35-49	29	4.9	29	<1	<1	2	7	13	18	21
50-64	24	5.9	92	1	1	2	4	16	28	44
65+	5	9.4	99	3	3	6	12	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.0	13	<1	1	2	3	5	10	23
20-34	56	3.7	9	1	1	3	4	8	9	17
35-49	26	3.3	7	<1	1	3	4	6	8	14
50-64	19	5.4	20	1	1	4	6	13	16	18
65+	11	10.4	197	1	2	7	11	28	49	51
B. *Operated*										
0-19 YRS	54	8.3	151	1	1	4	10	21	30	60
20-34	151	9.9	134	1	1	5	14	23	41	53
35-49	50	11.7	295	1	1	5	12	33	42	97
50-64	39	8.4	89	1	1	5	11	18	27	47
65+	8	10.3	167	1	1	5	15	33	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.0	10	1	1	2	4	6	9	19
B. *Operated*	174	5.5	43	1	1	3	6	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	160	4.1	26	1	1	3	5	8	11	23
B. *Operated*	302	9.7	158	1	1	5	12	23	40	56
1. SINGLE DX	346	4.3	28	1	1	2	4	9	15	26
2. MULTIPLE DX	462	7.8	119	1	1	4	9	19	29	53
A. NOT OPERATED	332	3.5	18	1	1	2	4	7	10	20
B. OPERATED	476	8.2	120	1	1	4	10	19	30	53
TOTAL 0-19 YRS	219	4.6	54	1	1	2	4	11	16	41
20-34	347	6.7	77	1	1	4	7	17	23	49
35-49	123	7.1	143	<1	1	3	8	15	26	64
50-64	92	6.8	70	1	1	3	10	16	20	46
65+	27	9.3	142	1	1	5	9	26	39	51
GRAND TOTAL	**808**	**6.3**	**83**	**1**	**1**	**3**	**7**	**15**	**22**	**50**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4		<1	<1	1	2	2	2	2
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.6	2	<1	<1	1	2	4	5	5
20-34	14	2.6	6	<1	1	2	3	5	9	10
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	7	2.4	2	1	1	3	4	4	4	4
20-34	10	4.4	16	1	1	4	5	10	14	14
35-49	5	3.0	5	1	1	3	4	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.3		<1	<1	1	2	2	2	2
B. *Operated*	27	2.1	4	<1	<1	1	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	6	2.8	5	1	1	2	4	7	7	7
B. *Operated*	23	3.3	9	1	1	3	4	6	9	14
1. SINGLE DX	39	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	29	3.2	8	1	1	3	4	6	8	14
A. NOT OPERATED	18	1.8	2	<1	<1	1	2	4	6	7
B. OPERATED	50	2.7	6	<1	<1	2	4	5	7	14
TOTAL 0-19 YRS	28	2.0	2	<1	<1	1	2	4	5	7
20-34	28	3.0	9	<1	1	2	4	6	10	14
35-49	9	2.2	3	1	1	1	3	5	6	6
50-64	3	2.7	2	1	1	3	4	4	4	4
65+										
GRAND TOTAL	**68**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	524	1.5	11	<1	<1	1	1	2	3	11
20-34	111	1.3	1	<1	<1	1	1	2	3	5
35-49	104	1.5	2	<1	<1	1	1	3	4	9
50-64	114	1.4	1	<1	<1	1	2	2	3	5
65+	113	1.4	1	<1	1	1	2	2	3	39
B. *Operated*										
0-19 YRS	141	2.5	11	<1	<1	1	3	5	7	16
20-34	41	2.7	10	<1	<1	2	3	6	7	19
35-49	18	3.1	33	<1	<1	1	2	6	17	25
50-64	24	2.9	12	<1	1	2	3	6	11	16
65+	28	2.7	10	<1	<1	2	3	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	1.9	2	<1	<1	1	2	3	5	9
20-34	41	2.8	9	<1	1	2	3	7	8	17
35-49	38	3.2	6	1	1	2	5	7	8	11
50-64	81	3.5	13	<1	1	2	4	10	11	17
65+	160	4.3	36	1	1	3	6	9	11	24
B. *Operated*										
0-19 YRS	55	4.5	20	<1	1	2	6	12	14	20
20-34	31	5.8	41	<1	1	5	8	15	30	99+
35-49	33	6.0	53	<1	<1	3	9	15	26	28
50-64	55	4.3	18	<1	1	3	6	10	11	19
65+	93	7.1	55	1	1	4	11	20	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	966	1.5	6	<1	<1	1	1	2	3	8
B. *Operated*	252	2.6	12	<1	<1	1	3	5	8	19
2. MULTIPLE DX										
A. *Not Operated*	419	3.3	19	<1	1	2	4	7	10	17
B. *Operated*	267	5.7	39	<1	1	3	8	14	20	30
1. SINGLE DX	1218	1.7	8	<1	<1	1	2	3	4	13
2. MULTIPLE DX	686	4.3	28	<1	1	2	5	10	14	27
A. NOT OPERATED	1385	2.0	11	<1	<1	1	2	4	6	14
B. OPERATED	519	4.2	28	<1	1	2	5	11	15	28
TOTAL 0-19 YRS	319	1.9	11	<1	<1	1	2	3	5	14
20-34	224	2.5	11	<1	<1	1	2	6	8	22
35-49	193	2.7	17	<1	<1	1	3	6	9	27
50-64	274	2.8	10	<1	1	2	3	7	10	18
65+	394	4.0	33	1	1	2	4	10	14	27
GRAND TOTAL	**1904**	**2.6**	**17**	**<1**	**<1**	**1**	**2**	**6**	**9**	**23**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	6.5	32	1	1	5	9	14	17	27
20-34	28	7.9	46	1	1	6	11	17	23	28
35-49	11	6.7	71	1	1	4	8	22	27	27
50-64	9	10.6	93	2	2	8	13	25	33	33
65+	3	18.7	341	8	8	8	32	40	40	40
B. *Operated*										
0-19 YRS	79	9.1	112	1	2	6	10	16	30	64
20-34	75	8.7	77	1	2	6	9	23	27	40
35-49	37	9.9	135	<1	1	5	11	28	41	44
50-64	26	13.8	320	1	2	7	18	36	57	76
65+	22	18.5	201	4	5	15	24	40	47	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	7.3	55	1	1	5	9	15	21	40
20-34	53	8.0	101	1	1	5	11	18	29	58
35-49	36	7.0	58	1	1	4	9	15	21	39
50-64	24	8.6	60	<1	1	6	13	20	26	27
65+	29	11.9	129	1	1	9	13	30	38	44
B. *Operated*										
0-19 YRS	140	18.9	260	2	3	14	28	47	56	99+
20-34	143	22.2	334	2	5	19	34	57	96	99+
35-49	78	25.0	382	2	3	23	36	46	64	87
50-64	75	23.6	437	2	3	20	34	60	78	99+
65+	75	27.1	421	2	4	23	42	58	61	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	7.7	57	1	1	5	10	16	27	37
B. *Operated*	239	10.5	141	1	2	7	12	26	38	57
2. MULTIPLE DX										
A. *Not Operated*	205	8.2	80	1	1	6	10	18	28	42
B. *Operated*	511	22.7	354	2	4	18	34	53	69	99+
1. SINGLE DX	330	9.7	119	1	2	6	11	24	33	53
2. MULTIPLE DX	716	18.5	318	1	2	13	28	46	60	99+
A. NOT OPERATED	296	8.1	73	1	1	6	10	18	27	41
B. OPERATED	750	18.8	318	2	2	13	28	46	60	99+
TOTAL 0-19 YRS	322	12.7	185	1	2	8	15	34	45	70
20-34	299	14.9	248	1	1	9	23	40	58	99+
35-49	162	16.3	302	1	1	10	25	40	46	82
50-64	134	18.2	360	1	2	12	27	46	73	99+
65+	129	22.0	351	2	3	17	36	48	58	97
GRAND TOTAL	**1046**	**15.8**	**272**	**1**	**2**	**10**	**23**	**41**	**55**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	5.1	27	1	1	3	7	11	15	30
20-34	192	4.7	29	<1	1	3	6	11	16	25
35-49	94	6.4	94	<1	1	3	8	15	26	81
50-64	35	4.7	21	1	1	3	6	11	15	21
65+	16	3.6	10	1	1	3	4	9	11	12
B. *Operated*										
0-19 YRS	48	7.7	53	1	1	5	11	17	23	30
20-34	35	8.8	33	1	2	9	14	16	17	21
35-49	18	7.7	101	1	2	4	10	16	33	43
50-64	16	7.1	77	<1	<1	4	8	17	30	35
65+	6	11.8	81	2	2	8	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	5.5	27	1	1	4	8	13	17	22
20-34	350	5.5	35	1	1	4	7	13	16	28
35-49	157	6.9	56	1	1	5	9	14	19	46
50-64	119	8.3	79	1	1	5	11	19	23	48
65+	100	12.3	195	2	2	8	15	32	40	94
B. *Operated*										
0-19 YRS	153	13.6	216	1	1	8	19	36	43	57
20-34	123	12.1	154	1	2	9	15	23	34	70
35-49	75	20.2	330	2	2	14	33	51	62	92
50-64	60	20.2	451	1	1	15	24	49	64	98
65+	41	21.4	190	3	4	21	32	42	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	5.1	38	1	1	3	7	11	16	32
B. *Operated*	123	8.1	58	1	1	6	12	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	1214	6.5	56	1	1	4	9	15	19	37
B. *Operated*	452	15.9	258	1	2	11	22	41	51	78
1. SINGLE DX	684	5.6	43	1	1	3	7	13	17	33
2. MULTIPLE DX	1666	9.1	128	1	1	5	12	21	34	59
A. NOT OPERATED	1775	6.1	50	1	1	4	8	14	18	35
B. OPERATED	575	14.2	225	1	2	9	19	36	45	72
TOTAL 0-19 YRS	913	6.9	69	1	1	4	9	16	22	42
20-34	700	6.6	61	1	1	4	9	15	21	38
35-49	344	9.7	158	1	1	5	12	25	44	66
50-64	230	10.8	198	1	1	6	14	23	39	73
65+	163	13.7	196	2	2	10	19	34	42	98
GRAND TOTAL	**2350**	**8.1**	**105**	**1**	**1**	**5**	**10**	**19**	**28**	**53**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	8	1	1	2	4	6	12	99+
20-34	47	5.5	53	1	1	3	6	13	19	39
35-49	29	4.0	14	<1	1	3	6	9	10	18
50-64	22	3.7	7	<1	1	3	5	8	10	10
65+	7	5.6	19	1	1	5	8	12	13	13
B. *Operated*										
0-19 YRS	114	2.3	3	<1	1	2	2	4	6	9
20-34	190	3.0	11	<1	<1	2	3	6	10	18
35-49	68	2.8	6	<1	1	2	3	5	7	16
50-64	37	2.8	9	<1	1	2	3	6	8	17
65+	13	3.5	10	<1	<1	3	4	7	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	10	<1	<1	2	4	7	9	15
20-34	66	4.4	14	<1	1	3	7	9	11	19
35-49	38	4.8	15	1	1	4	7	9	14	17
50-64	29	4.9	8	<1	1	5	6	9	12	12
65+	41	9.0	105	1	2	6	10	19	35	48
B. *Operated*										
0-19 YRS	124	4.3	40	1	1	2	4	11	15	58
20-34	217	5.6	103	1	1	2	5	10	27	55
35-49	77	7.5	227	<1	1	3	6	22	44	99
50-64	45	8.3	152	1	1	4	10	26	38	99+
65+	23	14.6	529	1	1	3	11	63	64	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	4.1	25	1	1	2	5	10	14	41
B. *Operated*	422	2.8	8	<1	1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	202	5.3	34	1	1	4	7	10	15	36
B. *Operated*	486	6.2	135	1	1	2	5	13	30	73
1. SINGLE DX	568	3.1	13	<1	1	2	3	6	10	18
2. MULTIPLE DX	688	6.0	105	1	1	3	6	12	25	67
A. NOT OPERATED	348	4.8	31	1	1	3	6	10	14	39
B. OPERATED	908	4.6	79	<1	1	2	4	9	15	64
TOTAL 0-19 YRS	307	3.2	20	1	1	2	3	7	11	40
20-34	520	4.5	55	<1	1	2	4	9	14	41
35-49	212	5.0	92	<1	1	3	5	9	17	77
50-64	133	5.3	61	<1	1	3	6	10	19	76
65+	84	9.4	208	1	1	4	9	18	52	65
GRAND TOTAL	**1256**	**4.7**	**65**	**<1**	**1**	**2**	**5**	**9**	**15**	**59**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	2.0	4	<1	1	1	2	4	5	7
20-34	188	2.8	6	<1	1	2	3	6	8	13
35-49	91	3.8	21	<1	1	3	4	7	9	29
50-64	45	3.7	6	<1	1	3	5	6	9	10
65+	36	6.2	30	1	1	4	8	14	19	23
B. *Operated*										
0-19 YRS	83	3.5	17	<1	1	2	4	7	9	26
20-34	124	4.1	19	<1	1	3	5	9	11	21
35-49	50	4.5	40	1	1	2	5	10	15	40
50-64	26	5.1	25	<1	1	4	6	16	18	19
65+	10	4.2	21	<1	<1	2	5	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	2.6	6	<1	1	2	3	5	8	12
20-34	267	3.6	12	<1	1	2	4	7	9	21
35-49	139	4.7	14	1	1	4	6	10	11	17
50-64	106	5.3	15	1	1	4	7	10	13	19
65+	242	8.6	86	1	2	6	10	17	23	47
B. *Operated*										
0-19 YRS	108	5.8	47	1	1	3	7	14	19	40
20-34	159	7.3	120	1	1	4	8	18	34	99
35-49	63	8.9	119	1	2	5	8	26	35	49
50-64	52	13.7	275	2	2	9	19	44	99+	99+
65+	40	12.6	125	2	2	9	19	27	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	3.0	10	<1	1	2	3	6	8	17
B. *Operated*	293	4.1	23	<1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	923	5.1	36	1	1	3	6	10	14	27
B. *Operated*	422	8.4	127	1	1	5	9	22	35	99+
1. SINGLE DX	850	3.4	15	<1	1	2	4	7	10	19
2. MULTIPLE DX	1345	6.1	67	1	1	4	7	13	20	47
A. NOT OPERATED	1480	4.3	27	1	1	3	5	9	12	23
B. OPERATED	715	6.7	89	1	1	3	8	16	27	63
TOTAL 0-19 YRS	557	3.1	17	<1	1	2	3	6	9	20
20-34	738	4.3	38	<1	1	3	5	8	13	36
35-49	343	5.2	42	1	1	3	6	10	15	37
50-64	229	6.9	87	1	1	5	8	16	27	99+
65+	328	8.7	85	1	2	6	10	19	24	46
GRAND TOTAL	**2195**	**5.1**	**49**	**1**	**1**	**3**	**6**	**10**	**16**	**40**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1333	1.6	2	<1	<1	1	2	3	4	6
20-34	941	1.8	4	<1	<1	1	2	3	5	9
35-49	321	2.2	4	<1	<1	2	3	4	5	12
50-64	180	2.7	11	<1	1	2	3	5	7	14
65+	137	4.1	12	1	1	3	5	9	10	16
B. *Operated*										
0-19 YRS	7	1.9	1	1	1	1	3	3	3	3
20-34	8	2.1	2	<1	<1	2	3	4	5	5
35-49	8	1.8	1	1	1	2	2	3	4	4
50-64	2	10.5	13	8	8	10	13	13	13	13
65+	2	9.0	50	4	4	9	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1367	3.0	23	<1	1	2	3	6	9	24
20-34	2814	3.5	23	<1	1	2	4	7	11	25
35-49	1514	4.2	33	<1	1	2	4	9	14	35
50-64	978	5.2	40	1	1	3	6	11	16	28
65+	1300	6.4	28	1	2	5	8	12	15	30
B. *Operated*										
0-19 YRS	26	8.3	111	<1	1	4	10	22	29	47
20-34	98	11.3	236	1	1	5	13	27	45	83
35-49	67	12.9	264	1	1	8	18	29	71	96
50-64	79	13.2	241	1	2	8	16	28	46	86
65+	115	14.1	135	2	3	11	18	29	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2912	1.9	4	<1	<1	1	2	4	5	9
B. *Operated*	27	3.1	12	<1	1	2	3	7	13	14
2. MULTIPLE DX										
A. *Not Operated*	7973	4.2	29	<1	1	2	5	9	13	27
B. *Operated*	385	12.6	204	1	2	8	16	28	46	86
1. SINGLE DX	2939	1.9	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	8358	4.6	40	<1	1	3	5	10	15	33
A. NOT OPERATED	10885	3.6	24	<1	1	2	4	8	11	24
B. OPERATED	412	11.9	196	1	1	7	16	27	43	83
TOTAL 0-19 YRS	2733	2.4	14	<1	<1	1	2	4	6	20
20-34	3861	3.3	26	<1	<1	2	3	7	11	25
35-49	1910	4.1	40	<1	1	2	4	9	14	36
50-64	1239	5.3	53	1	1	3	6	11	17	33
65+	1554	6.8	39	1	2	5	8	13	18	35
GRAND TOTAL	**11297**	**3.9**	**32**	**<1**	**1**	**2**	**4**	**8**	**13**	**28**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	659	1.4	1	<1	<1	1	1	2	3	6
20-34	363	1.9	20	<1	<1	1	2	3	4	10
35-49	159	1.8	2	<1	<1	1	2	3	5	7
50-64	104	2.3	7	<1	1	2	2	4	7	16
65+	35	2.3	11	1	1	1	2	3	6	20
B. *Operated*										
0-19 YRS	14	6.5	49	1	2	4	7	14	25	28
20-34	14	6.7	34	<1	2	4	9	17	19	20
35-49	5	3.4	11	<1	<1	3	5	9	9	9
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	2.3	16	<1	1	1	2	5	6	13
20-34	418	2.9	14	<1	<1	2	3	6	8	22
35-49	248	3.5	17	<1	1	2	5	7	9	19
50-64	176	4.0	60	<1	1	2	5	7	9	30
65+	156	5.2	35	1	1	3	6	10	16	34
B. *Operated*										
0-19 YRS	16	13.8	428	1	1	7	17	30	66	82
20-34	16	8.3	71	1	1	4	14	19	27	30
35-49	9	17.0	144	2	4	15	29	31	32	32
50-64	18	13.6	225	<1	1	5	23	36	45	50
65+	10	19.8	349	1	1	17	34	48	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1320	1.7	7	<1	<1	1	2	3	4	9
B. *Operated*	36	6.0	34	<1	1	4	7	13	19	28
2. MULTIPLE DX										
A. *Not Operated*	1316	3.3	24	<1	1	2	4	7	9	21
B. *Operated*	69	13.7	243	1	1	7	23	32	41	77
1. SINGLE DX	1356	1.8	9	<1	<1	1	2	3	4	11
2. MULTIPLE DX	1385	3.8	40	<1	1	2	4	7	11	31
A. NOT OPERATED	2636	2.5	17	<1	<1	1	2	5	7	17
B. OPERATED	105	11.1	184	1	1	5	15	30	35	67
TOTAL 0-19 YRS	1007	1.9	16	<1	<1	1	2	3	5	12
20-34	811	2.6	19	<1	<1	1	3	6	8	21
35-49	421	3.2	18	<1	1	2	3	7	9	26
50-64	300	4.0	57	<1	1	2	4	7	11	35
65+	202	5.4	57	1	1	3	6	12	19	42
GRAND TOTAL	**2741**	**2.8**	**26**	**<1**	**<1**	**1**	**3**	**6**	**8**	**25**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	1.9	4	1	1	1	2	3	5	11
20-34	192	2.1	4	<1	1	1	2	4	6	10
35-49	143	2.4	12	<1	<1	2	3	4	6	16
50-64	85	2.6	8	<1	1	2	3	5	8	17
65+	83	3.1	7	1	1	2	4	7	9	11
B. *Operated*										
0-19 YRS	4	14.0	239	4	4	7	23	37	37	37
20-34	14	5.3	20	<1	1	4	7	14	14	14
35-49	8	10.0	143	2	2	6	11	30	38	38
50-64	6	13.0	194	1	1	9	20	35	37	37
65+	6	12.5	56	2	2	14	15	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	3.3	36	1	1	2	3	7	9	27
20-34	259	3.2	21	1	1	2	3	6	10	28
35-49	216	3.8	22	1	1	2	4	8	11	26
50-64	268	4.6	17	1	1	3	6	9	13	21
65+	529	6.2	29	1	2	5	8	13	16	27
B. *Operated*										
0-19 YRS	19	16.6	352	<1	1	7	29	42	55	64
20-34	18	16.9	451	2	2	12	21	30	69	94
35-49	27	16.2	247	1	2	10	19	41	48	56
50-64	58	14.6	336	1	2	8	18	46	59	99+
65+	73	13.5	221	2	2	8	19	30	35	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	2.2	6	<1	1	1	2	4	6	12
B. *Operated*	38	9.6	100	1	1	6	14	22	37	38
2. MULTIPLE DX										
A. *Not Operated*	1543	4.6	27	1	1	3	6	10	14	27
B. *Operated*	195	14.8	288	1	2	9	19	38	53	97
1. SINGLE DX	828	2.6	13	<1	1	1	3	5	8	18
2. MULTIPLE DX	1738	5.7	67	1	1	3	7	12	19	42
A. NOT OPERATED	2333	3.8	21	1	1	2	5	8	11	21
B. OPERATED	233	14.0	260	1	2	8	19	37	49	95
TOTAL 0-19 YRS	581	3.1	38	1	1	2	3	6	9	38
20-34	483	3.3	37	<1	1	2	3	6	11	28
35-49	394	4.3	47	<1	1	2	4	9	15	38
50-64	417	5.7	76	1	1	3	6	11	19	52
65+	691	6.7	53	1	1	5	8	14	19	33
GRAND TOTAL	**2566**	**4.7**	**52**	**1**	**1**	**2**	**5**	**10**	**15**	**38**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.3	9	<1	1	2	5	6	9	16
20-34	75	3.4	22	<1	<1	2	4	8	9	30
35-49	36	6.4	73	<1	1	3	8	14	22	46
50-64	67	6.3	109	1	1	3	7	11	19	70
65+	85	5.5	30	<1	1	3	8	11	14	29
B. *Operated*										
0-19 YRS	204	5.2	29	<1	1	4	6	11	16	28
20-34	537	4.0	26	<1	<1	2	5	9	14	25
35-49	386	5.2	31	<1	1	3	7	12	15	31
50-64	627	7.4	61	1	1	5	10	17	22	41
65+	1189	7.1	51	1	2	4	10	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.6	26	1	1	3	5	9	15	27
20-34	108	4.6	31	<1	1	3	5	9	12	33
35-49	75	6.3	36	1	1	4	8	14	20	30
50-64	111	7.1	72	1	1	5	8	14	19	50
65+	200	7.8	66	1	1	5	10	17	26	49
B. *Operated*										
0-19 YRS	316	8.5	90	1	2	5	10	20	30	51
20-34	602	6.9	94	<1	1	4	8	16	23	58
35-49	619	7.9	78	1	1	5	10	18	26	42
50-64	1166	9.8	121	1	1	6	13	24	32	62
65+	2186	10.2	131	1	2	6	13	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	5.0	49	<1	<1	3	6	11	15	35
B. *Operated*	2943	6.2	46	1	1	4	8	15	20	32
2. MULTIPLE DX										
A. *Not Operated*	550	6.5	54	1	1	4	8	14	22	41
B. *Operated*	4889	9.3	116	1	2	5	12	22	30	57
1. SINGLE DX	3247	6.1	47	<1	1	3	8	15	20	33
2. MULTIPLE DX	5439	9.0	110	1	1	5	11	22	30	55
A. NOT OPERATED	854	6.0	52	<1	1	4	7	12	19	36
B. OPERATED	7832	8.1	92	1	1	5	10	19	27	50
TOTAL 0-19 YRS	617	6.7	62	<1	1	4	8	15	23	43
20-34	1322	5.3	59	<1	<1	3	6	12	18	43
35-49	1116	6.8	60	1	1	4	9	16	22	41
50-64	1971	8.8	100	1	1	5	12	20	29	58
65+	3660	8.9	101	1	2	5	12	21	28	50
GRAND TOTAL	**8686**	**7.9**	**88**	**1**	**1**	**4**	**10**	**19**	**26**	**49**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	1.6	3	<1	<1	1	2	3	3	5
20-34	245	2.4	4	<1	1	2	3	4	5	8
35-49	166	2.7	6	1	1	2	3	6	7	11
50-64	164	2.8	3	1	1	3	4	5	6	7
65+	238	3.6	20	1	1	3	4	7	8	13
B. *Operated*										
0-19 YRS	192	1.8	6	<1	<1	1	2	3	4	16
20-34	301	2.3	4	<1	1	2	3	5	7	11
35-49	158	2.6	5	<1	1	2	3	6	8	12
50-64	81	3.8	12	1	1	3	5	9	12	17
65+	92	4.9	17	1	1	4	6	10	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.3	3	<1	<1	2	3	4	6	11
20-34	86	3.0	8	1	1	2	4	6	8	16
35-49	73	3.5	6	1	1	3	5	6	8	12
50-64	98	3.8	11	1	1	3	5	7	11	20
65+	211	4.9	15	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	33	3.0	11	1	1	2	4	6	11	16
20-34	108	4.7	29	1	1	3	6	10	12	34
35-49	70	5.1	41	1	1	4	6	9	12	43
50-64	77	7.2	71	1	1	4	9	15	20	47
65+	126	8.8	105	1	2	5	10	21	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1012	2.6	8	<1	1	2	3	5	6	10
B. *Operated*	824	2.7	8	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	522	3.9	12	1	1	3	5	8	10	17
B. *Operated*	414	6.3	64	1	1	4	8	13	19	39
1. SINGLE DX	1836	2.7	8	<1	1	2	3	5	7	12
2. MULTIPLE DX	936	5.0	36	1	1	3	6	10	14	32
A. NOT OPERATED	1534	3.1	10	1	1	2	4	6	8	13
B. OPERATED	1238	3.9	30	<1	1	2	4	9	12	25
TOTAL 0-19 YRS	478	1.8	5	<1	<1	1	2	3	4	12
20-34	740	2.8	9	<1	1	2	3	6	8	13
35-49	467	3.1	12	1	1	2	4	6	8	13
50-64	420	4.0	21	1	1	3	5	8	12	22
65+	667	5.2	38	1	1	4	6	10	13	30
GRAND TOTAL	**2772**	**3.4**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	44,002	45.5	203	28.6
2	Respiratory tuberculosis	4,408	4.6	73	10.2
3	Nonrespiratory tuberculosis	917	0.9	13	1.9
4.	Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5	Septicemia	9,877	10.2	137	19.3
6	Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7	Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8	Viral diseases with exanthem	12,459	12.9	89	12.5
9	Viral hepatitis	9,561	9.9	84	11.8
10	Infectious mononucleosis	8,802	9.1	47	6.6
11	Viral warts	9,242	9.6	26	3.6
12	Miscellaneous viral diseases	24,590	25.5	111	15.6
13	Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14	Syphilis and other venereal diseases	4,524	4.7	27	3.8
15	Mycoses	3,473	3.6	35	4.9
16	Helminthiases	823	0.9	5	0.7
17	Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18	Late effects of infectious and parasitic diseases	375	0.4	4	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.8	9	1	2	4	6	8	11	75
20-34	165	4.7	11	2	2	4	6	8	10	17
35-49	153	6.1	20	2	2	5	8	12	16	21
50-64	92	6.3	18	2	2	5	8	12	15	23
65+	86	7.3	43	1	2	5	8	13	20	36
B. *Operated*										
0-19 YRS	75	6.3	24	1	2	5	8	11	15	26
20-34	168	7.9	34	2	2	7	10	16	22	28
35-49	128	7.8	56	1	2	6	10	14	22	40
50-64	103	8.5	40	1	2	7	12	17	20	30
65+	79	11.9	201	1	2	8	13	23	38	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.7	20	1	2	5	9	13	16	23
20-34	130	5.6	25	1	2	4	7	10	14	30
35-49	117	6.8	46	2	2	5	8	12	16	39
50-64	148	8.2	82	2	2	6	10	14	17	60
65+	162	9.5	41	2	3	7	13	19	24	30
B. *Operated*										
0-19 YRS	41	8.8	48	1	2	7	11	19	22	33
20-34	155	10.3	117	1	2	7	12	22	33	57
35-49	128	13.2	127	2	3	10	18	29	42	99+
50-64	198	15.5	224	2	3	11	20	38	49	75
65+	159	15.7	161	2	4	12	20	33	49	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575	5.7	20	2	2	4	7	10	15	26
B. *Operated*	553	8.3	65	1	2	6	11	16	22	44
2. MULTIPLE DX										
A. *Not Operated*	618	7.6	48	2	2	6	9	15	18	32
B. *Operated*	681	13.5	162	2	3	10	18	29	42	67
1. SINGLE DX	1128	7.0	44	1	2	5	9	14	19	34
2. MULTIPLE DX	1299	10.7	116	2	2	7	13	22	32	59
A. NOT OPERATED	1193	6.7	35	2	2	5	8	13	17	29
B. OPERATED	1234	11.2	125	2	2	8	14	24	34	59
TOTAL 0-19 YRS	256	6.3	24	1	2	5	8	12	17	26
20-34	618	7.2	51	1	2	5	9	14	21	42
35-49	526	8.4	68	2	2	6	10	18	26	45
50-64	541	10.6	129	2	2	8	12	21	31	61
65+	486	11.5	116	2	3	8	14	23	30	58
GRAND TOTAL	**2427**	**9.0**	**86**	**2**	**2**	**6**	**11**	**19**	**27**	**54**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.2	10	1	1	2	4	8	9	15
20-34	80	4.5	18	1	1	3	6	8	13	25
35-49	68	5.1	18	1	1	4	7	11	14	19
50-64	75	4.4	11	<1	1	3	7	10	11	13
65+	62	6.4	18	1	2	5	8	13	15	18
B. *Operated*										
0-19 YRS	74	4.3	23	<1	<1	2	5	10	17	21
20-34	196	4.9	33	1	1	3	6	10	15	34
35-49	183	4.8	23	<1	1	4	6	10	13	24
50-64	182	7.2	69	1	1	4	10	15	21	43
65+	143	6.5	58	1	1	4	8	14	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.3	6	1	1	3	4	7	9	12
20-34	176	5.2	20	1	1	4	7	11	15	25
35-49	145	6.4	35	1	1	5	8	12	17	30
50-64	196	7.8	85	1	2	5	9	16	24	40
65+	239	7.5	39	1	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	99	6.7	42	<1	1	4	10	17	22	27
20-34	250	9.5	157	1	1	5	11	22	38	93
35-49	263	8.3	76	1	2	6	11	18	26	49
50-64	408	10.2	135	1	2	6	12	25	35	68
65+	432	12.4	192	1	2	8	16	29	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	4.8	16	1	1	3	7	10	13	18
B. *Operated*	778	5.7	44	<1	1	3	7	12	17	37
2. MULTIPLE DX										
A. *Not Operated*	803	6.6	45	1	1	5	8	13	19	34
B. *Operated*	1452	10.2	141	1	2	6	12	23	35	69
1. SINGLE DX	1098	5.4	36	1	1	3	7	12	15	35
2. MULTIPLE DX	2255	8.9	110	1	2	6	11	20	30	62
A. NOT OPERATED	1123	6.1	37	1	1	4	8	12	16	31
B. OPERATED	2230	8.6	112	1	1	5	10	19	30	61
TOTAL 0-19 YRS	255	4.9	28	<1	1	3	6	11	17	24
20-34	702	6.6	77	1	1	4	8	13	21	58
35-49	659	6.6	48	1	1	5	8	14	19	41
50-64	861	8.5	102	1	1	5	10	18	29	49
65+	876	9.7	123	1	2	6	12	20	30	62
GRAND TOTAL	**3353**	**7.8**	**88**	**1**	**1**	**5**	**9**	**17**	**26**	**50**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.9	1	<1	1	1	3	4	4	4
20-34	15	3.1	5	1	1	3	3	7	8	8
35-49	5	5.4	16	2	2	4	7	12	12	12
50-64	6	4.5	22	<1	<1	3	6	12	13	13
65+	6	5.2	19	1	1	4	8	12	12	12
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	9	11.6	84	5	5	7	14	28	31	31
50-64	1	21.0		21	21	21	21	21	21	21
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	7	<1	1	2	4	6	9	11
20-34	23	4.2	10	1	1	3	6	10	11	12
35-49	27	5.9	31	<1	1	4	8	16	19	22
50-64	31	3.6	15	1	1	2	5	8	14	17
65+	36	6.1	23	1	1	6	8	12	15	23
B. *Operated*										
0-19 YRS										
20-34	13	7.3	43	1	1	6	10	19	21	22
35-49	13	8.6	41	1	2	7	11	18	23	24
50-64	18	8.2	45	2	2	7	11	16	24	29
65+	14	15.9	414	1	2	9	12	62	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.3	9	1	1	2	4	7	12	13
B. *Operated*	15	10.1	67	4	4	6	11	23	29	31
2. MULTIPLE DX										
A. *Not Operated*	135	4.8	19	1	1	3	6	10	14	22
B. *Operated*	58	9.9	137	1	2	7	11	18	27	64
1. SINGLE DX	66	4.8	30	1	1	3	6	11	15	30
2. MULTIPLE DX	193	6.3	60	1	1	4	8	12	17	48
A. NOT OPERATED	186	4.4	17	1	1	3	6	10	12	21
B. OPERATED	73	10.0	121	1	2	7	11	21	28	64
TOTAL 0-19 YRS	38	2.6	4	<1	1	2	4	5	6	11
20-34	53	4.7	18	1	1	3	7	10	12	22
35-49	54	7.4	43	1	1	6	9	17	23	31
50-64	56	5.5	33	1	1	4	7	13	17	29
65+	58	8.3	129	1	1	6	9	13	20	64
GRAND TOTAL	**259**	**6.0**	**52**	**1**	**1**	**4**	**7**	**12**	**17**	**31**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	32	1.8	2	<1	<1	1	2	4	4	8
35-49	17	1.8	1	<1	<1	1	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	42	1.7	2	<1	<1	1	2	3	4	10
20-34	4646	1.5	2	<1	<1	1	2	3	3	5
35-49	1829	1.4	1	<1	<1	1	2	2	3	4
50-64	11	1.4		<1	<1	<1	2	3	3	3
65+	5	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	40	1.3	1	<1	<1	<1	1	2	4	5
35-49	18	1.4	2	<1	<1	1	1	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.9	36	<1	<1	2	4	6	20	29
20-34	2072	2.1	4	<1	<1	1	2	4	5	9
35-49	988	2.0	4	<1	<1	1	2	4	5	9
50-64	7	1.6	1	1	1	1	2	4	4	4
65+	6	1.2		<1	<1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.8	2	<1	<1	1	2	4	4	8
B. *Operated*	6533	1.5	2	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	58	1.3	1	<1	<1	<1	1	2	4	6
B. *Operated*	3108	2.0	4	<1	<1	1	2	4	5	9
1. SINGLE DX	6583	1.5	2	<1	<1	1	2	3	3	5
2. MULTIPLE DX	3166	2.0	4	<1	<1	1	2	4	5	9
A. NOT OPERATED	108	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	9641	1.7	3	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	78	2.7	19	<1	<1	1	2	5	8	28
20-34	6790	1.7	3	<1	<1	1	2	3	4	7
35-49	2852	1.6	2	<1	<1	1	2	3	4	7
50-64	18	1.4	1	<1	<1	1	2	3	4	4
65+	11	1.3		<1	<1	1	1	2	3	3
GRAND TOTAL	**9749**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	103	2.7	1	1	1	2	3	4	5	7
1000-1499	19	4.7	84	<1	1	2	3	6	26	42
1500-1749	14	6.5	56	<1	<1	2	15	19	21	21
1750-2499	2443	2.8	4	1	1	2	3	5	6	11
2500+	127168	2.4	2	1	1	2	3	4	5	6
B. *Operated*										
1-999 G	1	3.0		3	3	3	3	3	3	3
1000-1499										
1500-1749										
1750-2499	4	5.8	28	1	1	4	9	13	13	13
2500+	123	3.2	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	104	7.4	300	<1	<1	3	5	10	64	96
1000-1499	207	25.4	364	<1	<1	27	37	50	58	85
1500-1749	301	19.9	148	<1	2	20	26	34	39	63
1750-2499	5140	6.3	31	1	2	5	8	14	18	25
2500+	52075	3.3	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	39	35.8	1066	<1	<1	52	72	99+	99+	99+
1000-1499	184	42.6	440	<1	20	43	56	78	99+	99+
1500-1749	138	27.7	167	2	13	27	34	45	53	99+
1750-2499	530	14.7	141	2	4	13	19	26	34	80
2500+	1399	6.5	35	1	2	5	8	11	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129747	2.4	2	1	1	2	3	4	5	6
B. *Operated*	128	3.2	4	1	2	3	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	57827	3.8	13	1	2	3	4	6	8	19
B. *Operated*	2290	13.1	236	1	2	7	16	36	51	99+
1. SINGLE DX	129875	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX	60117	4.1	24	1	2	3	5	6	9	26
A. NOT OPERATED	187574	2.8	5	1	1	2	3	5	6	10
B. OPERATED	2418	12.6	228	1	2	7	15	34	49	99+
TOTAL 1-999 G	247	9.9	422	<1	<1	3	5	62	79	99+
1000-1499	410	32.1	491	<1	<1	34	48	67	84	99+
1500-1749	453	21.9	171	<1	2	21	29	38	44	69
1750-2499	8117	5.8	38	1	2	4	7	14	18	27
2500+	180765	2.7	3	1	1	2	3	5	5	8
GRAND TOTAL	**189992**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	3.0		3	3	3	3	3	3	3
1000-1499	5	6.2	135	<1	<1	<1	7	27	27	27
1500-1749	4	8.3	72	<1	<1	7	15	17	17	17
1750-2499	335	4.0	6	2	2	3	5	6	9	16
2500+	1110	3.5	3	1	2	3	4	5	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	3	4.0	3	2	2	5	5	5	5	5
2500+	3	2.7	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	13	8.4	396	<1	<1	<1	6	21	64	74
1000-1499	46	29.2	383	<1	<1	31	40	56	60	76
1500-1749	84	22.4	88	5	10	23	28	34	41	81
1750-2499	733	8.6	37	2	3	6	12	17	20	27
2500+	694	4.7	6	2	2	4	6	7	8	13
B. *Operated*										
1-999 G	10	18.8	796	<1	<1	1	50	87	99	99+
1000-1499	27	33.7	429	<1	<1	34	48	54	61	89
1500-1749	21	23.0	123	1	1	26	29	34	39	42
1750-2499	73	13.7	83	3	4	12	17	24	33	49
2500+	30	7.9	50	2	2	6	8	16	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	3.7	4	1	2	3	5	6	7	11
B. *Operated*	6	3.3	3	<1	<1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1570	8.2	68	2	2	5	9	18	25	42
B. *Operated*	161	17.5	249	1	2	14	26	38	52	88
1. SINGLE DX	1461	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	1731	9.1	92	2	2	6	10	20	29	52
A. NOT OPERATED	3025	6.0	42	2	2	4	6	12	19	34
B. OPERATED	167	17.0	247	1	2	13	24	38	52	87
TOTAL 1-999 G	24	12.5	549	<1	<1	1	12	74	84	99+
1000-1499	78	29.3	417	<1	<1	31	42	54	59	85
1500-1749	109	22.0	100	1	7	23	29	33	41	68
1750-2499	1144	7.6	37	2	2	5	10	17	19	27
2500+	1837	4.0	5	2	2	4	5	6	7	12
GRAND TOTAL	**3192**	**6.6**	**59**	**2**	**2**	**4**	**6**	**15**	**22**	**41**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	3.0		3	3	3	3	3	3	3
1000-1499										
1500-1749										
1750-2499	15	2.6	6	<1	1	2	3	4	9	11
2500+	351	2.0	1	<1	1	2	3	3	4	5
B. *Operated*										
1-999 G										
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	32.0	461	2	2	37	46	52	52	52
1500-1749	4	19.8	44	14	14	18	24	29	29	29
1750-2499	61	6.6	44	1	1	4	9	17	20	30
2500+	169	3.5	6	1	1	3	4	7	9	12
B. *Operated*										
1-999 G	1	78.0		78	78	78	78	78	78	78
1000-1499	4	27.3	355	1	1	32	40	44	44	44
1500-1749	2	27.5	13	25	25	30	82	99+	99+	99+
1750-2499	11	12.3	65	2	2	13	20	23	25	25
2500+	18	4.2	8	1	1	4	5	7	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	2.0	1	<1	1	2	3	3	4	5
B. *Operated*	1	56.0		56	56	56	56	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	238	5.0	40	1	1	3	5	11	16	34
B. *Operated*	36	12.6	249	1	1	6	21	36	66	99+
1. SINGLE DX	368	2.1	9	<1	1	2	3	3	4	5
2. MULTIPLE DX	274	6.0	73	1	1	3	6	14	24	50
A. NOT OPERATED	605	3.2	18	1	1	2	3	5	9	23
B. OPERATED	37	13.7	293	1	1	6	21	42	69	99+
TOTAL 1-999 G	2	40.5	2813	3	3	40	78	78	78	78
1000-1499	9	32.6	389	1	1	37	46	54	56	56
1500-1749	6	22.3	45	14	14	25	30	86	99+	99+
1750-2499	87	6.6	46	1	1	4	10	17	21	29
2500+	538	2.5	3	1	1	2	3	4	6	10
GRAND TOTAL	**642**	**3.8**	**40**	**1**	**1**	**2**	**3**	**6**	**13**	**37**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.0	4	<1	<1	1	2	4	6	10
20-34	28	2.4	2	<1	1	2	3	4	5	7
35-49	16	1.7	2	<1	<1	1	2	4	5	5
50-64	10	2.6	5	1	1	2	3	6	8	8
65+	9	3.6	10	<1	<1	2	5	9	10	10
B. *Operated*										
0-19 YRS	750	2.1	3	<1	<1	2	3	4	5	8
20-34	1210	2.4	4	<1	<1	2	3	4	5	11
35-49	478	2.6	5	<1	<1	2	3	5	6	11
50-64	414	2.8	7	<1	1	2	3	5	5	13
65+	273	4.1	16	<1	1	3	5	8	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	84	<1	<1	1	3	15	31	32
20-34	12	1.8	3	<1	<1	1	2	4	7	7
35-49	9	2.0	3	<1	<1	1	3	5	6	6
50-64	12	3.2	10	<1	<1	2	4	8	11	11
65+	4	4.3	34	1	1	2	7	13	13	13
B. *Operated*										
0-19 YRS	117	2.7	5	<1	1	2	3	5	6	14
20-34	192	4.0	21	1	1	3	4	7	11	26
35-49	111	4.0	13	<1	1	3	5	8	12	18
50-64	116	4.9	40	1	1	3	5	11	14	37
65+	150	8.4	125	1	2	6	9	17	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.3	4	<1	<1	2	3	5	7	10
B. *Operated*	3125	2.5	5	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	48	3.0	25	<1	<1	1	3	7	11	32
B. *Operated*	686	4.9	46	1	1	3	5	10	15	27
1. SINGLE DX	3219	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX	734	4.8	45	<1	1	3	5	10	14	27
A. NOT OPERATED	142	2.5	11	<1	<1	1	3	5	7	15
B. OPERATED	3811	3.0	14	<1	<1	2	3	5	7	18
TOTAL 0-19 YRS	909	2.2	4	<1	<1	2	3	4	5	9
20-34	1442	2.6	6	<1	<1	2	3	4	6	14
35-49	614	2.8	7	<1	<1	2	3	5	7	14
50-64	552	3.2	15	<1	1	2	4	5	8	16
65+	436	5.6	58	1	1	3	6	12	16	29
GRAND TOTAL	**3953**	**3.0**	**14**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64	8	1.1		1	1	1	1	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	1.0		<1	<1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.1	18	1	1	3	4	10	16	17
20-34	22	1.7	1	1	1	1	2	3	4	4
35-49	4	1.8		1	1	2	2	2	2	2
50-64	12	2.7	21	<1	<1	1	2	7	16	17
65+	18	1.7	2	1	1	1	2	3	5	7
B. *Operated*										
0-19 YRS	3	8.3	121	1	1	3	16	21	21	21
20-34	9	2.6	2	<1	<1	2	3	5	6	6
35-49	29	2.0	4	<1	<1	1	2	4	5	10
50-64	30	4.7	83	<1	<1	2	3	7	27	46
65+	25	2.0	1	<1	1	2	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.1		<1	<1	1	1	2	2	2
B. *Operated*	7	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	77	2.5	10	1	1	2	3	4	6	17
B. *Operated*	96	3.1	32	<1	<1	2	3	5	7	37
1. SINGLE DX	18	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX	173	2.8	22	<1	<1	2	3	4	7	26
A. NOT OPERATED	88	2.3	9	1	1	1	2	4	5	17
B. OPERATED	103	3.0	30	<1	<1	2	3	4	7	36
TOTAL 0-19 YRS	24	4.7	28	1	1	3	4	16	18	21
20-34	35	1.9	1	<1	1	2	2	3	4	6
35-49	34	2.0	3	<1	<1	1	2	4	5	10
50-64	55	3.4	51	<1	<1	1	3	5	15	45
65+	43	1.9	2	<1	1	2	2	3	4	7
GRAND TOTAL	**191**	**2.7**	**20**	**<1**	**<1**	**2**	**3**	**4**	**6**	**25**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1083	2.1	15	<1	<1	1	2	4	6	16
20-34	2057	1.6	5	<1	<1	<1	1	3	5	9
35-49	568	2.6	11	<1	<1	1	3	5	7	18
50-64	556	2.9	17	<1	<1	2	3	5	9	24
65+	497	5.4	50	<1	1	3	7	14	18	46
B. *Operated*										
0-19 YRS	647	2.6	11	<1	<1	1	3	6	8	15
20-34	1868	2.7	9	<1	<1	2	3	6	8	14
35-49	965	3.5	16	<1	<1	2	4	8	10	18
50-64	758	4.1	16	<1	1	2	6	10	11	20
65+	749	4.7	27	<1	1	2	7	11	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1232	3.4	32	<1	<1	2	4	6	10	24
20-34	1440	4.7	58	<1	<1	2	4	11	21	39
35-49	1253	6.0	71	<1	1	3	6	19	22	47
50-64	2489	5.2	56	1	1	3	5	11	21	37
65+	2755	6.4	74	1	1	4	6	16	24	46
B. *Operated*										
0-19 YRS	468	4.4	54	<1	1	2	5	9	17	53
20-34	1287	3.7	28	<1	1	2	4	8	11	29
35-49	1019	5.0	43	1	1	3	6	10	16	37
50-64	1405	5.5	62	1	1	3	7	12	18	46
65+	1483	6.6	70	1	1	3	9	14	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4761	2.4	16	<1	<1	1	2	5	8	20
B. *Operated*	4987	3.3	15	<1	<1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	9169	5.4	61	<1	1	3	5	13	21	42
B. *Operated*	5662	5.2	54	1	1	3	6	11	17	44
1. SINGLE DX	9748	2.9	15	<1	<1	1	3	7	10	19
2. MULTIPLE DX	14831	5.3	58	<1	1	3	6	12	20	42
A. NOT OPERATED	13930	4.4	48	<1	<1	2	5	10	19	36
B. OPERATED	10649	4.3	36	<1	1	2	5	10	14	32
TOTAL 0-19 YRS	3430	3.0	26	<1	<1	2	3	6	9	23
20-34	6652	3.0	23	<1	<1	1	3	6	10	26
35-49	3805	4.6	42	<1	1	2	5	10	19	32
50-64	5208	4.9	48	1	1	2	5	10	18	36
65+	5484	6.2	65	1	1	3	7	14	22	46
GRAND TOTAL	**24579**	**4.3**	**43**	**<1**	**<1**	**2**	**5**	**10**	**16**	**35**

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20	Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21	Malignant neoplasm of stomach	7,393	7.7	126	17.8
22	Malignant neoplasm of small intestine	871	0.9	16	2.2
23	Malignant neoplasm of colon	31,020	32.1	525	73.8
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26	Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27	Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30	Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31	Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32	Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35 Malignant neoplasm of ovary	10,687	11.1	115	16.1
36 Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37 Malignant neoplasm of prostate	34,890	36.1	369	51.9
38 Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39 Malignant neoplasm of bladder	29,683	30.7	248	34.8
40 Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41 Malignant neoplasm of eye	751	0.8	4	0.6
42 Malignant neoplasm of brain	5,497	5.7	97	13.7
43 Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44 Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45 Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46 Hodgkin's disease	5,389	5.6	51	7.1
47 Lymphoid leukemia	5,098	5.3	52	7.3
48 Leukemia, except lymphoid	7,237	7.5	87	12.3
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50 Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51 Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52 Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53 Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55	Benign neoplasm of breast	16,452	17.0	43	6.0
56	Uterine leiomyoma	60,817	62.9	443	62.3
57	Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58	Benign neoplasm of ovary	9,110	9.4	71	9.9
59	Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60	Benign neoplasm of male genital organ	637	0.7	3	0.4
61	Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62	Benign neoplasm of eye	466	0.5	1	0.2
63	Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64	Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65	Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66	Carcinoma in situ of cervix	13,481	14.0	73	10.3
67	Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68	Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69	Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70	Other diseases of thyroid gland	15,530	16.1	120	16.8
71	Diabetes mellitus without complication	80,254	83.1	733	103.1
72	Diabetic acidosis or coma	18,113	18.7	153	21.5
73	Other complicated diabetes mellitus	47,044	48.7	543	76.3
74	Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97 Childhood psychosis	132	0.1	3	0.4
98 Major depressive psychoses	19,908	20.6	339	47.7
99 Other affective psychoses	13,937	14.4	235	33.0
100 Miscellaneous psychoses	15,142	15.7	229	32.2
101 Anxiety states	20,037	20.7	135	19.0
102 Neurotic depression	55,160	57.1	723	101.6
103 Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104 Alcoholic dependence syndrome	74,022	76.6	841	118.2
105 Opioid dependence	3,067	3.2	39	5.5
106 Drug dependence except opioid	2,943	3.0	46	6.4
107 Nondependent abuse of alcohol	6,255	6.5	24	3.4
108 Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109 Psychophysiologic disorder	9,037	9.4	52	7.4
110 Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111 Miscellaneous mental disorders	29,450	30.5	302	42.5
112 Mental retardation	1,484	1.5	17	2.3
113 Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114 Parkinson's disease	7,479	7.7	96	13.5
115 Multiple sclerosis	6,590	6.8	79	11.1
116 Epilepsy	18,925	19.6	114	16.1
117 Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118 Migraine	14,859	15.4	74	10.4
119 Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120 Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121 Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days
122	Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123	Other glaucoma	3,460	3.6	17	2.3
124	Senile cataract	133,514	138.2	506	71.1
125	Cataract, except senile	5,170	5.4	18	2.5
126	Strabismus	19,678	20.4	43	6.1
127	Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128	Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129	Other disorders of eye	2,850	2.9	13	1.9
130	Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131	Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132	Vertiginous syndromes	19,199	19.9	103	14.5
133	Otosclerosis	7,447	7.7	21	2.9
134	Miscellaneous diseases of ear	19,521	20.2	53	7.5
135	Rheumatic fever, acute	2,345	2.4	22	3.1
136	Chronic rheumatic heart disease	12,895	13.3	125	17.6
137	Essential hypertension	58,878	60.9	418	58.8
138	Hypertensive heart disease	31,356	32.5	306	43.0
139	Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140	Acute myocardial infarction	119,295	123.5	1,770	248.8
141	Angina pectoris	77,141	79.8	515	72.4
142	Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143	Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144	Pulmonary embolism and infarction	18,875	19.5	257	36.1
145	Acute and subacute endocarditis	1,553	1.6	48	6.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147	Atrial fibrillation and flutter	33,541	34.7	243	34.2
148	Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149	Heart failure	133,282	137.9	1,478	207.8
150	Miscellaneous diseases of heart	42,868	44.4	386	54.3
151	Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152	Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153	Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154	Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155	Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156	Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157	Precerebral occlusion with paralysis	830	0.9	15	2.2
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160	Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163 Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164 Atherosclerosis	20,362	21.1	265	37.3
165 Aortic aneurysm	10,542	10.9	152	21.3
166 Aneurysm except aortic	2,596	2.7	35	5.0
167 Arterial embolism and thrombosis	18,242	18.9	242	34.0
168 Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169 Phlebitis and thrombophlebitis	48,488	50.2	512	72.0
170 Varicose veins of lower extremities	27,241	28.2	231	32.5
171 Hemorrhoids	54,894	56.8	328	46.2
172 Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173 Acute URI except streptococcal	83,925	86.9	327	46.0
174 Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175 Deviated nasal septum	41,665	43.1	118	16.6
176 Nasal polyp	6,660	6.9	19	2.7
177 Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178 Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179 Pneumonia	196,466	203.3	1,627	228.8
180 Influenza	12,797	13.2	66	9.2
181 Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182 Emphysema	15,061	15.6	152	21.4
183 Asthma	98,950	102.4	597	84.0
184 Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185 Spontaneous pneumothorax	10,306	10.7	86	12.1
186 Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	73,154	75.7	181	25.4
188	Disease of mouth, except dental	10,919	11.3	50	7.0
189	Diseases of esophagus	36,229	37.5	255	35.9
190	Gastric ulcer without complication	19,941	20.6	172	24.1
191	Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192	Nongastric peptic ulcer without complication	42.538	44.0	302	42.5
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194	Peptic ulcer with obstruction	4,138	4.3	61	8.6
195	Gastritis and duodenitis	83,397	86.3	495	69.7
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197	Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198	Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199	Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200	Inguinal hernia without complication	153,037	158.4	730	102.6
201	Inguinal hernia, complicated	9,473	9.8	63	8.8
202	Umbilical hernia without complication	12,340	12.8	53	7.4
203	Ventral hernia without complication	22,390	23.2	167	23.4
204	Diaphragmatic hernia without complication	36.418	37.7	250	35.1
205	Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206	Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5
207 Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208 Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209 Diverticula of intestine	63,333	65.5	562	79.0
210 Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211 Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212 Alcoholic liver disease	14,279	14.8	192	27.1
213 Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214 Miscellaneous diseases of liver	11,592	12.0	122	17.1
215 Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216 Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217 Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218 Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219 Diseases of pancreas	34,416	35.6	355	49.9
220 Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221 Intestinal malabsorption	3,103	3.2	32	4.5
222 Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223 Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224 Chronic renal failure	13,269	13.7	140	19.7
225 Other renal failure	5,375	5.6	75	10.6
226 Acute pyelonephritis	15,135	15.7	104	14.7
227 Miscellaneous kidney infections	18,290	18.9	136	19.1
228 Calculus of kidney	26,594	27.5	182	25.5
229 Calculus of ureter	69,126	71.5	345	48.5
230 Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232	Cystitis	38,879	40.2	205	28.8
233	Urethral stricture	35,333	36.6	143	20.1
234	Miscellaneous urinary diseases	105,221	108.9	667	93.7
235	Hyperplasia of prostate	88,976	92.1	791	111.2
236	Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237	Hydrocele	10,165	10.5	41	5.8
238	Orchitis and epididymitis	9,645	10.0	58	8.1
239	Redundant prepuce and phimosis	19,255	19.9	47	6.6
240	Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241	Benign mammary dysplasia	52,574	54.4	156	21.9
242	Miscellaneous diseases of breast	20,590	21.3	76	10.6
243	Ovarian cyst	37,240	38.5	216	30.4
244	Pelvic inflammatory disease	65,002	67.3	390	54.8
245	Endometriosis	40,030	41.4	260	36.6
246	Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248	Genital prolapse	58,313	60.4	486	68.3
249	Metrorrhagia	7,921	8.2	24	3.4
250	Other disorders of menstruation	128,423	132.9	439	61.7
251	Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252	Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253	Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254	Ectopic pregnancy	13,749	14.2	81	11.5
255	Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	91	0.1	<1	0.0
257	Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258	Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259	Threatened abortion	11,635	12.0	33	4.6
260	Other early pregnancy hemorrhage	890	0.9	2	0.3
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262	Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263	False labor	52,644	54.5	69	9.7
264	Placenta previa without delivery	3,385	3.5	13	1.8
265	Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266	Infections of pregnancy without delivery	8,022	8.3	29	4.1
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268	Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288	Major puerperal infections	1,766	1.8	8	1.2
289	Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290	Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291 Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293 Pilonidal cyst	19,359	20.0	86	12.1
294 Sebaceous cyst	8,630	8.9	22	3.1
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296 Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297 Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298 Osteoarthrosis (osteoarthritis), except spine	48,590	50.3	611	85.9
299 Other arthropathies	15,245	15.8	147	20.7
300 Internal derangement of knee joint	46,879	48.5	227	31.9
301 Other disorders of joint	36,115	37.4	204	28.7
302 Ankylosing spondylitis	767	0.8	7	1.0
303 Spondylosis and allied disorders	31,466	32.6	294	41.3
304 Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305 Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306 Sacroiliac joint disorder	13,734	14.2	119	16.7
307 Sciatica	7,643	7.9	73	10.3
308 Other dorsopathies	80,127	82.9	693	97.4
309 Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310 Bunion and deformities of toe	38,223	39.6	184	25.9
311 Ganglion and cyst	24,035	24.9	65	9.1
312 Osteomyelitis	8,377	8.7	141	19.8
313 Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316	Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317	Somatic dysfunction	1,650	1.7	13	1.8
318	Congenital anomaly of nervous system	2,128	2.2	20	2.8
319	Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320	Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321	Cleft palate and lip	2,923	3.0	12	1.7
322	Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324	Undescended testicle	7,383	7.6	26	3.6
325	Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326	Clubfoot	3,936	4.1	19	2.6
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328	Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329	Convulsions	44,153	45.7	240	33.7
330	Pyrexia of unknown origin	18,430	19.1	118	16.6
331	Headache	24,243	25.1	129	18.2
332	Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333 Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334 Gangrene	8,776	9.1	190	26.7
335 Chest pain	82,485	85.4	392	55.1
336 Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337 Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338 Abdominal pain	90,476	93.6	429	60.4
339 Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340 Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341 Fracture of vault of skull	7,686	8.0	55	7.8
342 Fracture of base of skull	5,163	5.3	41	5.7
343 Fracture of face bones	32,005	33.1	138	19.5
344 Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345 Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346 Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347 Fracture of pelvis	14,592	15.1	239	33.6
348 Fracture of humerus	24,980	25.9	208	29.3
349 Fracture of radius and ulna	38,411	39.8	168	23.7
350 Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351 Fracture of neck of femur	64,926	67.2	1,320	185.6
352 Other femoral fracture	18,072	18.7	440	61.8
353 Fracture of tibia and fibula	29,683	30.7	284	39.9
354 Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355 Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	551	0.6	7	0.9
357	Dislocation of shoulder	7,163	7.4	29	4.1
358	Dislocation of knee	36,668	38.0	190	26.7
359	Other dislocation	9,705	10.0	72	10.1
360	Sprains and strains of knee and leg	11,291	11.7	61	8.6
361	Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362	Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363	Other sprains and strains	16,347	16.9	77	10.9
364	Concussion	65,726	68.0	242	34.1
365	Intracranial injury, except concussion	21,788	22.6	174	24.5
366	Internal injury to thoracic region	5,701	5.9	51	7.2
367	Internal injury, except chest	13,906	14.4	133	18.7
368	Laceration or enucleation of eye	6,227	6.4	27	3.8
369	Other laceration of head and neck	24,345	25.2	106	14.9
370	Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371	Open wound of upper limb	35,490	36.7	124	17.4
372	Open wound of lower limb	16,440	17.0	108	15.2
373	Injury to blood vessels	1,622	1.7	14	1.9
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375	Contusion of eye and adnexa	5,678	5.9	26	3.6
376	Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	4,231	4.4	29	4.1
378	Foreign body on external eye	420	0.4	1	0.2
379	Foreign body entering through other body orifice	10,444	10.8	32	4.5
380	Third degree burns	6,105	6.3	110	15.5
381	Other burns	15,932	16.5	143	20.1
382	Injury to nerve and spinal cord	5,731	5.9	34	4.8
383	Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384	Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385	Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386	Miscellaneous adverse effects	15,811	16.4	93	13.0
387	Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388	Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389	Postoperative wound infection	10,950	11.3	107	15.1
390	Other complications of surgical procedures	14,627	15.1	128	18.0
391	Other complications of medical care, except drugs	1,126	1.2	7	0.9
392	Admission for prophylactic sterilization	79,132	81.9	168	23.6
396	Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397	Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
179 Pneumonia	196,466	1	1	1	1	2
177 Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200 Inguinal hernia without complication	153,037	3	2	5	5	3
143 Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208 Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398 Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215 Gallbladder disease with calculus	134,463	7	9	6	8	7
124 Senile cataract	133,514	8	6	11	10	5
149 Heart failure	133,282	9	4	8	14	10
250 Other disorders of menstruation	128,423	10	8	9	6	19
140 Acute myocardial infarction	119,295	11	7	13	13	11
211 Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340 Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
234 Miscellaneous urinary diseases	105,221	14	22	14	7	21
183 Asthma	98,950	15	14	15	20	13
304 Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338 Abdominal pain	90,476	17	32	22	15	17
235 Hyperplasia of prostate	88,976	18	15	25	21	15
173 Acute URI except streptococcal	83,925	19	33	18	22	26
257 Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195 Gastritis and duodenitis	83,397	21	37	17	19	40
335 Chest pain	82,485	22	40	27	16	18
071 Diabetes mellitus without complication	80,254	23	25	19	24	56
308 Other dorsopathies	80,127	24	39	24	26	16
174 Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392 Admission for prophylactic sterilization	79,132	26	24	26	23	35
141 Angina pectoris	77,141	27	29	28	27	20
104 Alcoholic dependence syndrome	74,022	28	16	23	51	34
187 Disease of teeth and jaws	73,154	29	10	30	31	92
252 Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229 Calculus of ureter	69,126	31	43	44	18	38
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184 Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364 Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
244 Pelvic inflammatory disease	65,002	35	50	33	35	36
130 Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351 Fracture of neck of femur	64,926	37	31	41	41	23
209 Diverticula of intestine	63,333	38	36	37	34	51
045 Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056 Uterine leiomyoma	60,817	40	28	52	38	44
148 Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137 Essential hypertension	58,878	42	58	32	37	91
248 Genital prolapse	58,313	43	60	47	36	43
384 Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376 Other superficial injuries	55,654	45	62	39	49	45
102 Neurotic depression	55,160	46	79	36	42	64
171 Hemorrhoids	54,894	47	52	51	39	68
197 Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316 Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186 Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027 Malignant neoplasm of bronchus, lung, and trachea	53,623	51	46	59	45	49
263 False labor	52,644	52	61	35	78	58
241 Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthrosis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
178	Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329	Convulsions	44,153	69	54	70	68	83
001	Intestinal infectious disease	44,002	70	77	76	58	57
362	Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150	Miscellaneous diseases of heart	42,868	72	76	69	71	63
192	Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175	Deviated nasal septum	41,665	74	41	84	93	67
309	Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216	Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120	Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245	Endometriosis	40,030	79	96	79	73	65
207	Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232	Cystitis	38,879	81	97	66	76	131
349	Fracture of radius and ulna	38,411	82	84	77	100	72
117	Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310	Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
353	Fracture of tibia and fibula	29,683	105	106	105	110	90
111	Miscellaneous mental disorders	29,450	106	140	95	94	118
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344	Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053	Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170	Varicose veins of lower extremities	27,241	111	95	109	127	120
081	Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228	Calculus of kidney	26,594	113	118	112	101	147
084	Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172	Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127	Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

		All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
251	Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348	Fracture of humerus	24,980	118	123	114	133	106
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012	Miscellaneous viral diseases	24,590	120	109	130	116	119
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369	Other laceration of head and neck	24,345	122	133	118	130	112
331	Headache	24,243	123	227	116	91	163
090	Chronic organic brain syndrome, except arterioslerotic dementia	24,192	124	120	128	117	122
311	Ganglion and cyst	24,035	125	132	121	112	153
337	Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203	Ventral hernia without complication	22,390	128	127	132	135	126
230	Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
297 Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365 Intracranial injury, except concussion	21,788	131	145	123	143	132
068 Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268 Miscellaneous complications of preganancy without delivery	20,818	134	146	124	168	129
242 Miscellaneous diseases of breast	20,590	135	134	153	129	143
164 Atherosclerosis	20,362	136	168	134	142	124
339 Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168 Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101 Anxiety states	20,037	139	192	119	139	194
190 Gastric ulcer without complication	19,941	140	174	136	126	187
098 Major depressive psychoses	19,908	141	130	131	174	155
126 Strabismus	19,678	142	135	143	146	149
134 Miscellaneous diseases of ear	19,521	143	162	151	140	128
293 Pilonidal cyst	19,359	144	111	147	159	195
239 Redundant prepuce and phimosis	19,255	145	137	160	114	250
132 Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
198 Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103 Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116 Epilepsy	18,925	149	150	144	150	151
144 Pulmonary embolism and infarction	18,875	150	138	158	151	150
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346 Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396 Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330 Pyrexia of unknown origin	18,430	154	161	168	134	158
227 Miscellaneous kidney infections	18,290	155	172	148	137	183
167 Arterial embolism and thrombosis	18,242	156	131	175	169	137
051 Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072 Diabetic acidosis or coma	18,113	158	154	161	158	145
350 Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352 Other femoral fracture	18,072	160	158	164	156	142
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
240 Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151 Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374 Late effects of injury, poisoning, non-medicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110 Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094 Paranoid schizophrenia	17,159	168	149	186	196	109
156 Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055 Benign neoplasm of breast	16,452	170	143	195	138	221
372 Open wound of lower limb	16,440	171	193	179	154	169
363 Other sprains and strains	16,347	172	195	163	194	138
246 Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336 Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
034 Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128 Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381 Other burns	15,932	177	185	166	175	189
386 Miscellaneous adverse effects	15,811	178	180	170	182	178
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070 Other diseases of thyroid gland	15,530	180	194	169	161	216
299 Other arthropathies	15,245	181	213	184	178	166
082 Iron deficiency anemia	15,239	182	167	177	173	220
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100 Miscellaneous psychoses	15,142	184	184	187	185	176
226 Acute pyelonephritis	15,135	185	228	180	166	182
182 Emphysema	15,061	186	205	174	183	192
118 Migraine	14,859	187	247	165	172	203
236 Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390 Other complications of surgical procedures	14,627	189	199	198	197	139
347 Fracture of pelvis	14,592	190	181	190	201	168
383 Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212 Alcoholic liver disease	14,279	192	147	208	214	152
388 Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
213 Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099 Other affective psychoses	13,937	195	201	185	217	174
367 Internal injury, except chest	13,906	196	191	204	195	164
254 Ectopic pregnancy	13,749	197	187	206	200	165
306 Sacroiliac joint disorder	13,734	198	241	162	220	197
066 Carcinoma in situ of cervix	13,481	199	208	202	188	199
224 Chronic renal failure	13,269	200	157	228	189	196
162 Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332 Epistaxis	13,169	202	204	196	205	202
370 Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086 Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136 Chronic rheumatic heart disease	12,895	205	175	205	226	180
180 Influenza	12,797	206	317	189	203	162
054 Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008 Viral diseases with exanthem	12,459	208	229	197	207	217
258 Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202 Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
087 Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325 Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131 Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191 Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031 Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259 Threatened abortion	11,635	216	230	182	239	267
214 Miscellaneous diseases of liver	11,592	217	212	218	212	210
121 Retinal detachment and defects	11,462	218	182	260	218	167
360 Sprains and strains of knee and leg	11,291	219	255	212	250	171
328 Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092 Alcoholic psychoses	10,957	222	170	270	222	184
389 Postoperative wound infection	10,950	223	240	232	228	186
206 Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
199	Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188	Disease of mouth, except dental	10,919	226	222	226	213	223
019	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035	Malignant neoplasm of ovary	10,687	228	207	225	233	222
165	Aortic aneurysm	10,542	229	224	239	223	207
379	Foreign body entering through other body orifice	10,444	230	216	240	230	211
185	Spontaneous pneumothorax	10,306	231	225	238	215	235
217	Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237	Hydrocele	10,165	233	226	227	238	234
079	Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320	Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146	Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005	Septicemia	9,877	238	211	249	234	229
359	Other dislocation	9,705	239	246	236	245	218
238	Orchitis and epididymitis	9,645	240	253	223	229	261
009	Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
201 Inguinal hernia, complicated	9,473	242	200	242	262	242
319 Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011 Viral warts	9,242	244	238	229	243	288
058 Benign neoplasm of ovary	9,110	245	232	246	257	231
109 Psychophysiologic disorder	9,037	246	282	219	235	273
262 Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069 Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231 Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010 Infectious mononucleosis	8,802	251	245	216	266	300
334 Gangrene	8,776	252	214	257	240	287
294 Sebaceous cyst	8,630	253	197	261	248	301
314 Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078 Obesity of nonendocrine origin	8,527	255	328	215	254	256
312 Osteomyelitis	8,377	256	242	266	256	241
007 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
266	Infections of pregnancy without delivery	8,022	258	275	253	246	274
249	Metrorrhagia	7,921	259	244	258	255	291
064	Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341	Fracture of vault of skull	7,686	262	268	265	268	240
307	Sciatica	7,643	263	248	245	290	277
113	Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114	Parkinson's disease	7,479	265	257	255	273	282
133	Otosclerosis	7,447	266	262	274	265	248
021	Malignant neoplasm of stomach	7,393	267	234	279	278	252
324	Undescended testicle	7,383	268	254	269	272	259
040	Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026	Malignant neoplasm of pancreas	7,278	270	258	282	270	249
048	Leukemia, except lymphoid	7,237	271	261	262	282	262
357	Dislocation of shoulder	7,163	272	293	259	279	244
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122	Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
083	Sickle-cell anemia and trait	6,949	275	278	267	242	336
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139	Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296	Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176	Nasal polyp	6,660	279	249	276	299	276
115	Multiple sclerosis	6,590	280	272	254	314	283
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107	Nondependent abuse of alcohol	6,255	282	288	263	297	297
323	Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368	Laceration or enucleation of eye	6,227	284	291	294	269	260
218	Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355	Fracture of other bones	6,154	286	302	280	287	266
380	Third degree burns	6,105	287	301	285	267	275
004	Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382	Injury to nerve and spinal cord	5,731	290	297	298	289	257
366	Internal injury to thoracic region	5,701	291	305	299	283	255
375	Contusion of eye and adnexa	5,678	292	290	291	292	285
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042	Malignant neoplasm of brain	5,497	294	298	293	295	280
046	Hodgkins' disease	5,389	295	277	288	309	306
225	Other renal failure	5,375	296	283	302	286	311
017	Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030	Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	299	294	300	303	289
125	Cataract, except senile	5,170	300	284	308	301	279
342	Fracture of base of skull	5,163	301	309	304	308	253
047	Lymphoid leukemia	5,098	302	286	301	310	293
050	Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
265	Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205	Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289	Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080	Gout	4,619	307	312	303	296	325
067	Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014	Syphilis and other venereal diseases	4,524	309	315	310	304	303
002	Respiratory tuberculosis	4,408	310	304	318	294	323
006	Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377	Miscellaneous crushing injury	4,231	313	321	305	320	304
044	Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194	Peptic ulcer with obstruction	4,138	315	319	317	307	309
397	Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326	Clubfoot	3,936	318	320	307	325	312
154	Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
020	Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074	Ovarian dysfunction	3,696	321	322	315	313	334
015	Mycoses	3,473	322	345	321	327	292
123	Other glaucoma	3,460	323	307	331	319	322
264	Placenta previa without delivery	3,385	324	326	320	326	317
076	Nutritional deficiencies	3,341	325	325	327	322	318
063	Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052	Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221	Intestinal malabsorption	3,103	328	329	323	329	331
105	Opioid dependence	3,067	329	196	360	368	352
106	Drug dependence except opioid	2,943	330	316	324	338	347
321	Cleft palate and lip	2,923	331	332	335	323	316
290	Other puerperal complications	2,886	332	331	328	340	319
129	Other disorders of eye	2,850	333	339	329	324	333
038	Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166	Aneurysm except aortic	2,596	335	330	339	332	329
135	Rhematic fever, acute	2,345	336	338	334	337	342
091	Arteriosclerotic dementia	2,283	337	347	336	331	349
093	Drug psychoses	2,243	338	340	342	343	320
036	Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
322 Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065 Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318 Congenital anomaly of nervous system	2,128	342	348	341	336	341
152 Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108 Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057 Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345 Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288 Major puerperal infections	1,766	347	352	344	347	337
317 Somatic dysfunction	1,650	348	366	326	369	367
373 Injury to blood vessels	1,622	349	353	349	345	346
089 Transient organic psychotic conditions	1,564	350	349	355	350	339
095 Acute schizophrenic episode	1,556	351	346	351	359	332
145 Acute and subacute endocarditis	1,553	352	337	354	353	348
061 Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112 Mental retardation	1,484	354	354	347	346	357
223 Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
013	Rickettsioses and other arthropod-borne diseases	1,347	356	360	368	330	360
077	Cystic fibrosis	1,248	357	350	353	354	355
391	Other complications of medical care, except drugs	1,126	358	356	357	356	350
003	Nonrespiratory tuberculosis	917	359	357	364	357	356
059	Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260	Other early pregnancy hemorrhage	890	361	363	356	361	366
022	Malignant neoplasm of small intestine	871	362	359	359	363	359
157	Precerebral occlusion with paralysis	830	363	365	361	365	353
016	Helminthiases	823	364	368	365	355	362
302	Ankylosing spondylitis	767	365	372	362	360	364
085	Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041	Malignant neoplasm of eye	751	367	362	366	364	363
155	Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060	Benign neoplasm of male genital organ	637	369	367	369	367	368
356	Fracture of multiple bones	551	370	369	370	370	370
043	Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062	Benign neoplasm of eye	466	372	370	371	372	373
378	Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
018 Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097 Childhood psychosis	132	375	375	377	375	376
153 Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256 Other induced abortion	91	377	377	376	377	377
All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
140	Acute myocardial infarction	1,770	1	1	2	2	1
179	Pneumonia	1,627	2	3	1	1	2
149	Heart failure	1,478	3	2	3	5	5
351	Fracture of neck of femur	1,320	4	4	6	6	3
143	Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215	Gallbladder disease with calculus	1,302	6	5	5	4	6
304	Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211	Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104	Alcoholic dependence syndrome	841	9	13	7	33	9
235	Hyperplasia of prostate	791	10	8	14	11	14
045	Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071	Diabetes mellitus without complication	733	12	15	11	13	47
200	Inguinal hernia without complication	730	13	11	15	17	15
102	Neurotic depression	723	14	41	10	16	24
340	Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
027	Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208	Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308	Other dorsopathies	693	18	31	16	18	8
398	Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184	Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234	Miscellaneous urinary diseases	667	21	29	19	10	31
161	Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298	Osteoarthrosis (osteoarthritis), except spine	611	23	34	18	32	13
295	Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183	Asthma	597	25	22	23	25	22
209	Diverticula of intestine	562	26	21	29	23	32
073	Other complicated diabetes mellitus	543	27	23	22	48	44
096	Miscellaneous schizophrenia	537	28	20	27	49	27
023	Malignant neoplasm of colon	525	29	17	35	38	33
141	Angina pectoris	515	30	37	30	28	29
169	Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
186	Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124	Senile cataract	506	33	27	38	37	23
148	Other arrhythmia and conduction disorders	498	34	24	36	39	36
195	Gastritis and duodenitis	495	35	46	26	31	55
248	Genital prolapse	486	36	53	34	24	34
174	Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032	Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313	Localized disorders of bone and cartilage	449	39	43	41	44	25
207	Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056	Uterine leiomyoma	443	41	38	50	35	41
352	Other femoral fracture	440	42	42	47	41	28
250	Other disorders of menstruation	439	43	58	39	30	63
338	Abdominal pain	429	44	67	46	26	43
142	Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137	Essential hypertension	418	46	54	33	43	107
291	Cellulitis and abscess, except digit	416	47	35	48	56	45
117	Miscellaneous disease of central nervous system	410	48	40	45	61	39
335	Chest pain	392	49	77	54	36	51
244	Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
160 Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150 Miscellaneous diseases of heart	386	52	56	49	57	46
361 Sprains and strains of sacroiliac region	384	53	69	42	51	60
163 Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216 Gallbladder disease without mention of calculus	370	55	59	59	45	74
037 Malignant neoplasm of prostate	369	56	50	62	55	49
354 Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177 Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219 Diseases of pancreas	355	59	51	63	60	58
229 Calculus of ureter	345	60	74	70	40	67
181 Bronchitis, chronic and unspecified	339	61	89	60	53	68
098 Major depressive psychoses	339	62	44	56	89	80
387 Complications peculiar to certain specified procedures	339	63	57	73	75	30
171 Hemorrhoids	328	64	85	64	52	91
173 Acute URI except streptococcal	327	65	93	58	63	93
316 Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
344	Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362	Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252	Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138	Hypertensive heart disease	306	70	70	71	62	116
192	Nongastric peptic ulcer without complication	302	71	105	67	54	112
090	Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111	Miscellaneous mental disorders	302	73	97	61	72	99
220	Gastrointestinal hemorrhage	302	74	52	80	76	65
024	Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303	Spondylosis and allied disorders	294	76	101	65	73	88
353	Fracture of tibia and fibula	284	77	80	79	81	56
376	Other superficial injuries	281	78	90	72	83	82
384	Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094	Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
120 Peripheral nervous system disorder, except sciatica	273	81	104	75	84	71
305 Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162 Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164 Atherosclerosis	265	84	99	83	82	75
253 Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245 Endometriosis	260	86	114	84	80	66
158 Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144 Pulmonary embolism and infarction	257	88	79	98	86	84
297 Rheumatoid arthritis, except spine	256	89	108	82	85	86
189 Diseases of esophagus	255	90	102	87	74	109
197 Acute appendicitis without peritonitis	253	91	96	88	96	64
204 Diaphragmatic hernia without complication	250	92	119	91	66	128
081 Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
039 Malignant neoplasm of bladder	248	95	62	95	108	103
147 Atrial fibrillation and flutter	243	96	71	106	98	94
364 Concussion	242	97	61	94	130	96
167 Arterial embolism and thrombosis	242	98	65	112	100	85
168 Miscellaneous diseases of arteries	241	99	63	109	91	113
329 Convulsions	240	100	72	102	94	121
347 Fracture of pelvis	239	101	91	101	106	78
099 Other affective psychoses	235	102	106	77	127	97
193 Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170 Varicose veins of lower extremities	231	104	82	99	105	120
100 Miscellaneous psychoses	229	105	107	92	104	108
300 Internal derangement of knee joint	227	106	113	104	123	53
172 Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084 Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243 Ovarian cyst	216	109	110	111	95	110
348 Fracture of humerus	208	110	100	113	117	106
232 Cystitis	205	111	128	90	111	164
301 Other disorders of joint	204	112	127	114	124	73
001 Intestinal infectious disease	203	113	122	116	101	102
103 Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
212 Alcoholic liver disease	192	115	88	137	140	70
358 Dislocation of knee	190	116	139	117	122	90
334 Gangrene	190	117	78	128	120	165
198 Acute appendicitis with peritonitis	190	118	111	121	129	95
309 Bursitis and synovitis, except spine	188	119	134	115	118	118
230 Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310 Bunion and deformities of toe	184	121	138	105	157	111
228 Calculus of kidney	182	122	118	122	107	151
187 Disease of teeth and jaws	181	123	103	118	116	182
151 Cardiovascular disease, unspecified	177	124	145	156	79	159
365 Intracranial injury, except concussion	174	125	144	129	126	104
190 Gastric ulcer without complication	172	126	157	119	109	156
156 Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349 Fracture of radius and ulna	168	128	129	124	142	119
392 Admission for prophylactic sterilization	168	129	130	127	115	167
210 Anal fissure, fistula, and abscess	167	130	131	133	119	138
203 Ventral hernia without complication	167	131	124	131	133	132
178 Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
068 Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196 Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241 Benign mammary dysplasia	156	135	161	141	114	162
346 Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213 Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072 Diabetic acidosis or coma	153	138	137	142	141	133
257 Spontaneous and unspecified abortion	153	139	150	125	148	168
182 Emphysema	152	140	147	134	143	144
110 Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165 Aortic aneurysm	152	142	133	153	139	123
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299 Other arthropathies	147	144	167	145	146	124
130 Otitis media, chronic and unspecified	145	145	171	146	134	147
233 Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
381	Other burns	143	147	173	147	135	148
312	Osteomyelitis	141	148	126	159	159	127
224	Chronic renal failure	140	149	125	176	145	135
343	Fracture of face bones	138	150	159	154	151	134
005	Septicemia	137	151	117	165	162	140
337	Signs and symptoms referable to urinary system	137	152	132	150	153	204
034	Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227	Miscellaneous kidney infections	136	154	175	151	137	176
101	Anxiety states	135	155	211	126	150	207
339	Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367	Internal injury, except chest	133	158	170	171	155	115
075	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331	Headache	129	160	244	148	121	197
390	Other complications of surgical procedures	128	161	172	167	171	114
082	Iron deficiency anemia	128	162	151	155	158	208
191	Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217	Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
021 Malignant neoplasm of stomach	126	165	120	177	183	150
026 Malignant neoplasm of pancreas	126	166	143	169	172	152
136 Chronic rheumatic heart disease	125	167	142	163	191	137
371 Open wound of upper limb	124	168	181	160	167	145
214 Miscellaneous diseases of liver	122	169	155	173	170	160
070 Other diseases of thyroid gland	120	170	180	158	160	210
306 Sacroiliac joint disorder	119	171	201	143	194	161
051 Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175 Deviated nasal septum	118	173	135	178	188	177
330 Pyrexia of unknown origin	118	174	174	188	152	166
035 Malignant neoplasm of ovary	115	175	156	179	184	169
116 Epilepsy	114	176	176	174	173	175
374 Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292 Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
086 Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019 Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012 Miscellaneous viral diseases	111	181	178	187	166	178
380 Third degree burns	110	182	207	189	154	163
372 Open wound of lower limb	108	183	203	186	163	170
389 Postoperative wound infection	107	184	194	196	185	130
040 Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369 Other laceration of head and neck	106	186	195	183	175	174
336 Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226 Acute pyelonephritis	104	188	216	181	169	185
053 Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132 Vertiginous syndromes	103	190	209	168	186	198
206 Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113 Inflammatory diseases of central nervous system	101	192	208	198	182	155
042 Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
114	Parkinson's disease	96	194	168	193	208	218
119	Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386	Miscellaneous adverse effects	93	196	202	194	199	203
383	Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092	Alcoholic psychoses	89	198	177	248	206	139
008	Viral diseases with exanthem	89	199	218	197	200	206
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048	Leukemia, except lymphoid	87	201	188	200	233	191
185	Spontaneous pneumothorax	86	202	196	211	196	205
293	Pilonidal cyst	86	203	184	204	209	253
009	Viral hepatitis	84	204	217	209	193	211
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028	Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254	Ectopic pregnancy	81	207	213	213	214	189
127	Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
078 Obesity of nonendocrine origin	81	209	292	182	215	215
370 Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218 Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115 Multiple sclerosis	79	212	206	190	272	229
128 Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296 Diffuse diseases of connective tissue	79	214	210	215	218	217
255 Legally induced abortion	78	215	154	253	231	234
363 Other sprains and strains	77	216	238	207	234	188
251 Menopausal and postmenopausal disorders	76	217	205	223	203	257
079 Miscellaneous metabolic disorders	76	218	223	208	222	225
242 Miscellaneous diseases of breast	76	219	225	225	198	226
225 Other renal failure	75	220	200	228	216	239
328 Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118 Migraine	74	222	277	201	217	244
066 Carcinoma in situ of cervix	73	223	236	222	204	233
307 Sciatica	73	224	198	206	263	252
002 Respiratory tuberculosis	73	225	212	230	213	251
359 Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
154	Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058	Benign neoplasm of ovary	71	228	219	227	238	219
139	Miscellaneous hypertensive disease	70	229	231	231	212	241
246	Inflammatory disease of cervix uteri	70	230	264	214	205	250
325	Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320	Congenital anomaly of heart and circulatory system	70	232	239	235	242	136
263	False labor	69	233	252	205	250	236
396	Aftercare for removal of internal fixation device	69	234	215	236	248	209
236	Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240	Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121	Retinal detachment and defects	66	238	204	276	241	179
180	Influenza	66	239	328	221	225	192
268	Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332	Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
311 Ganglion and cyst	65	242	249	233	220	261
350 Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201 Inguinal hernia, complicated	63	244	199	246	265	247
194 Peptic ulcer with obstruction	61	245	247	247	239	223
360 Sprains and strains of knee and leg	61	246	262	239	264	196
031 Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020 Malignant neoplasm of esophagus	58	248	221	250	255	264
029 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238 Orchitis and epididymitis	58	250	256	240	243	279
199 Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388 Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231 Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341 Fracture of vault of skull	55	254	248	267	259	220
063 Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134 Miscellaneous diseases of ear	53	257	272	262	244	245
202 Umbilical hernia without complication	53	258	257	255	245	276
109 Psychophysiologic disorder	52	259	290	243	253	282
385 Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047 Lymphoid leukemia	52	261	240	258	278	259
366 Internal injury to thoracic region	51	262	280	273	254	222
069 Simple and non-toxic nodular goiter	51	263	287	265	235	288
046 Hodgkin's disease	51	264	232	257	282	278
333 Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146 Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083 Sickle-cell anemia and trait	50	267	263	261	236	334
188 Disease of mouth, except dental	50	268	267	268	261	260
145 Acute and subacute endocarditis	48	269	220	298	289	243
152 Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
239	Redundant prepuce and phimosis	47	271	269	271	240	332
010	Infectious mononucleosis	47	272	260	245	294	314
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106	Drug dependence except opioid	46	274	265	249	287	308
314	Acquired deformities of limbs, except toe	45	275	285	256	292	274
076	Nutritional deficiencies	44	276	254	283	277	263
126	Strabismus	43	277	283	280	276	266
030	Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055	Benign neoplasm of breast	43	279	268	285	256	310
006	Miscellaneous bacterial diseases	42	280	282	292	266	267
017	Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087	Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237	Hydrocele	41	283	276	275	283	295
342	Fracture of base of skull	41	284	289	290	296	232
007	Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064	Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	40	288	275	274	293	296
355 Fracture of other bones	39	289	295	282	285	269
105 Opioid dpendence	39	290	140	352	360	339
131 Other inflammation of ear and mastoid	38	291	281	297	281	289
345 Fracture of vertebral column with cord injury	38	292	307	305	274	248
262 Excessive vomiting in pregnancy	36	293	306	279	295	293
080 Gout	35	294	300	287	284	311
166 Aneurysm except aortic	35	295	284	300	297	283
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015 Mycoses	35	297	337	289	298	254
382 Injury to nerve and spinal cord	34	298	305	306	288	271
067 Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315 Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
259 Threatened abortion	33	301	313	272	312	331
044 Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379 Foreign body entering through other body orifice	32	303	293	310	301	286
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221 Intestinal malabsorption	32	305	303	294	317	297
091 Arteriosclerotic dementia	32	306	299	301	291	325
122 Open angle and primary closure glaucoma	31	307	279	315	306	305
205 Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258 Other pregnancy with abortive outcome	30	309	308	302	308	307
266 Infections of pregnancy without delivery	29	310	317	308	299	309
357 Dislocation of shoulder	29	311	321	304	314	291
377 Miscellaneous crushing injury	29	312	322	303	322	285
014 Syphilis and other venereal diseases	27	313	324	313	310	301
368 Laceration or enucleation of eye	27	314	315	325	305	294
319 Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
036	Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375	Contusion of eye and adnexa	26	317	309	322	315	303
324	Undescended testicle	26	318	310	316	319	316
011	Viral warts	26	319	323	311	311	342
107	Nondependent abuse of alcohol	24	320	331	312	318	344
095	Acute schizophrenic episode	24	321	298	321	347	287
249	Metrorrhagia	24	322	332	318	309	328
065	Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004	Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294	Sebaceous cyst	22	325	312	326	320	348
135	Rheumatic fever, acute	22	326	318	323	327	326
038	Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133	Otosclerosis	21	328	329	332	325	320
155	Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050	Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093	Drug psychoses	21	331	334	328	336	304
089	Transient organic psychotic conditions	20	332	311	342	326	315
318	Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
088	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176	Nasal polyp	19	335	319	331	337	335
326	Clubfoot	19	336	342	327	341	323
108	Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125	Cataract, except senile	18	338	330	340	338	321
074	Ovarian dysfunction	17	339	345	338	328	345
112	Mental retardation	17	340	339	336	340	356
123	Other glaucoma	17	341	326	346	335	340
052	Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022	Malignant neoplasm of small intestine	16	343	338	341	346	329
157	Precerebral occlusion with paralysis	15	344	349	339	348	327
373	Injury to blood vessels	14	345	351	351	339	338
003	Nonrespiratory tuberculosis	13	346	341	357	343	343
077	Cystic fibrosis	13	347	335	345	352	355
129	Other disorders of eye	13	348	353	343	342	357
264	Placenta previa without delivery	13	349	347	347	350	349
317	Somatic dysfunction	13	350	366	320	369	365
321	Cleft palate and lip	12	351	348	355	345	336
265	Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290	Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
223	Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289	Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057	Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322	Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043	Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288	Major puerperal infections	8	359	361	359	357	350
013	Rickettsioses and other arthropod-borne diseases	8	360	365	369	333	363
397	Aftercare involving intermittent dialysis	8	361	355	356	366	372
302	Ankylosing spondylitis	7	362	370	361	356	360
061	Benign neoplasm of urinary organ	7	363	354	362	362	367
391	Other complications of medical care, except drugs	7	364	363	363	364	351
356	Fracture of multiple bones	7	365	360	364	361	361
016	Helminthiases	5	366	369	366	363	364
085	Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153	Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041	Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
059	Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018	Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060	Benign neoplasm of male genital organ	3	372	373	373	371	373
097	Childhood psychosis	3	373	367	374	374	370
260	Other early pregnancy hemorrhage	2	374	374	372	373	374
062	Benign neoplasm of eye	1	375	375	375	376	376
378	Foreign body on external eye	1	376	376	376	375	375
256	Other induced abortion	0	377	377	377	377	377
	All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	**Title**
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma

Group Number	Title
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever